

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
63	· past employment history;		
	· education verification;		
	· financial credit history;		
	· professional license and certification verification;		
	· military service verification;		
	· criminal records including misdemeanor and felony convictions and		
	· I-9 immigration status.		
64	The Contractor shall comply with all applicable laws and regulations related to operating and staffing the CSC, including but not limited to:		
	· Americans with Disabilities Act (ADA);		
	· Occupational Safety and Health Act (OSHA);		
	· Equal Employment Opportunity Commission (EEOC);		
	· Federal Fair Credit Reporting Act (FCRA);		
	· Drivers Privacy Protection Act - 18 US Code, Section 2721 (DPPA);		
	· California State statute regarding protection of Personal Identifying Information (PII) and Security Standards.		
65	The Contractor, when conducting background investigations, shall consider and take into account the following:		
	· name search - married name, previous names, aliases and		
	· investigations must be completed and reviewed by the Contractor prior to the employee beginning work.		
66	The Contractor shall maintain hardcopy and electronic, as applicable, backup documentation on-site for all background checks.		
67	The Contractor shall maintain records of adjudication and hiring decisions on each candidate interviewed or considered for a position.		
68	All staff shall understand, read, write and speak English fluently and shall be U.S. citizens or otherwise legally permitted to work in the U.S.		
69	The Contractor shall provide for bilingual (Spanish) customer service staff to support Spanish-speaking customers who call or visit during all business hours.		
3.	System Development and Design Requirements		
3.1.	System Development Meetings and Workshops		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	To ensure the design Requirements for the BOS are fully understood by the Authority and the Contractor, a series of Requirements and design review steps are specified following a sequential design process. The Conformed Statement of Work Requirements Document (CSWRD) is developed in coordination with the Authority and the Contractor, upon selection of the Contractor. The CSWRD shall be the basis for the Contractor to develop a Requirements Traceability Matrix (RTM). The RTM details the Requirements in tabular format with columns that allow for verification that each of the Requirements in the CSWRD have been addressed in the design and documented in the System Detailed Design Document (SDDD) and the Master Test Plan (MTP) and its test procedures. The RTM shall be the basis for all design, development and testing efforts and documentation to be developed by the Contractor.		
	The ETTM System Contractor shall attend meetings and workshops as required and at the Authority's discretion based on the meeting content.		
70	The Contractor shall establish and maintain a Software design and development program to ensure compliance with the BOS Requirements.		
71	The Contractor shall employ appropriate techniques and methodologies to develop the BOS Requirements and ensure compliance with the Business Rules for the Project.		
72	The Contractor shall, for all Phase II and optional (if applicable) functionality, follow the design, development and test process that mimics the Approved Implementation Phase Software design, development and testing process.		
73	Prior to conducting any workshops, Requirements reviews, focus group meetings or design reviews, the Contractor shall develop all necessary documentation for the Authority to review and shall submit the documentation for review no less than ten (10) Business Days prior to such meetings.		
3.2.	Business Rules Workshops		
	The Contractor shall conduct a series of Business Rules workshops with the Authority to address the Business Rules document with any information required by the Contractor to design, develop and configure the BOS or operations related documentation and processes.		
74	The Contractor shall manage, facilitate and conduct Business Rules review workshops with the Authority to discuss, update and modify the Business Rules to accommodate the implementation of the BOS and CSC Operations.		
75	The Business Rules review workshops shall include Contractor and Authority staff with expertise on the current and future business operations.		
76	The Contractor shall facilitate and conduct a minimum of three Business Rules workshops.		
77	The workshops shall continue until the Business Rules are updated to the satisfaction of both the Contractor and the Authority.		
3.3.	Software Walkthroughs		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	The intent of the Software walkthrough is to provide transparency into the planning process for the Contractor's Software development to ensure the Contractor is on track to deliver the Project on schedule and to obtain the Authority's feedback on the direction of the development prior to the full rollout of the Software. Lastly it allows the Authority to observe the BOS in operation. Unlike Software detailed design reviews, these walkthroughs shall demonstrate actual transactions/trips in a test environment. As part of the walkthrough process, the Contractor shall validate all Requirements and ensure Contractor's understanding of the Requirements.		
78	The Contractor shall manage, facilitate and conduct the walkthroughs.		
79	The Contractor shall conduct a series of Software walkthroughs including product demonstrations and/or planned functionality to solicit input from the Authority during the development of the BOS Software. The Contractor will segment each meeting by functional area and schedule each walkthrough meeting to align with the participants' availability.		
80	Prior to the Software walkthrough the Contractor shall provide a listing of the functionality that will be covered, high-level use cases do be demonstrated and identify all Requirements that need clarification and discussion.		
81	During the Software walkthroughs, the Contractor shall outline and demonstrate how the BOS Requirements will be met. The outcome of these meetings shall be documented in a revised RTM document.		
82	Prior to the Software walkthrough, the Contractor shall develop and submit high-level use cases that shall be demonstrated to the Authority for review and Approval.		
83	To the extent possible, the product shall be demonstrated in an environment that allows data to flow as it will in the final integrated BOS.		
84	The Software walkthrough shall demonstrate to the Authority that the Software design meets the technical and functional Requirements.		
85	Comments and feedback provided during the Software walkthrough shall be documented and resolved by the Contractor and the resolution shall be Approved by the Authority.		
86	The Contractor shall be responsible for identifying and correcting any Software issues or defects in its design or product that impact the Contractor's ability to deliver a BOS that meets the Requirements. This shall apply to issues or defects found during or after Software walkthrough or in the subsequent testing and implementation. Any such changes to address these issues shall be Approved by the Authority in writing.		
3.4. Reports Design Workshops			
	The Contractor shall conduct a series of workshops with the Authority to facilitate the design of the BOS reports required by the Authority.		
87	The Contractor shall manage, facilitate and conduct a minimum of three (3) reports design workshops.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
88	The reports design process shall be iterative, and the Contractor shall conduct multiple workshops with the Authority's stakeholders sufficient to obtain the Authority's informed input. The Contractor shall bring its subject matter experts (SMEs) to the workshops, including as example, BOS, operations, Maintenance and finance/accounting staff, as appropriate for the report type(s) being reviewed during the meeting.		
89	SMEs must provide a means for fully explaining each report, its intended purpose, columns, fields and components and its connection with other reconciling and validating reports.		
90	The Contractor shall trace the reports to the Requirements and demonstrate that all Requirements are satisfied.		
91	Upon receiving feedback from the Authority, the Contractor shall develop/modify the reports and submit the updated reports for review.		
92	The iterative series of workshops and demonstrations shall continue until the purpose, layout and content of all reports are Approved by the Authority.		
3.5. Performance Measures Reporting Workshops			
	The Contractor shall conduct a series of workshops with the Authority to facilitate the design of the Performance Measures reports.		
93	Within the first three (3) months after the Agreement's Effective Date or at another date Approved by the Authority, subject to reasonable advance notice, the Contractor shall conduct a series of Performance Measures reporting workshops with the Authority. This will allow the Contractor and the Authority to understand how the Performance Measures-related data will be captured and reported once the Operations and Maintenance Phase has commenced. During these workshops, the Contractor and the Authority shall discuss the Performance Measures and the associated reporting. These workshops shall allow the Contractor to specify and gain initial Approval (subject to formal testing) on how the Performance Measures-related data will be captured and to accurately reported during the Operations and Maintenance Phase.		
3.6. System Detailed Design Review Meetings and Workshops			
	Based on the RTM, Operations Plan, SOPs and Business Rules documents, the Contractor shall design the BOS and submit a preliminary design document for the Authority to review and provide comments. The Contractor shall then conduct a series of design meetings, walk-throughs and workshops with the Authority to address the comments and to create the SDDD, defining how the design shall meet the BOS Requirements. Upon the submittal of an updated SDDD another review cycle shall take place.		
94	The Business Rules document, Operations Plan, SOPs, and the RTM shall be used to develop the System design and the SDDD.		
95	The Contractor shall schedule design meetings with the Authority to review and fully understand the design Requirements.		
96	The Contractor shall manage, facilitate and conduct the workshops and meetings.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
97	The Contractor shall demonstrate pre-production working products (such as beta versions) during the design review process, and stakeholders shall be walked through the workflow, utilizing screens and data flow diagrams.		
98	The Contractor shall explain how the BOS design meets the RTM, the Business Rules and the Agreement Requirements.		
99	The Contractor shall conduct as many meetings, workshops, and submission review cycles as deemed necessary by the Authority to address all design issues to the Authority's satisfaction.		
3.7. Use Cases Workshops			
	The Contractor shall conduct a series of use-case workshops with the Authority to develop use cases. The outcome of these meetings shall be a series of use-case documents that shall be used in conjunction with the Business Rules and test procedures to validate the Requirements.		
100	The Contractor shall manage, facilitate and conduct a minimum of three (3) use-case workshops with the Authority to develop the use cases that shall be used in conjunction with test procedures to validate that all BOS Requirements have been met.		
101	The use-cases (and associated test-cases) shall be traced against the Requirements within the RTM.		
102	The iterative series of workshops and demonstrations shall continue until the above use-case Requirements are satisfied and the use cases are Approved by the Authority.		
4. Documentation			
	The Contractor is required to provide various documents to support the BOS development and ongoing operations and Maintenance. All documentation provided under this Agreement shall meet the Requirements described below.		
	An online Contractor-provided Electronic Document Management System (EDMS) will be provided for the Authority's use. The EDMS will control the saving, versioning and storage of all Project-related documents, including the Contractor's Deliverables and other operations support documentation provided by the Contractor that must be available to the Project team. The Contractor shall save all Contractor Deliverables and other support documentation to the EDMS.		
4.1. Contractor-Developed Documentation Requirements			
103	The Contractor shall utilize a Contractor-provided EDMS that is accessible to the Project team by username and password, to control all Project-related documents from first submission to Approval.		
104	All Project documents submitted under this Agreement shall be available to all authorized Project team members using the EDMS during both the Implementation and Operations and Maintenance Phases.		
105	Each document shall be properly titled, date updated, numbered by revision, revision history, and version and shall incorporate signature blocks for authorship and Approvals. The Contractor shall provide a logical indexing system for ease of access for the Authority's Approval to be used to locate documents in the EDMS.		
106	The Contractor shall utilize acceptable standards agreed upon by the Contractor and the Authority when updating documents and submitting revisions.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
107	All documentation submitted by the Contractor under this Agreement shall be accurate and comply with Agreement Requirements.		
108	A table of contents, for all documentation that includes multiple pages and/or multiple sections, shall be submitted by the Contractor to the Authority for review and comment prior to the submission of the preliminary draft as part of the Deliverables Expectation Document. The Authority will review and provide comment on table of contents Submittals within five (5) Business Days.		
109	The Deliverables Expectation Document shall include all subsections and a summary narrative for each section describing the assumptions and approach.		
110	The Contractor shall submit preliminary draft and final draft documents to the Authority for review and comment, followed by 100 percent complete documents that incorporate all the Authority's review comments.		
111	The Authority shall have the right to require additional interim drafts from the Contractor at no additional cost should the documentation submitted not be of adequate quality, have missing or incorrect information or if it does not satisfactorily address the Authority's review comments.		
112	The Authority shall review and Approve all documents submitted. For documents containing less than 100 pages, the Authority will review and provide comment on preliminary draft documents within fifteen (15) Business Days. For documents containing at least 100 pages, the Authority will review and provide comment on preliminary draft documents within twenty-five (25) Business Days. The Authority shall review and provide comment on all final draft and final documents within ten (10) Business Days. When multiple documents are submitted to the Authority simultaneously, or within one week of each other, the number of Business Days required for review shall be doubled.		
113	The Contractor shall provide a Customer Review Form (CRF) with each submitted document. The Authority shall populate the CRF and provide the Contractor with written comments on all submitted documents. The Contractor shall respond in writing to all comments through the CRF. The Contractor may schedule and conduct meetings to clarify and resolve any remaining questions and issues concerning the comments and responses provided. The Contractor shall then prepare a revised version of the document for Approval by the Authority.		
114	The Contractor shall submit a hard copy and the electronic version of all Contractor developed documentation for Authority review and Approval unless otherwise directed by the Authority. Acceptable electronic formats are Microsoft Word 2016 (or higher), unsecured and indexed Portable Document Format (PDF), Excel (as appropriate) and professional CAD applications for Contractor-prepared documentation.		
115	The Contractor shall update documentation as changes occur through the Implementation Phase and the Operations and Maintenance Phase. All changes shall be submitted to the Authority for Approval. The Contractor shall maintain a document Submittals list on the EDMS identifying all versions of documents, the date submitted, the nature of changes and identify what the changes are within the documentation.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
116	All documentation submitted by the Contractor under this Agreement shall be the property of the Authority and shall not be marked with "Proprietary" unless agreed to by the Authority.		
4.2. Documents			
4.2.1. Quality Plan			
	The Quality Plan will include details about how the Contractor will plan and implement the QA program, how to address errors (quality-related events) and how to make improvements before an error occurs (continuous quality improvement). The Quality Plan will address all phases and Work.		
117	The Contractor shall develop a CSC Operations Quality Plan that details the Contractor's QA program in a concise manner customized to this Project.		
118	The Quality Plan shall include the Contractor's QA approach related to overall project management and controls, including but not limited to:		
	· quality management and organizational structure;		
	· project management;		
	· project controls;		
	· project documentation and updates and		
	· project scheduling.		
119	The Quality Plan shall include the Contractor's QA approach related to BOS design and development, operation, Software Maintenance and BOS administration, including but not limited to:		
	· overall design;		
	· Software development, initial and on-going;		
	· Software development standards and documentation;		
	· testing;		
	· adherence to Security Standards;		
	· installation;		
	· quality management of all BOS created customer communications and Notifications;		
	· adherence to Performance Measures;		
	· configuration management;		
	· change management;		
	· monitoring and administration and		
	· BOS installation and operational mobilization.		
120	The Quality Plan shall include the Contractor's QA approach related to CSC Operations, including but not limited to:		
	· quality management of every CSC Operations function;		
	· ongoing Customer Satisfaction Surveying and how the tool and information will be used;		
	· customer service quality improvements;		
	· adherence to Security Standards;		
	· quality management and organizational structure;		
	· quality management documentation;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	· Contractor's quarterly audit;		
	· all State and Federal audits per the Agreement;		
	· all required and Authority led audits;		
	· quality review and verification;		
	· adherence to Performance Measures and		
	· CSC initial and on-going staffing.		
4.2.2. Software Development Plan			
121	The Contractor shall develop and submit a Software Development Plan (SDP) that includes but is not limited to:		
	· documentation of the Software development approach to the application structure, behavior, architecture, business processes and data structures;		
	· Software development organizational chart, including resources and responsibilities, such as Software developers (by area of development), system engineers, test engineers, Quality Assurance and Quality Control personnel, configuration management administrator, documentation specialists and management staff;		
	· Software development languages, development platforms and standards;		
	· Software development methodology, such as use cases, modeling and other development tools;		
	· management and control of Software versioning and major releases;		
	· description of the Software development life-cycle and Maintenance;		
	· location and approach to segregation of development and testing environments;		
	· development problem reporting and defect tracking;		
	· code reviews;		
	· internal testing methodology;		
	· regression testing;		
	· Software development language strategy related to both development and Software Maintenance;		
	· development and integration approach for the major functional Modules;		
	· detailed Software Quality Control processes;		
	· Software documentation, standardization, review and usability;		
	· samples of detailed Software documentation for both external and in-line documentation;		
	· Software configuration and change management approach and standards and		
	· Software deployment approach, release notes and validation.		
4.2.3. Requirements Traceability Matrix			
	The RTM provides traceability between Requirements and BOS functionality in a matrix format. The RTM shall be the basis for all design, development and testing efforts and documentation to be developed by the Contractor.		
122	Upon completion of the BOS Requirements review process the Contractor shall deliver a RTM that details all the technical and functional Requirements for the BOS.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
123	The Contractor shall develop and submit an RTM that identifies each Requirement and where it is addressed in the design documents, use cases and test cases, including but not limited to:		
	· listing and multiple levels of categorization (e.g., functional, Interfaces, Modules, etc.) of all Requirements;		
	· identification of the source of all Requirements;		
	· identification of the design section of the SDDD that addresses the Requirement;		
	· identification of the test procedures that address the Requirement;		
	· Identification of the test method to validate the Requirement (e.g., via inspection, demonstration, analysis, test) and		
	· identification of the Business Rules associated with each Requirement.		
124	The RTM shall build on the specifications documented in the CSWRD and shall capture all user needs identified during the Requirements review process.		
125	During the design and development of the BOS, the Contractor shall update the RTM to reflect any changes to the Requirements and Requirements tracing that have been Approved by the Authority through the Project's change control management process.		
126	During design and testing, the RTM shall be used to verify the compliance to the Requirements, use cases and test cases.		
127	Upon Approval of the RTM, it shall be the basis for functional verification of design, development and testing.		
4.2.4. System Detailed Design Document (SDDD)			
128	The Contractor shall develop and submit an SDDD that describes the design specifications of all Hardware and Software provided as part of the BOS to meet the Approved Agreement Requirements. The SDDD shall demonstrate that the Contractor understands the functional, technical and Performance Measures of the BOS and has the processes, system and Software design in place to provide a high-quality and reliable product that meets the Requirements.		
129	The SDDD shall be written in accordance with the Quality Plan as defined in Section 4.2.1.		
130	The SDDD shall comply with data retention Requirements set forth in the Security Standards and Section 4.2.17 Records.		
131	The SDDD shall include the use of diagrams, figures and tables, and it shall apply to all required environments, Contractor-provided systems, and Software to be used by the Contractor, all Interfaces and all Third-Party Service Providers.		
132	The Contractor shall work with the Authority's marketing department in developing the Self-Service Website navigation and look and feel.		
	The SDDD shall include but not be limited to:		
	· logical BOS diagrams for all environments that identify all subsystems, components, connections and Interfaces;		
	· physical BOS architecture diagrams for all environments that identify all sites, Equipment and network layout diagrams;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
133	· telephony, IVR and ACD system flow diagrams, including call routing options;		
	· high system availability design for all BOS components, including servers, storage, network, database and application;		
	· detailed desktop computer Hardware, Software and peripheral configurations;		
	· access/identity security methodology;		
	· network sizing and design details including IP scheme;		
	· complete bill of materials, including Hardware, Software and support/Maintenance agreements;		
	· specification sheets for all Equipment including space and power requirements;		
	· Disaster Recovery and Business Continuity design, including network impacts;		
	· detailed database design, schema and entity relationship modeling, including transaction and file sizing and processing calculations;		
	· detailed database data dictionary;		
	· detailed data management design and processes, including summarizations, archiving and purging;		
	· all documentation required under PCI and PII and to document conformance with the Security Standards;		
	· Interface Control Documents (ICDs) for all external Interfaces and file upload functionality documenting both sides of the Interface;		
	· detailed Software architecture, internal software component interfaces, logic and process flows;		
	· detailed transactional and Violation processing logic and flow;		
	· detailed financial processing logic and flow, including interface and mapping to the Authority's financial applications;		
	· Self-Service Mobile Application (Phase II and optional) flow diagram;		
	· Self-Service Website site map;		
	· application performance monitoring design;		
	· all GUIs (including reports and screen formats);		
	· format of all correspondence for all channels and		
	· account management design and account types.		
4.2.5. Master Test Plan (MTP)			
	The Contractor shall develop and submit a comprehensive testing plan that describes the different test phases, the Contractor's testing concepts and approach and the administration of each test. The Master Test Plan (MTP) outlines the scope and testing concepts to be used to validate the BOS compliance to the Requirements, including integration to the ETTM System, external entities and Interoperable Agencies, and compliance to all Business Rules and Security Standards.		
134	The Contractor shall provide an MTP for the Authority's Approval that details the testing methodology utilized by the Contractor to demonstrate the BOS satisfies all Requirements.		
	The MTP shall cover all aspects of the BOS testing and shall describe all test phases, scope and procedures to validate the BOS compliance to the Requirements, including but not limited to:		
	· overall approach to testing, including tools and automation;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
135	· approach to using use cases and test cases to validate all Requirements;		
	· approach to entry and exit criteria;		
	· approach/methodology to pass/fail criteria;		
	· approach to the severity and priority descriptions and levels for each test;		
	· approach to defect tracking; reported; resolution, and regression testing, including tools used to document defects;		
	· approach for each test phase including purpose, scope, system environment, duration location, and resources;		
	· methodology for testing the Requirements and sample size for each phase of testing;		
	· approach for how data sets for each test are created including data needed to simulate logical days and cycles;		
	· approach to validating BOS Requirements through the testing methodology;		
	· approach to validating Performance Measures;		
	· approach to validating all reporting Requirements;		
	· approach to end-to-end testing, validation and reconciliation;		
	· approach to validating BOS monitoring, logging, access, Performance Management and Monitoring System (PMMS) Requirements;		
	· approach to testing, compliance to standards, correction of defects and Software release;		
	· end-to-end testing to ensure processes, transactions/trips and their interaction are tested through their final stages or disposition;		
	· Interface testing to ETTM System, Interoperable Agencies and Third-Party Service Providers;		
	· Security Standards;		
	· financial activity and reconciliation;		
	· redundancy/failover aspects;		
	· DR aspects and		
	· cross-channel testing to ensure testing is not only performed for each Interface (such as, Self-Service Website, Self-Service Mobile Application (Phase II and optional), and IVR) individually, but also that testing is performed across each Interface to ensure consistent presentation and processing.		
4.2.6. Individual Test Plan and Test Procedures			
	The Contractor shall develop and submit individual test plans that describe the required test phases, the Contractor's testing concepts and approach for the administration of each test defined later in these Requirements. The individual test plans will provide detailed documentation of the individual testing plan and procedures.		
136	The Contractor shall provide a separate detailed test plan for the Authority's Approval for each testing phase outlined in the Requirements and MTP, including:		
	· Unit Test Plan;		
	· System Integration Test Plan;		
	· User Acceptance Test Plan;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	· On-site Installation and Commissioning Test Plan and		
	· Operational and Acceptance Test Plan.		
137	The Contractor shall provide a detailed test plan, including but not limited to:		
	· test agenda including location, dates, meetings, testers, observers and attendees;		
	· test scripts for manual and automated tests;		
	· detailed use cases and test cases mapped to the RTM for all testing;		
	· test entry and exit criteria;		
	· test preparation;		
	· description of process for ensuring quality of testing and documentation;		
	· test data creation process and		
138	· description of the environment used and Software versioning.		
	The Contractor shall provide use cases and test cases for Authority Approval for each testing phase outlined in the RTM, including but not limited to:		
	· use case/test case ID;		
	· use case/test case description;		
	· mapped Requirements and Business Rules;		
	· assumptions:		
	· test data (variables and their values);		
	· steps to be executed;		
	· expected results;		
	· pass/fail criteria;		
4.2.7.	· space to document actual results and		
	· space for comments.		
Implementation Plan and Related Documentation			
	The Contractor shall develop and submit an Implementation Plan and related documentation that identifies its approach that covers the major elements of the implementation, including coordination with the Authority's ETTM System Contractor, Third-Party Service Providers and others.		
139	The Contractor shall develop and submit the Implementation Plan that documents all implementation related activities for the Project for Authority's review in accordance with the Approved Baseline Implementation Schedule.		
140	The Implementation Plan shall define all elements of implementation, including but not limited to:		
	· the detailed implementation schedule, detailing all activities for the implementation of the BOS, including coordination with ETTM System Contractor, Third-Party Service Providers and others as required. Once the implementation schedule is Approved by the Authority, the Contractor shall submit to the Authority updates during the implementation period(s) identifying any proposed implementation schedule changes and Work progress in the form of percentage completions;		
	· resource allocation Requirements for all implementation period(s);		
	· procurement and installation of the communications network;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	· Quality Control, Quality Assurance, inspection and testing processes;		
	· special or unique implementation Requirements;		
	· an organization chart with contact information, roles and responsibilities and includes ETTM System Contractor, Third-Party Service Providers and others as required and		
	· Go-Live checklist.		
141	The Contractor shall develop and submit to the Authority a full size (24" by 36") set of drawings with installation notes, providing sufficient and accurate detail of all systems and network layouts at all facilities that have BOS Equipment.		
4.2.8. Disaster Recovery Plan			
	The Disaster Recovery Plan (DRP) is a comprehensive, documented statement of actions to be taken before, during and after a disaster to protect and recover the information technology data, assets and facilities of the BOS.		
142	The Contractor shall develop, test, and submit a Disaster Recovery Plan (DRP) and subsequent Disaster Recovery procedures that describe the approach, as well as procedures to take place in the event of a disaster for the BOS.		
143	The DRP shall document the Contractor's approach to and planning for recovering from a disaster, including but not limited to:		
	· define what constitutes disaster, associated risks and severity levels and timeframes to address (e.g., earthquake, flood, electrical outage, general loss of access to building, etc.);		
	· mitigation of disaster risks;		
	· preparations in the event of a disaster;		
	· organization chart illustrating Disaster Recovery team members, roles and responsibilities;		
	· notification contact list, including contact information;		
	· notification protocol;		
	· sites and Equipment for Disaster Recovery, presented in a diagram format;		
	· Disaster Recovery process initiation and completion checklist;		
	· coordination with the ETTM System Contractor and all Third-Party Service Providers;		
	· Software, system and data replication processes;		
	· detailed logistical processes for activation of Disaster Recovery site and systems;		
	· detailed technical processes for activation of Disaster Recovery site and systems;		
144	· detailed operational functions for activation of Disaster Recovery site and		
	· detailed technical processes for reactivation of primary site (or moving to a new primary site if the original primary site is destroyed) for systems and coordination with Authority's operations.		
	The DR shall include the following BOS information, including but not be limited to:		
144	· Recovery Point Objective (RPO): maximum acceptable amount of data loss for all critical BOS services after an unplanned data-loss incident;		
	· Recovery Time Objective (RTO): maximum acceptable amount of time for restoring a critical BOS services and regaining access to data after an unplanned disruption;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	<ul style="list-style-type: none"> Level of Service (LOS): the combination of throughput and functionality required to sustain BOS business operations and detailed description of how site and BOS security shall be maintained to ensure continued compliance with the Security Standards. 		
145	The DRP shall be tested and updated by the Contractor annually.		
4.2.9. Business Continuity Plan			
	The Business Continuity Plan (BCP) is a comprehensive, documented statement of strategy, as well as the planning, actions and processes that allows the Authority to continue BOS and CSC Operations after experiencing a disruptive event.		
146	The Contractor shall develop, test, and submit a Business Continuity Plan (BCP) that details the Contractor's approach to accommodating the staffing capabilities, furnishings, Equipment, systems, network, applications and data components required to ensure the continuity and resumption and continuity of critical BOS processes.		
147	The Contractor shall be responsible for providing a high-level plan for restoring CSC Operations in the event that facilities become unavailable; however, the plan shall not result in any costs to the Authority for pre-staging of Equipment and personnel.		
148	The Contractor shall be responsible for providing a detailed plan for restoring CSC Operations in the event that all or part of the CSC staff are directed by the Contractor or the Authority to work-at-home. For example, during an event similar to the COVID-19 outbreak.		
149	Changes to the operations BCP shall be reflected in the BCP within thirty (30) Calendar Days of Approval. The Contractor shall distribute, train and educate the operations staff on the BCP.		
4.2.10. BOS Installation Plan			
	The BOS Installation Plan will be used by the Contractor to successfully install and prepare the BOS for testing and eventual Go-Live.		
150	The Contractor shall coordinate with the Authority, Third-Party Service Providers, and the ETTM System Contractor to develop and provide a detailed BOS Installation Plan, subject to Approval by the Authority that identifies all aspects of BOS installation and start-up of all activities and systems associated with the testing and implementation of the BOS in accordance with the Security Standards.		
151	The BOS Installation Plan shall incorporate all aspects of the BOS installation, start-up and Go-Live, including but not limited to:		
	<ul style="list-style-type: none"> approach to installing the BOS, including network Equipment; CSC Equipment and Desktop Environments; 		
	<ul style="list-style-type: none"> communication procedures; 		
	<ul style="list-style-type: none"> BOS licensing; 		
	<ul style="list-style-type: none"> website static content; 		
	<ul style="list-style-type: none"> phone numbers; 		
	<ul style="list-style-type: none"> BOS access control; network addresses; 		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	· mapping of all start-up activities;		
	· approach to compliance with Security Standards during installation and testing;		
	· coordination and Interface testing and start-up activities required with the ETTM System Contractor, and Third-Party Service Providers;		
	· approach to achieving commencement of Ramp-up/Customer Services;		
	· acquisition and implementation of domain names and URLs;		
	· installation team organizational structure, roles and responsibilities and		
	· other activities required for the Go-Live from a system standpoint.		
152	The BOS Installation Plan shall describe the approach to testing support, including but not limited to:		
	· approach to the iterative and repetitive testing phases;		
	· within each testing phase the approach to resetting account balances, advancing aging and other system administration activities necessary to support repetitive testing and		
	· within each testing phase the approach to establishing required Interfaces.		
4.2.11. CSC Operations and Facility Mobilization Plan			
	The CSC Operations and Facility Mobilization Plan shall be developed by the Contractor and shall include an explanation of how the Contractor will manage CSC and CSC facility mobilization.		
153	The Contractor shall coordinate with the Authority to develop a detailed CSC Operations and Facility Mobilization Plan that identifies and plans for all activities, data and Authority-owned materials associated with the mobilization of the CSC, as well as all aspects of design and coordination of the CSC and WIC facility.		
154	The CSC Operations and Facility Mobilization Plan shall include how the Contractor will stage new operations for testing and Go-Live.		
155	The CSC Operations and Facility Mobilization Plan shall address how and where the Contractor will train the staff without disrupting current operations.		
156	The CSC Operations and Facility Mobilization Plan shall incorporate all aspects of the CSC Mobilization, including but not limited to:		
	· pre-Go-Live account creation and transponder delivery;		
	· transponder inventory;		
	· Violation work;		
	· all printed customer collateral;		
	· hardcopy documentation;		
	· softcopy information owned by the Authority;		
	· mobilization of CSC facilities;		
	· post office boxes;		
	· Postage meters;		
	· phone numbers;		
	· staffing for testing;		
	· staffing for initial pre-Go-Live marketing period;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	<ul style="list-style-type: none"> · staffing for initial Go-Live; · security personnel as required by Contractor; · administration of CCTV surveillance and physical security systems; · service contracts; · training and · Go-Live activities. 		
157	The CSC Operations and Facility Mobilization Plan shall include a mobilization and facility mobilization and occupancy schedule.		
158	The CSC Operations and Facility Mobilization Plan shall be submitted for Approval by the Authority as a part of the Operations Plan in accordance with the Approved Baseline Implementation Schedule.		
4.2.12. End of Agreement Transition Plan			
	The End of Agreement Transition Plan shall address how the Contractor will support the Authority and the Contractor's successor to facilitate a seamless transition upon termination or expiration of the Agreement.		
159	The Contractor shall develop a detailed End of Agreement Transition Plan that identifies the transition of all activities and Authority -owned materials and data associated with the Operation of the CSC at the end of the Agreement.		
160	The End of Agreement Transition Plan shall incorporate all aspects of the transition, including but not limited to:		
	· customer service, billing and violation work in progress;		
	· accounts and violations in collections;		
	· Merchant Service Provider activities;		
	· transponder inventory;		
	· all printed customer collateral;		
	· all supplies and consumables on hand;		
	· hardcopy documentation;		
	· softcopy information owned by the Authority;		
	· CSCs;		
	· staffing;		
	· training and		
	· Contractor orderly shutdown of non-transitioned items, facilities and services.		
161	The End of Agreement Transition Plan shall be submitted for Approval by the Authority as a part of the Operations Plan in accordance with the Approved Baseline Implementation Schedule.		
162	The End of Agreement Transition Plan shall be updated and submitted for Approval by the Authority every two (2) years over the term of the Agreement.		
4.2.13. Operations Plan			
	The Operations Plan is a comprehensive source of information about how the CSC will be managed and operated.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
163	The Contractor shall develop and maintain a comprehensive Operations Plan that details all aspects of the operation of the CSC, including but not limited to:		
	· a description of each department/functional area and providing sufficient detail for the Authority to understand the functions and responsibilities of each department and how it will be staffed, managed and operated;		
	· all the Authority's Business Rules and policies related to the CSC Operations;		
	· account terms and conditions;		
	· detailed SOPs required to operate the CSC;		
	· customer data privacy policy;		
	· data and physical security including periodic access audit and reporting;		
	· human resources and staffing policies and procedures;		
	· background check processes;		
	· employee code of conduct;		
	· Authority's Holidays and hours of operation, including the CSC and other CSC facilities, if applicable;		
	· detailed scripts for common customer interactions;		
	· copies of each form, spreadsheet, manual tracking sheet, report, letter, email copy, and text copy (BOS and non-BOS generated) which the Contractor will utilize in the operation of the CSC;		
	· Quality Control and verification procedures to ensure operations meet the Performance Measures;		
	· operations monitoring to ensure compliance with Requirements;		
	· a description of how the Contractor will communicate with the Authority pertaining to day-to-day operations and general issues and problems, including but not limited to: Case management, correspondence management, escalation procedures, document control, and Submittals procedures;		
	· a description of how the Contractor will communicate with the Authority and Interoperable Agencies in handling customer disputes, dismissals, payments and reconciliation;		
	· detailed structure and schedule for monthly Maintenance and operations meetings with the ETTM System Contractor and the Authority (separate meetings or combined at Authority's discretion);		
	· emergency response management procedures, including a detailed description of how the Contractor will communicate and respond to emergency conditions and		
	· processes and procedures instituted to ensure high customer satisfaction including the details of the Customer Satisfaction Survey Provider Subcontractor and program that will be used to monitor customer satisfaction with the CSC.		
164	The Contractor shall provide updates and changes to the Authority no less than annually for Approval and incorporation into the Operations Plan. The Operations Plan shall be a living document and as such, shall be updated and reviewed/Approved by the Authority whenever changes are made to any element of the operations covered in the Operations Plan.		
165	The Contractor shall publish a full revision of the Operations Plan no less than annually.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
166	The Operations Plan shall be submitted for Approval by the Authority in accordance with the Approved Baseline Implementation Schedule.		
4.2.14. Standard Operations Procedures (SOPs)			
167	The Contractor shall develop and maintain the SOPs. The SOPs shall use detailed narratives and process flow diagrams in providing step-by-step procedures for every task the Contractor performs. The SOPs shall detail both manual and BOS-aided steps and procedures.		
168	Approved, new policies, procedures and changes to existing policies and procedures shall be updated in the SOPs quarterly. The Contractor shall distribute, train and educate the operations staff and the Authority in accordance with the SOPs.		
169	The SOPs shall be submitted for Approval by the Authority as a part of the Operations Plan.		
4.2.15. Staffing and Human Resources Management Plan			
	The Staffing and Human Resources Management Plan defines the required human resources needed to meet all of the Requirements for the CSC. It details the selection and assignment of an operations team. It describes how the staff will be recruited, vetted, trained, compensated, evaluated, disciplined, and terminated. The Staffing and Human Resources Management Plan shall identify the appropriate skill sets and labor to manage the Work and to perform the tasks that produce the specified Deliverables, customer service and performance. It also shall provide for any additional non-labor resources such as tools, Equipment, or processes used by the operations team.		
170	The Contractor shall develop a Staffing and Human Resources Management Plan that includes details of the Contractor's staffing program.		
171	The Staffing and Human Resources Management Plan shall include a hiring/assignment schedule for anticipated resource Requirements for the duration of the Project.		
172	The Contractor shall develop and provide an organizational approach for staffing in the Staffing and Human Resources Management Plan designed to meet the Requirements. This includes but is not limited to:		
	· organizational chart with all staff positions (including Subcontractors), head count and reporting relationships;		
	· job descriptions for all staff positions by position type;		
	· identification of functions which have been subcontracted, the name and responsibilities of the Subcontractor, and name(s) and contact information for Subcontractor's key personnel;		
	· description of the process used for determining the appropriate staffing levels for each position;		
	· a schedule describing the daily and weekly staff shifts and a description of how the Contractor will adjust staffing to accommodate seasonal and dynamic changes in work volume;		
	· recruitment process;		
	· background investigation approach;		
	· pre-employment testing;		
	· training, testing and re-training policies and procedures including refresher and remedial training for both remote and local staff;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	· employee retention and career development program;		
	· employee monitoring, performance evaluation and coaching;		
	· employee disciplinary process and		
	· employee termination process.		
173	The Staffing and Human Resources Management Plan shall also include the location of all personnel required to meet Project Requirements (on-site or remote), as well as the Contractor's approach to providing on-site training and support for remote staff.		
174	This Staffing and Human Resources Management Plan shall be submitted for Approval by the Authority as a part of the Operations Plan in accordance with the Approved Baseline Implementation Schedule.		
4.2.16. Reporting and Reconciliation Plan			
	The Reporting and Reconciliation Plan shall include a comprehensive, detailed description of actions to be taken and information to be provided to the Authority related to reporting and reconciliation. This document will identify each report and its associated delivery schedule and provide an explanation of the report and its underlying data and how it is used.		
175	The Contractor shall develop and submit to the Authority for Approval, a Reporting and Reconciliation Plan that details the Contractor's reporting and reconciliation process.		
176	The Reporting and Reconciliation Plan identifies the procedures that the Contractor will use to perform, manage and reconcile all aspects of the CSC. This includes both transactional and financial reconciliation, including allocation of all Contractor's cost and Third-Party Service Provider associated revenue and/or costs.		
177	Each reconciliation shall have a separate section which identifies the reports used for the reconciliation, whether or not the report is generated from the BOS, received from a Third-Party Service Provider or (e.g., banks, Collection Agency, Lockbox Service Provider, etc.) or developed manually by the Contractor.		
178	The Reporting and Reconciliation Plan shall describe each provided report or report set and the schedule for providing it along with a sample of each report set. This includes but is not limited to:		
	· daily reconciliation report;		
	· monthly reconciliation report;		
	· quarterly reconciliation report;		
	· annual reconciliation report;		
	· description of Contractor's process for entering, printing and sending refund checks and entering the resulting financial transactions into the Authority's financial accounting systems, including all accounts and processes required to facilitate this entire process;		
	· description of financial and cash/check handling controls for the CSCs and		
	· other operations and financial reports as needed to fully reconcile and meet the operations Requirements.		
4.2.17. Records			

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
179	The Contractor shall meet all data retention Requirements, including durations for retention, as set forth in the Security Standards. The Contractor shall make every effort, within practical business and cost constraints, to purge the personal account information of an account that is closed or terminated. In no case shall the Contractor maintain personal information more than four years and six months after the date an account is closed or terminated. The Contractor shall periodically audit the BOS to verify that it is in conformance with the retention policy.		
180	If specific documents or data retention Requirements are not covered in the Security Standards, or the retention Requirement is greater in other applicable Requirements, the Contractor shall maintain records, for the duration of the Agreement period, in compliance with the longer retention period Requirement. Other applicable Requirements include but are not limited to:		
	· GAAP;		
	· record retention policies for the Authority;		
	· IRS Requirements;		
	· The California State Archives Data Retention Schedule;		
	· all applicable federal, state, local and other laws and regulatory matters and		
181	Security Standards.		
	Requirements and standards for records management and retention may change over the term of the Agreement. The Authority will provide any updates to its internal policies and procedures that may impact the CSC records and retention Requirements; however, it is the Contractor's responsibility to ensure it is aware of any changes to relevant standards, statutes, and/or rules beyond those of the Authority, and to incorporate such changes in accordance with the provisions of the Agreement.		
182	The Contractor shall be responsible for data retention and purging of all paper records, in accordance with the Authority's retention policy and all of the Requirements related to records retention. In the event of a conflict between Requirements, the Contractor shall immediately notify the Authority.		
183	The Contractor shall maintain records and data essential to providing objective evidence of quality, and these records shall be made available to the Authority upon request.		
184	Quality-related records and data shall include but not be limited to:		
	· inspection and test results;		
	· records of Subcontractor quality programs;		
	· change request documentation;		
	· Customer Satisfaction Survey results;		
	· operational reviews and walk-throughs and		
185	results of internal and Contractor audits.		
	The Contractor shall maintain records in a manner that allows easy access and analysis.		
4.2.18. Management Reporting			

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
186	The Contractor shall prepare and submit to the Authority a Monthly Operations Report in an Approved format, on an agreed-upon day each month. This report shall provide the information required for the Authority to verify the Contractor performance as reported by the Contractor, including but not limited to:		
	· Project Oversight Report;		
	· Contractor Performance Report (including performance against the Performance Measures);		
	· monthly operations invoices for the corresponding period;		
	· three-month and one-year look forward for budgeted staffing based on estimated volumes;		
	· other agreed-to CSC Operations reports;		
	· updates to documents and plans which have occurred in the previous month and		
	· updated action item list and Approved meeting minutes from the previous month.		
187	The Monthly Operations Report package shall detail the Contractor's performance against the Performance Measures (Contractor Performance Report) in tabular and graphical formats. The Contractor shall use reports and other data from operations as Approved, to conduct an analysis of the data and summarize the results. The basis for the data must be the BOS reports and all data must be reconciled against the appropriate BOS report(s).		
188	The data shall be presented in a graphical and tabular format showing the Contractor's comparative monthly performance over time.		
189	The presentation of the information shall be clear, concise, and professionally organized and formatted.		
190	Any failures to meet the Performance Measures shall be identified and details submitted, including the Contractor's plan to correct such occurrences. The associated non-compliance performance adjustment for such failures shall be summarized and tabulated with the total non-compliance performance adjustment provided.		
	At a minimum, the Contractor's Monthly Operations Report shall include the reports listed below; however, the final list of documents to be included shall be developed and Approved as a part of the Operations Plan.		
	· Project Oversight Report: This report summarizes the Contractor's Project activities for the reporting period, including major accomplishments, issues and summary reporting. The Project Oversight Report also shall include an updated action items list that tracks all open items to be resolved by the Contractor. The list shall include task description, date created, owner, status, priority, impact/justification, completion due date and notes pertaining to the completion of each task. A status of operational changes shall be included in the Report. The Contractor shall provide status on all existing and new BOS issues that affect operations. The Contractor also shall make recommendations for innovations, processes and BOS improvements and other suggested changes, which will improve customer service or increase operational efficiency.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
191	<ul style="list-style-type: none"> Operations Reports: This suite of reports shall provide the details required to support the Project Oversight Report, including but not limited to: customer contacts, mail handling and Notification response; Case handling; transponder Fulfillment; payments processed; customer disbursements processed; the Authority's and Interoperable Agencies' settlements processed; returned payments processed; chargebacks processed; inventory item Fulfillment and balancing, and reconciliation. Reports related to ongoing Customer Satisfaction Surveys and QA activities and translation services shall also be provided. 		
	<ul style="list-style-type: none"> Refund account reconciliation and request for replenishment: Contractor shall be responsible for issuing customer and violator refunds. Contractor will provide documentation of refunds that were issued. The Contractor shall provide related account and Violation reconciliation reporting to the Authority at least monthly and in accordance with the Operations Plan. 		
	<ul style="list-style-type: none"> Contractor Performance Report: The Contractor shall be fully responsible for the CSC Operations meeting or exceeding required performance. Failure to do so may result in the assessment of non-compliance performance adjustments as set forth in Volume IV Performance Measures. The Contractor shall use the Approved tracking and reporting methods to prove its monthly performance against the Performance Measures. 		
	<ul style="list-style-type: none"> Monthly Operations Invoices: The Authority shall receive a Contractor's invoice for the period corresponding to the Monthly Operations Report. The invoice shall detail the specific amounts due from the Authority. Contractor shall address costs that are netted out from the Contractor's toll revenue payment to the Authority, for example credit card fees and collections fees. Any associated Liquidated Damages shall be separately netted out with detailed supporting documentation. The Authority will not pay operation invoices that are not accompanied by the complete and accurate Approved Monthly Operations Report package. 		
192	Any performance deficiency the Contractor proposes to have excluded from the non-compliance performance adjustment calculation shall be documented on the Approved Waiver Form and explained in detail, with supporting documentation sufficient for the Authority to make a determination as to the acceptability of the exclusion. If the Authority needs additional information to make a determination the Contractor shall provide such information expeditiously. Adjustments will not be considered until full required documentation is provided by the Contractor.		
193	The Waiver Form must be submitted within thirty (30) Calendar Days of the affected invoice in order to be considered by the Authority.		
4.2.19. Training Plan			
	The Contractor shall provide a training program to educate Contractor staff, the Authority and others on the BOS and CSC Operations, as described in Section 5 Training. The Contractor is responsible for providing a Training Plan that describes the approach to training activities.		
194	The Contractor shall develop and maintain a Training Plan, subject to Approval by the Authority, in accordance with the Approved Baseline Implementation Schedule.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
195	The Training Plan shall describe the plan for training CSC Operations staff and Authority-designated individuals and shall outline the required operational/Maintenance and BOS knowledge for each position to be gained from the training. For each BOS position/user type, the plan shall include a training instructor guide, training manual and other materials to be used in training.		
196	The Training Plan shall include a schedule for regular staff training, follow-up training and continuing education for staff.		
197	The Training Plan shall describe the approach to training administrators, end users at different levels, Maintenance and support personnel, including but not limited to:		
	· overall description of the training program;		
	· training techniques;		
	· training delivery schedule;		
	· how training will occur with staff working on live operation;		
	· recurring training through life of the Agreement;		
	· names and descriptions of each training class;		
	· purpose of each training class;		
	· who should attend the class;		
	· qualification Requirements for trainer;		
	· minimum qualifications for personnel attending the class;		
	· duration of the class;		
	· training materials, including syllabus, schedule, training goals, manuals, guides, other support materials and techniques to be used;		
	· data preparation, such as test accounts and test transactions/trips;		
	· required Equipment and		
	· facility Requirements.		
4.2.20. Maintenance Plans			
	The Contractor shall develop and submit the Maintenance Plans listed below that describe how the Contractor plans to perform the Maintenance of the BOS and all Hardware, Software and systems at the BOS facilities and CSC throughout the Operations and Maintenance Phase. The Contractor shall have appropriate BOS documentation available to all Maintenance and Software support personnel, as required to perform their respective duties.		
4.2.20.1. System Maintenance Plan			
	The Contractor shall develop and submit the System Maintenance Plan that defines the approach to services, staffing and resources to fulfill the BOS Maintenance Requirements. The Contractor shall identify the Contractor's Maintenance responsibilities and shall include but not be limited to:		
	· organizational structure, organizational chart and job descriptions and responsibilities;		
	· staffing plan;		
	· approach to training;		
	· detailed BOS monitoring Requirements;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
198	· staff schedule and locations;		
	· third-party system support agreements overview;		
	· location of offsite data storage;		
	· schedule of all System Maintenance activities, including anticipated Upgrades/Enhancement releases;		
	· description of all System Maintenance related communication methods;		
	· Maintenance procedures, communication protocols and Approval processes for BOS Upgrades, Software deployments, scheduled Maintenance activities, change management and scheduled downtime;		
	· Maintenance procedures and communications protocols for unscheduled downtime;		
	· communication protocol for coordination with Interoperable Agencies and Third-Party Service Providers and WICs;		
	· communication protocol for coordination with the Authority's other toll system vendors;		
	· trouble reporting processes, notification protocols for issues and failures, and Maintenance reporting processes;		
	· prioritization, response, escalation, and repair processes;		
	· spares levels, Equipment and third-party Software warranty tracking and return material processes;		
	· monitoring Maintenance performance for compliance with Performance Measures;		
	· sample Maintenance reports and reporting processes;		
	· processes for supporting internal and external audits;		
	· Security Standards compliance monitoring, Upgrades and safeguards;		
	· system intrusion monitoring and safeguards;		
	· Equipment replacement/refresh schedule;		
	· Upgrades to third-party Software and tools and		
	· processes in place to meet Performance Measures.		
4.2.20.2. Software Maintenance Plan			
	The Contractor shall develop and submit a Software Maintenance Plan that defines the approach to services, staffing and resources to fulfill the Software Maintenance Requirements and warranty provisions as set forth in the Agreement, including but not be limited to the following elements:		
	· organizational structure, organizational chart with job descriptions and responsibilities;		
	· staffing plan;		
	· approach to staffing and training;		
	· approach to receiving and prioritizing Software defects (bugs);		
	· reporting, categorization, prioritization and disposition of Software defects;		
	· coverage and personnel locations;		
	· all Software Maintenance related communication methods;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
199	· Maintenance procedures, communication protocols and Approval processes for Software Upgrades, scheduled Maintenance activities, change management and scheduled downtime;		
	· documented change control procedures;		
	· Maintenance procedures and communications protocols for unscheduled downtime;		
	· trouble reporting processes;		
	· escalation processes;		
	· sample Maintenance reports;		
	· Software updates to comply with Interoperable Agencies' specification changes and Third-Party Service Providers Interface changes;		
	· Software updates to be compliant with Security Standards and processes in place to meet Performance Measures.		
4.2.21. Third-Party Documentation			
	Third-Party documentation includes standard commercial documentation for third-party provided Hardware, Software, services and materials.		
200	The Contractor shall provide and maintain standard, commercially available, updated documentation for third-party provided Hardware, Software, services and materials provided under this Agreement. This set of third-party documentation shall be available upon request.		
201	An electronic copy of all third-party Commercial Off-the-Shelf (COTS) Hardware and Software installation and user manuals, with updates, shall be provided to the Authority.		
4.2.22. Manual Requirements			
	Various manuals shall be provided to educate and guide BOS administration staff and allow the Authority to understand the operations of the BOS.		
202	Whenever possible, all data shall be printed on 8-1/2" x 11" sheets; foldouts shall be 11" x 17".		
203	Each manual shall include, but not be limited to:		
	· a title sheet;		
	· revision history;		
	· Table of Contents;		
	· list of illustrations (if applicable);		
	· list of reference drawings and exhibits (if applicable) and a parts list (if applicable).		
204	All manuals shall have a consistent look and feel and shall be professionally written and presented in clear and organized fashion.		
205	All manuals prepared for the Authority under this Agreement shall be produced, or editable, using Microsoft Office 2016 Suite (or higher if Approved by the Authority). In addition, electronic copies of manuals shall be provided in unsecured Portable Document Format (PDF), if requested by the Authority.		
206	Any special Software required to produce scalable typefaces or other graphs shall be provided by the Contractor as part of the documentation for the manuals.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
207	All manuals shall be submitted and Approved as a condition of Go-Live.		
4.2.22.1. Manual Submissions and Quantities			
208	The Contractor shall submit one (1) hard copy of each of the manuals listed below.		
209	The Contractor shall submit electronic copies of all manuals listed below.		
210	All manuals shall be maintained in electronic format in the Contractor-provided EDMS.		
211	The Contractor shall be responsible for producing an additional quantity of the manuals for the Contractor's use, sufficient to fulfill the Contractor's Requirements.		
212	The Contractor shall submit the draft and final manuals described below for the Authority's review and comment, in accordance with the Approved Baseline Implementation Schedule. All final versions of manuals shall be provided and Approved before system Go-Live.		
4.2.22.2. Manuals to be Submitted			
4.2.22.2.1. BOS User Manuals			
213	The Contractor shall develop and submit BOS User Manuals to be used by CSC Operations staff to operate the BOS and for training purposes.		
214	The Contractor shall develop manuals logically to cover job categories and functions. The manuals shall detail all of the processes, procedures and policies developed by the Contractor that are required to fulfill the Requirements for each of these categories and functions. An example of a functional area is finance, which should include all basic financial responsibilities and functions, including the entire reconciliation process.		
215	Each BOS User Manual shall include but not be limited to:		
	· screen images detailing the step-by-step activities needed to fulfill a specific functionality;		
	· flowcharts to provide the CSC Operations staff a clear understanding of the workflow;		
	· all screens, reports and data fields, clearly explained using sample formats applicable to the BOS and		
	· samples of all reports, included in the manual or as an attachment to the manual, with any specific instructions that may apply to a given report.		
4.2.22.2.2. BOS Finance and Financial Controls Manual			
216	The Contractor shall develop and submit the BOS Finance and Financial Controls Manual, which shall include but not be limited to:		
	· detailed descriptions of all procedures to balance and reconcile the BOS;		
	· detailed descriptions of Financial Account Posting, reporting and reconciliation to the Authority's Bank Accounts;		
	· detailed descriptions of reconciliation of transactions/trips and revenue within the BOS with each of the Interoperable Agencies and for payments made to the Authority and Interoperable Agencies;		
	· processes and reports used to reconcile third-party payments processed and money deposited in the Authority's bank;		
	· detailed descriptions of reconciliation of all collections activity and all exceptions processing;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	<ul style="list-style-type: none"> detailed descriptions of the screens, reports and functions that allow Contractor or the Authority's finance personnel or independent auditors to access, understand and work with all financial aspects of the BOS; 		
	<ul style="list-style-type: none"> complete descriptions of all reconciliation procedures and a non-technical description of the screens, reports and functions; 		
	<ul style="list-style-type: none"> illustrations and pictorial diagrams to demonstrate the step-by-step operations required for performing the balance and reconciliation functions and 		
	<ul style="list-style-type: none"> included as an attachment to the manual, samples of all relevant reports, with any specific instructions that may be applicable to a given report. 		
217	Reports included in the BOS Finance and Financial Controls Manual shall have correct and accurate data.		
218	The BOS Finance and Financial Controls Manual shall be used to train the CSC finance personnel and the Authority's finance personnel.		
4.2.22.2.3. BOS Administrator Manual			
219	The Contractor shall provide a BOS Administrator Manual that serves as a guide to the overall management and administration of the BOS, and it shall include but not be limited to:		
	<ul style="list-style-type: none"> detailed Hardware Maintenance activities and schedule; 		
	<ul style="list-style-type: none"> detailed database Maintenance activities and schedule; 		
	<ul style="list-style-type: none"> detailed Software monitoring activities and schedule; 		
	<ul style="list-style-type: none"> detailed monitoring procedures for file transfers and exception handling; 		
	<ul style="list-style-type: none"> detailed procedures and processes for all Maintenance activities; 		
	<ul style="list-style-type: none"> detailed procedures for backup, archiving and purging data; 		
	<ul style="list-style-type: none"> detailed procedures for testing and executing Disaster Recovery and Business Continuity; 		
	<ul style="list-style-type: none"> detailed schedule for all preventative Maintenance activities; 		
	<ul style="list-style-type: none"> scheduled time and maximum run time for all BOS jobs and/or processes; 		
	<ul style="list-style-type: none"> technical contact lists for all third-party technical contacts; 		
	<ul style="list-style-type: none"> technical contact lists for Hardware, Software providers and third-party support agreements; 		
	<ul style="list-style-type: none"> details and copies of all third-party system support agreements; 		
	<ul style="list-style-type: none"> general information, such as Maintenance shifts, code of conduct and other human resource aspects and 		
	<ul style="list-style-type: none"> details of the security access system configuration, user access privileges and controls and user tracking processes utilized to ensure system security and to maintain data integrity. 		
4.2.23. As-Built Documentation			
	Prior to the Authority's BOS Final Acceptance of the Implementation Phase, as-built documentation shall be provided that documents the final BOS design and implementation.		
4.2.23.1. As-Built System Detailed Design Document			

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
220	After the Approval of the operational test, and prior to the Authority's BOS Final Acceptance of the Implementation Phase, the Contractor shall submit the As-Built SDDD that includes all Software and Hardware changes made during the system development, implementation and testing phases.		
221	The Contractor shall submit one (1) hard copy in addition to an electronic version of the As-Built SDDD. Acceptable electronic formats are unsecured Portable Document Format (PDF), Microsoft Office 2016 Suite (or higher if Approved by the Authority) and professional CAD applications.		
4.2.23.2. As-Built Drawings			
222	The Contractor shall provide the Authority with a complete set of As-Built Drawings, which shall be delivered as one (1) hard copy of the complete sets of drawings. The same shall be delivered in electronic format for all Equipment, network and Hardware installed and furnished as part of the BOS. As material changes are made to the system by the Contractor shall update the As-Built Drawings to reflect the current status.		
223	The As-Built Drawing sets shall include but not be limited to:		
	· all schematics;		
	· logic diagrams;		
	· Hardware layouts;		
	· wiring diagrams;		
	· interconnection diagrams;		
	· installation diagrams;		
	· cable schedule;		
	· Interface details;		
	· facility build-out details and network diagrams.		
224	The Contractor shall update the latest drawings with red lines as changes are incorporated during the installation process. At the completion of the installation, the Contractor shall gather all red line drawings.		
225	The red line drawings shall be verified and incorporated into a final As-Built Drawing package. This final as-built package shall include all updated installation drawings, shop drawings and sketches, plans and other drawing types that were used to install the BOS.		
5. Training			
	The Contractor shall provide comprehensive training for all aspects of the BOS and CSC Operations including training, operational procedures, policies and guidelines, and rules of conduct, including customer Interface. Training shall be delivered to the Authority's personnel and Contractor's personnel. Training shall be ongoing throughout the Implementation and Operations and Maintenance Phases.		
226	The Contractor shall be solely responsible for supplying the BOS and all materials necessary to complete the delivery of the training program.		
227	The Contractor's program shall include but not be limited to computer instruction, training aids and manuals as required.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
228	Contractor's training shall be hands on and use actual BOS Software in the training environment.		
229	The Contractor shall produce all training materials, documents and manuals in hard copies.		
230	When changes or new functionality is provided in the BOS, the Contractor shall update the training materials and train staff on such changes/new functionality.		
231	All Authority training shall include a review and description of each of the appropriate Authority's processes and procedures with actual BOS Software.		
232	The Authority shall have the right to attend any training sessions.		
233	The Contractor shall provide comprehensive training related to all aspects of the BOS administration, BOS functionally and CSC Operations.		
234	The Contractor shall employ a training manager to lead all training courses and subsequent ongoing training activities.		
235	The Contractor shall train Authority's staff to view all real-time aspects of BOS processes/queues and CSC Operations statistics/queues, as well as research and report on all aspects of the BOS.		
236	The Contractor shall cross-train staff from other areas of operations or management for peak period, emergency or temporary assignments to provide for staff redundancy.		
237	The Contractor's training manager shall identify the training needs, plan, design, and develop all the training curriculum and materials for the implementation and management of the CSC's on-going training program. The types of training include, but are not limited to:		
	· customer service and integrity skills ("soft skills") training;		
	· Authority's FasTrak, Violation and payment processing Business Rules and facility specific information ("content training");		
	· different operational and facility characteristics of Interoperable facilities;		
	· use of the BOS, including all customer contact systems and any other applicable systems;		
	· CSC Operations SOPs and		
238	· PII, PCI, data and physical security.		
	The Contractor's training program shall include training at different times and for different reasons during the course of the Operations and Maintenance Phase, including but not limited to:		
	· new hire – this training provides the new employee a thorough, in-depth training covering all of the skills and information required to fully understand and perform their job;		
	· refresher – this training provides additional training focused on topics on which the attendees have been previously trained but which the training manager or other Authority management staff identified as requiring additional training for a group of employees;		
	· remedial – this training is individually focused on the needs of a particular employee(s) based on customer satisfaction feedback, management observation or employee request;		
	· new job/promotion – this training is required when an employee changes jobs or gains additional responsibilities and		
	· new content/program – this training is required when the Authority introduce a new program or makes a significant change to the SOPs or the BOS.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
239	Contractor training shall cover all functional areas depending on the specifics of each individual user role and job functions.		
5.1. Training Courses			
5.1.1. System Operation Overview Course			
240	The Contractor shall provide a system operation overview training course for the Authority personnel who require a general understanding of all aspects of the BOS and CSC Operations.		
241	The Contractor shall ensure class sizes and the number of training hours provided are sufficient to provide a general understanding of all aspects of the operation.		
5.1.2. Customer Service Representative Course			
	This course is for customer service personnel who need to understand all aspects of the direct customer service.		
242	The Contractor shall provide a customer service course for staff that need to understand all aspects of the direct customer service functionality, with focus on contact management, account management, Violations processes, payments, Business Rules, Express Lanes facility characteristics, external facing website, etc.		
243	The Contractor shall provide an appropriate number of training sessions for the customer service course, ensuring class sizes and the number of training hours provided are sufficient to provide an understanding of all aspects of the operation related to customer service.		
5.1.3. BOS Finance and Financial Controls Course			
	This course is for financial management and auditing personnel who need to understand all aspects of the Operation, particularly those related to financial accounting, reconciliation, audit, and management.		
244	The Contractor shall provide a BOS finance and audit training course for financial management and auditing staff that need to understand all aspects of the operation, with focus on financial accounting, reconciliation, audit and management.		
245	The Contractor shall provide an appropriate number of training sessions for the BOS finance and financial controls course, ensuring class sizes and the number of training hours provided are sufficient to provide an understanding of all aspects of the operation related to financial accounting, reconciliation, audit and management.		
5.1.4. Operations Management Course			
	This course is for CSC Operations personnel providing hands-on training on the BOS including performance reporting, including all operational performance monitoring (for example, call queues, call statistics, image review queues, etc.); all BOS monitoring (for example, mail queues, status and quantity of all Notifications pending and sent, transponder Fulfillments, status of Interfaces and file exchanges), and call center and IVR configuration.		
246	The Contractor shall provide an Operations Management Course for all personnel who require a detailed understanding of the BOS reporting and monitoring. This course also covers configuration of the telephony system.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
247	The Contractor shall provide an appropriate number of training sessions for the Operations Management Course, ensuring class sizes and the number of training hours provided are sufficient to provide a detailed understanding of the operations of the BOS and how to access information and reports from the BOS.		
5.1.5. BOS Users Course			
248	The Contractor shall provide a BOS Authorized Users training course for all personnel who require a detailed understanding of the operations of the System and how to access information and reports from the BOS on items such as status, alarms, performance, transactions and revenue.		
249	The Contractor shall provide an appropriate number of training sessions for the BOS Authorized Users course, ensuring class sizes and the number of training hours provided are sufficient to provide a detailed understanding of the operations of the BOS and how to access information and reports from the system.		
5.2. Training Materials			
250	All training materials should comply with applicable PCI and PII standards.		
251	Draft copies of all training materials shall be submitted by the Contractor to the Authority for review, comment and Approval prior to final printing of quantities required for training.		
252	The Authority shall have the right to require the Contractor to provide additional interim drafts at no additional cost should draft training materials submitted not be of adequate quality or have missing or incorrect information.		
253	Contractor shall provide regular updates to training materials to incorporate any changes to the BOS or operational processes.		
254	For each training course, the Contractor shall provide the materials listed in the following sections.		
5.2.1. Instructor Guides			
255	The Contractor shall provide an instructor guide for each training course, including but not limited to:		
	· course agenda;		
	· course objective;		
	· procedures for managing a training session;		
	· resources and facilities required, including Desktop Environments, power and communications Requirements;		
	· detailed lesson plans;		
	· a description of training aids and items to aid in on-the-job performance (such as where applicable, pocket guides or reference sheets);		
	· tests to be administered to assure satisfactory completion and		
	· instructions for using any audio-visual support Equipment or materials.		
5.2.2. Training Aids			
256	The Contractor shall provide all training aids necessary to successfully complete the course agenda and meet the course objective.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
257	The Contractor shall provide a way for all trained personnel to access training documents, aids and tips in an online, electronic format for ongoing reference.		
5.2.3. Student Workbook			
258	For each course, the Contractor shall provide a student workbook, including but not limited to:		
	· course agenda;		
	· course objectives;		
	· schedule of sessions;		
	· copies of all overheads and visuals and		
	· lesson outlines and summaries.		
259	The Contractor shall supplement the material provided in the student workbook with additional material (as necessary), such as operations and user manuals. If such material is used, appropriate cross-references shall be included in the student workbook to identify the complete set of training materials provided to the student.		
5.3. Scheduling and Preparation for Training			
260	The Contractor shall provide a minimum two (2) weeks notice to the Authority and work with the Authority on the timing for each training session. The Authority will identify a list of participants the Contractor shall notify to schedule their participation in the training.		
261	The Contractor shall perform all scheduling.		
6. Mobilization Requirements			
	The mobilization of the BOS and CSC Operations is a major undertaking that will require careful preparation, planning and coordination in multiple functional areas and on many levels to ensure a smooth beginning to operations. The Contractor is responsible for the mobilization in accordance with the BOS Installation Plan and CSC Operations and Facility Mobilization Plan. Close coordination will be required between the ETTM System Contractor, the Authority and the Contractor.		
6.1. Operations Mobilization and Facility Coordination			
	The operations mobilization and facility coordination include all activities necessary to establish and operate the I-405 CSC and WIC in accordance with the Agreement and to coordinate the design of the Authority provided facility. These activities include comprehensive coordination with the Authority, the Authority's design and construction contractors, and other Authority contractors housed at the facility with regards to CSC and WIC design, scheduling of facility occupancy and installation, staff recruitment and training, ordering of supplies, establishment of all necessary services and developing all SOPs for the entire operation. The Contractor shall coordinate with the ETTM System Contractor on applicable portions of the Approved Baseline Implementation Schedule.		
	The CSC Operations Manager and the Mobilization and Facility Coordination Manager shall lead the Contractor's staff in planning and implementing the activities required for operation of the CSC in accordance with the CSC Operations and Facility Mobilization Plan. These tasks include but are not limited to:		
	· obtain a thorough understanding of the functions and capabilities of the BOS;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
262	· produce all required plans and documentation;		
	· recruit CSC staff;		
	· coordinate with Third Party Service Providers;		
	· make any required Approved modifications to the facilities (those required beyond the new facility design inputs provided by the Contractor);		
	· plan and conduct training;		
	· assist with the selection and implementation of survey solution, IVR, system recordings, Self-Service Website, and Self-Service Mobile Application (Phase II and optional) and		
	· meet regularly and coordinate with the Authority, the ETTM System Contractor to perform the Work.		
263	The Mobilization and Facility Coordination Manager shall lead the Contractor's staff in planning and implementing the activities related to the new CSC and WIC facility operation of the CSC in accordance with the CSC Operations and Facility Mobilization Plan. These tasks include but are not limited to:		
	· meet regularly with the Authority, the Authority's design and construction contractors, and other Authority contractors that will be housed at the facility to plan, provide design input to the new CSC and WIC facility layout, space planning, network, cabling, power, furnishings, physical security, and surveillance CCTV etc.;		
	· review and provide comments to all types of CSC plans;		
	· coordinate with other contractors and provide a detailed schedule for facility occupancy and facility mobilization and		
	· coordinate the procurement and installation of all BOS and CSC Operations network and communications lines with the communications providers.		
264	The Contractor shall develop and conduct an Operational Readiness Demonstration and conduct walk-throughs for each facility with the Authority.		
265	As an outcome of the Operational Readiness Demonstration and walk-throughs, a punch list shall be developed and resolution of each item Approved by the Authority.		
266	The Contractor shall track, status and resolve all pre-mobilization punch list items (as designated and Approved by the Authority) prior to mobilization and track, status and resolve all post-mobilization punch list items (as designated and Approved by the Authority) during the Operations and Maintenance Phase. Until resolved, the status of post-mobilization punch list items shall be provided in all Contractor performance reports and meetings.		
6.2. Schedule, Installation and Mobilization			
267	The Contractor shall mobilize CSC Operations in accordance with the CSC Operations and Facility Mobilization Plan and the Approved Baseline Implementation Schedule.		
268	The Contractor shall install the BOS in accordance with the BOS Installation Plan and the Approved Baseline Implementation Schedule.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
269	The Contractor's schedule shall be sufficiently flexible to accommodate modifications or changes, such as early completions or delays in start or completion of dependent work by the Authority and/or the ETTM System Contractor.		
6.3. Mobilization of the BOS and CSC Operations			
	BOS and CSC Operations mobilization includes all activities necessary to begin CSC Operations. The Contractor's Mobilization Manager shall lead the mobilization in accordance with the BOS Installation Plan and CSC Operations and Facility Mobilization Plan and must coordinate with the ETTM System Contractor and Authority to ensure that the mobilization meets the Approved Baseline Implementation Schedule.		
270	The Contractor shall manage and conduct mobilization in conformance with BOS Installation Plan and CSC Operations and Facility Mobilization Plan and Approved Baseline Implementation Schedule.		
271	The mobilization activities shall be coordinated with the Authority, the ETTM System Contractor, and Third-Party Service Providers, and shall be Approved by the Authority.		
272	The Contractor shall prepare internal and external communication procedures, as part of the BOS Installation Plan and CSC Operations and Facility Mobilization Plan, to effectively and professionally manage communications of potential impacts during the mobilization.		
6.4. Acceptance of Operational Readiness			
	Prior to Go-Live the Contractor shall demonstrate to the Authority that the successful CSC and facility mobilization is complete, and that the Contractor is ready to commence complete operation of the CSC and performance of all of the Work.		
273	The Contractor shall demonstrate that the CSC Operation has achieved operational readiness in accordance with the Approved Baseline Implementation Schedule.		
274	Procedures for demonstrating for the Operational Readiness Demonstration shall be provided by the Contractor to the Authority for review and Approval at least three (3) months prior to the scheduled demonstration date.		
275	The Contractor shall have completed all of the predecessor tasks and milestones in the schedule in order to achieve Acceptance of operational readiness, including but not limited to:		
	· selection, build-out and equipping of all Contractor operated facilities;		
	· development and Approval of all required documentation;		
	· recruitment, hiring and training of all staff in accordance with the Operations Plan and sub-plans;		
	· implementation of all applicable aspects of the BOS Installation Plan and CSC Operations and Facility Mobilization Plan and all operations mobilization activities and		
	· completion of Operational Readiness Demonstration using the BOS, facilities and Contractor staff.		
6.5. End of Agreement Transition			

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	The Contractor acknowledges the services it provides under the terms of the Agreement are vital to the successful operation of the BOS and said services shall be continued without interruption. Upon expiration or termination of the Agreement, a successor may be responsible for providing these services. The Contractor agrees to exercise its best efforts and cooperation to affect an orderly and efficient transition to a successor.		
	As part of the End of Agreement Transition, the Authority may wish to operate and maintain BOS, requiring the transfer of Equipment, leases and license from the Contractor to the Authority.		
276	The Contractor shall cooperate with any future transition of the BOS to a future BOS Contractor, as required by the Authority.		
277	The Contractor shall develop with the successor, an End of Agreement Transition Plan describing the nature and extent of transition services required as well as the operational Requirements necessary for the migration of operation from the Contractor to the new contractor.		
278	The Contractor shall update the End of Agreement Transition Plan no more than six (6) months prior to the transition date.		
279	The Contractor shall provide sufficient experienced personnel in each division/element of Work during the entire transition period to ensure the quality of services is maintained at the levels required.		
280	The Contractor shall provide sufficient staff to help the successor maintain the continuity and consistency of the services required.		
281	The Contractor shall provide the necessary Software and BOS support services to assist the successor in setting up the systems, transferring of appropriate licenses and third-party Software and transitioning all BOS data (including third party data) required to sustain uninterrupted service in areas in which the Contractor is responsible for the Work. For example, accounts and violations in collections.		
282	The Contractor shall support the Authority during the procurement process by updating all system documentation and providing new documentation as required that details the current system.		
283	Within the End of Agreement Transition Plan, the Contractor shall provide descriptions of the Equipment, leases and licenses that are available for purchase and transfer to the Authority as part of the End of Agreement Transition.		
284	The Contractor shall not prevent the successor from conducting interviews with Contractor employees outside of normal business hours in a manner that will not disrupt current operations.		
285	The Contractor shall not prevent employees from changing their employment to the successor if the employees wish to do so.		
286	The Contractor shall provide for the orderly transition of the facilities, Equipment, materials, documents, inventory and work in progress to the successor.		
7. Testing Requirements			
7.1. General			

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	The Contractor shall provide the full range of test planning, testing design and services required to ensure the BOS adheres to the Requirements. The BOS testing regimen shall take place during the implementation period identified in the Approved Baseline Implementation Schedule and shall follow the Master Test Plan and Individual Test Plan.		
	The Authority requires that configuration changes be treated as equivalent to Software development changes within the testing process. Wherever possible, the Authority requires that the Contractor implement testing processes which are automated and efficient.		
	The Requirements described in this section detail the labor, materials, facility and support services necessary to test the BOS for functionality and performance, its integration to all Third-Party Service Provider.		
287	The Contractor shall prepare and conduct the various tests in conformance with the Master Test Plan and applicable individual test plans.		
288	The Contractor shall prepare and conduct the various tests (outlined for reference immediately below and with detailed Requirements in subsequent sections), including but not limited to:		
	· Unit Testing;		
	· System Integration Testing;		
	· User Acceptance Testing;		
	· On-site Installation and Commissioning Testing and		
	· Operational and Acceptance Testing.		
289	The Contractor shall develop test scripts for Authority approval and use specialized automated testing Software, wherever possible, to, including but not limited to:		
	· create test scripts;		
	· create use cases with pre-defined input and output;		
	· control the automated testing;		
	· exercise all conditions, configurations and scenarios;		
	· conduct performance testing;		
	· conduct security and PCI testing;		
	· conduct regression testing;		
	· compare actual test outcomes to expected outcomes;		
	· test reporting;		
	· conduct load testing;		
	· conduct user Interface testing and		
	· conduct sustained operational testing.		
290	The Contractor shall make the BOS available for use by the Authority in testing the readiness of the CSC Operations staff during operating hours and as necessary during the testing period.		
291	The Contractor shall provide all necessary resources and facilities to conduct all tests.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
292	During the Implementation Phase, the Contractor shall provide an "online commercial Software" defect tracking system, accessible by the Authority via browser-based internet, to document and track all defects identified as part of BOS testing and any subsequent actions taken to correct those defects.		
293	The Authority's Approval of any aspect of testing shall not relieve the Contractor of its responsibility to meet all Requirements.		
294	The defect tracking system shall be capable of the following, including but not limited to:		
	· rating (severity) defects;		
	· categorizing defects;		
	· prioritizing defects;		
	· logging the date/time the defect was reported;		
	· the user who reported the defect;		
	· the erroneous behavior;		
	· the details on how to reproduce the defect;		
	· the developers who worked on the defect;		
	· life-cycle tracking and reporting.		
7.1.1. Testing Sequence and Logistics			
295	The Contractor shall obtain Approval from the Authority and shall have met the entry conditions prior to start of each test, including but not limited to:		
	· Approval of all predecessor tests;		
	· Approved test procedures for each individual test;		
	· Approved test schedule;		
	· Approved inventory of test cases and scripts;		
	· successful closeout of all outstanding pre-test issues;		
	· successful dry run testing with results provided to the Authority;		
	· test data set is created and loaded into test environment;		
	· submittal of the latest Approved version of the RTM showing test validation against the Requirements and		
	· site and BOS are ready to test.		
296	After the completion of each test, the Contractor shall submit for the Authority's review and Approval a test report that documents the results of the test.		
297	The test report shall include the results of the test; any anomalies and issues identified; comments provided by the Authority; the test data and the corrective action/resolution of each item, and the results of any re-tests necessary to successfully complete each testing phase.		
298	The Contractor shall facilitate and support the Authority's participation in the testing and witness each test. The Contractor shall provide the Authority with full access to the test data and results of the test.		
299	Testing shall not be considered complete by the Authority until all anomalies and "punch-list" items are closed-out, and the final test report is Approved by the Authority.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
7.2. Required Tests			
7.2.1. Unit Testing			
	Unit Testing is defined as a Software testing method by which individual units of source code, sets of one or more computer program Modules together with associated control data, usage procedures, and operating procedures, are tested to determine whether they are fit for use. A unit could be an entire Module, but it is more commonly an individual function or procedure. Unit Testing is the first level of testing and is performed prior to System Integration Testing.		
300	The Contractor shall conduct Unit Testing, including but not limited to:		
	· testing for all functional elements of the BOS for conformance with the Requirements, Approved design and Business Rules;		
	· testing of 100% of all BOS components and negative testing for controlled systems features;		
	· testing using actual data generated by the ETTM System Contractor and simulated data as needed;		
	· testing with Third Party Service Provider and Interoperable Agencies test environment;		
	· testing each Module of the BOS application Software for compliance to coding standards related to screen validations, web navigation, configuration changes, PMMS including all errors, exceptions and failures, backend programs and processes (using simulated data);		
	· testing the desktop computer Interfaces and all peripherals;		
	· testing of user roles and security elements;		
	· all necessary Hardware and Software for the test;		
	· all necessary personnel for the test and		
	· updated RTM, SDDD, Operations Plan and Business Rules so functionality can be reconciled to the documentation.		
7.2.2. System Integration Testing (SIT)			
	System Integration Testing (SIT), or end-to-end testing, is defined as a type of Software testing that seeks to validate the Interfaces between individual components and the completely integrated BOS meets its Requirements. The Contractor shall conduct SIT, compressing logical days to accommodate process escalation and transaction/trip and Violation aging. Multiple testing cycles may be executed depending on defects found and their severity. The Contractor shall also conduct load/performance testing as part of the SIT.		
301	The Contractor shall be responsible for creating test data as an entry criteria for the SIT. It is anticipated that significant test data will be required and will be defined in the test plan.		
302	The Contractor shall conduct SIT which shall include end-to-end Integration Testing, Interface testing, security testing, performance/load testing.		
303	In the event Third-Party Service Providers and Interoperable Agency test environment systems are not available, the Contractor shall test using simulated Interfaces and data to validate the data exchange.		
304	The Contractor shall use the most newly provided, developed or updated ICDs for all Interfaces and portals.		
	The Contractor shall conduct SIT, including but not limited to:		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
305	· testing all functional elements of the BOS using the procedures for Software integration testing, including the end-to-end testing from receipt of transactions/trips through Posting to the accounts and Violation processing;		
	· reports testing using created data, simulated and keyed-in data;		
	· verification and validation that the various BOS environments are operating per the Requirements;		
	· load/performance testing of the entire BOS in terms of user access, including internal and external users on all channels (for example, Self-Service Website, Self-Service Mobile Application (Phase II and optional), IVR);		
	· load/performance testing of the entire BOS in terms of transaction/trip processing;		
	· full Disaster Recovery failover testing;		
	· full Disaster Recovery failover recovery (back to primary BOS) testing;		
	· validation of all Performance Measures;		
	· adherence to the Security Standards;		
	· archiving and purging process testing;		
	· comprehensive PMMS testing;		
	· testing using actual data, generated real-time (as if in a real, live production environment) by the ETM System Contractor;		
	· all Interface test scripts and documentation required to confirm that the Interfaces are operating properly;		
	· testing, as directed by the Authority, connecting to test environment systems provided by the Authority, Third-Party Service Providers and Interoperable Agencies (if available);		
	· exception testing;		
	· testing the desktop computer Interfaces and all peripherals and		
	· sustained operations test.		
7.2.3. User Acceptance Testing			
	User Acceptance Testing (UAT) is defined as the testing phase where actual BOS users test the system to validate the operation of the BOS in, according to Requirement, designs, and specifications.		
306	The Contractor shall provide all needed support for UAT to include providing environments, provisioning/aging system, running batch jobs, and developing test scripts using use cases.		
307	The Contractor shall provide a UAT environment that is production like and separate from other test environments.		
308	Ten (10) Business Days prior to the commencement of UAT, the Contractor shall train staff from the Authority and the CSC Operations test team selected to perform UAT.		
309	The Contractor shall provide all UAT testers with access to BOS test scripts.		
310	The Contractor shall provide test data for UAT that is an extraction and sub-set of production data.		
311	During UAT, the Contractor shall develop and retest necessary revisions identified by users during the testing process.		
312	The Contractor shall provide technical personnel to support UAT.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
7.2.4. Regression Testing			
	Regression testing is defined as a type of Software testing that verifies that Software previously developed and tested still performs correctly even after it was changed or Interfaced with other Software.		
313	The Contractor shall conduct regression testing is to ensure that software changes have not introduced new faults and to determine whether a change in one part of the Software affects other parts of the Software.		
314	The Contractor shall conduct regression testing in a Contractor-provided test environment prior to each Software release.		
7.2.5. On-site Installation and Commissioning Testing, Mobilization and Go-Live			
	Onsite Installation and Commissioning Testing is defined as a series of checks and tests to verify Equipment installation and function; BOS operation; and inter-systems operation.		
315	The Contractor shall conduct Onsite Installation and Commissioning Testing using the BOS production environment including but not limited to:		
	· testing that demonstrates the BOS is completely installed and operational in the production environment and the Disaster Recovery location;		
	· Software and test data are loaded;		
	· PCI application vulnerability testing, certification of elements not available/tested during previous testing;		
	· all necessary Hardware and Software for the test;		
	· testing PMMS configuration and setup;		
	· testing all user roles;		
	· testing of internet connectivity and speed;		
	· testing the speed of the BOS while performing various functions;		
	· testing of cutover to generator in the event of power failure;		
	· testing of phone system including IVR;		
	· testing of Self-Service Website and Self-Service Mobile Application (Phase II and optional);		
	· all necessary personnel for the test and		
· updated RTM, SDDD and Business Rules so functionality can be reconciled to the documentation.			
316	The Contractor shall provide evidence of readiness to conduct mobilization and Go-Live at the BOS production environment, including but not limited to:		
	· The Contractor shall utilize the PCI Security Standards Council’s Prioritized Approach method to indicate how each PCI Requirement is being addressed. This approach shall be submitted to the Authority along with substantiating evidence for review and Approval;		
	· the transfer of certain historical data to the BOS that may remain in the BOS and		
	· a checklist to verify that mobilization is completed in accordance with the BOS Installation Plan and CSC Operations Mobilization Plan.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
317	Upon Approval of the Onsite Installation and Commissioning Testing including evidence of readiness the Contractor shall begin mobilization.		
318	Upon verification and Approval of the Operational Readiness Demonstration and all testing the Contractor shall Go-Live.		
7.2.6. Commencement of Ramp-up/Customer Services			
	Upon Notice to Proceed for Ramp-up/Customer Services, the Contractor is notified of the Authority's intent to Go-Live in approximately 120 days.		
319	The BOS shall have achieved commencement of Ramp-up/Customer Services within thirty (30) Calendar Days of the notice to proceed for Ramp-up/Customer Services.		
320	The Contractor shall have completed the following tasks to achieve Commencement of Ramp-up/Customer Services:		
	· the Self-Service Website is available to facilitate full account creation and transponder ordering (actual shipping of transponders will take place closer to road opening);		
	· the Contractor has conducted and successfully completed testing of the Self-Service Website and other functional elements required to facilitate account creation and transponder ordering;		
	· the Contractor has gained approval of all BOS design documents;		
	· the Contractor has gained approval for all CSC Operations, CSC Facility, mobilization and BOS system installation plans and is on schedule in executing the Approved Plans per the Approved Baseline Implementation Schedule;		
	· system support is operational and monitoring the operational components of the BOS and		
	· Software support is operational and available to support the operational components of the BOS.		
7.2.7. Operational and Acceptance Testing			
	Operational and Acceptance Testing is defined as a test focused on the readiness of the BOS to be supported, and/or to become part of the production environment.		
321	Following Go-Live, the Contractor shall conduct Operational and Acceptance Testing on the BOS production environment in live operations that provides the following, including but not limited to:		
	· verification that the Contractor (including the BOS) is compliant with Commencement of Ramp-up/Customer Services;		
	· verification that the BOS is in conformance with the Requirements for a period of sixty (60) consecutive days, onsite in the BOS production environment;		
	· successful access of images from the ETTM System and receipt of the trip/transactions;		
	· reconciliation of all BOS data, transactional and Financial Transactions for a period of sixty (60) consecutive days to verify all data and accounts are being properly processed, reported on and reconciled;		
	· reconciliation of all transaction/trip and image workflows and filters to verify all transactions/trips and images are being properly processed through the BOS;		
	· reconciliation of all electronic Interfaces and portals, including Third-Party Service Providers and Interoperable Agencies;		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	· reconciliation of all account Postings, Financial Transactions, events, etc., to account history entries;		
	· reconciliation of all Financial Accounts in the BOS for two (2) monthly financial periods;		
	· archiving and purging process testing;		
	· disaster recovery testing;		
	· verification of PMMS operations;		
	· adherence to required financial audit and reconciliation Requirements and		
	· adherence to required BOS Performance Measures and reporting.		
322	The Contractor shall identify all anomalies and categorize by severity and priority, and all anomalies shall be addressed to the satisfaction of the Authority.		
323	If anomalies are identified that are a high severity and high priority during the testing period, the Operational and Acceptance Testing for those functions and any other impacted functions or test areas shall be restarted and shall continue for sixty (60) consecutive days from the day the test was restarted.		
324	The Operational and Acceptance Testing shall continue until all the Requirements have been verified and validated in accordance with the MTP and detailed test procedures are completed and Approved by the Authority.		
7.3. BOS Acceptance			
325	Upon the successful completion and Approval of the Operational and Acceptance Testing, the closure of all punch-list items and completion and submission and Approval of all items required for phase closeout, as set forth in in the Agreement, the Contractor shall be given the Acceptance for the BOS Implementation Phase.		
8. Installation Requirements			
	This section details the Requirements for the installation or enablement of the BOS at the primary and Disaster Recovery/Business Continuity sites as Approved by the Authority.		
8.1. Installation Program			
	The Contractor shall develop and provide an installation program or provide service documentation that addresses all aspects of the installation or use of the BOS, including all installation design, submissions and coordination for a COTS based solution or service agreements for cloud-based approaches.		
326	The Contractor shall be responsible for the design, procurement; installation; cabling; configuration; checklist walk-through, and testing of all Hardware, Software, Equipment, Interfaces and communications provided as part of the BOS, if required.		
327	The Contractor shall install or enable the BOS at the primary site and CSC locations which meets the specifications outlined in the Requirements and the Approved BOS Installation Plan.		
328	The Contractor shall install or provide the Disaster Recovery BOS and Business Continuity at a location which meets the specifications outlined in the Requirements.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
329	The Contractor shall provide, install or enable and secure all communication lines required for the primary BOS facility, the Disaster Recovery and Business Continuity facilities and Authority's CSC locations.		
330	The Contractor shall provide, install or enable and secure connection points to the BOS as required to accommodate access and communication with Interoperable Agencies and Third-Party Service Providers.		
8.2. Compliance to Standards			
331	The Contractor shall adhere to all implementation standards, applicable laws, ordinances and codes as required, including but not limited to:		
	· the Security Standards;		
	· those from the original Equipment manufacturer;		
	· the National Electric Code (NEC);		
	· the Institute of Electrical and Electronics Engineers (IEEE);		
	· the Occupational Safety and Health Administration (OSHA);		
	· county and city codes, as applicable and		
	· the State of California, for areas including but not limited to electrical codes, seismic considerations, calibration, configuration and environmental.		
8.3. Equipment Installation Requirements			
	The Contractor shall be responsible for installation of the BOS, including at the CSC and WICs, as described in these Requirements.		
332	The Equipment installation design and implementation for the BOS and CSC Operations shall include but not be limited to:		
	· all Contractor provided Equipment, including desktop computer environments and phone systems for two (2) permanent Authority personnel, and desktop computer environments and phone systems for an additional three (3) oversight personnel during the mobilization of the facility through Operational and Acceptance Testing;		
	· Interface with and electronically monitor via the PMMS any Authority or Contractor provided emergency power generation at the I-405 CSC and WIC;		
	· furnishing, installing and testing the Interfaces and connectivity between the CSC facility and the BOS;		
	· furnishing, installing and testing the Interfaces and connectivity to the ETTM System;		
	· validating the connectivity to all Interoperable Agencies as described in these Requirements and		
	· validating the connectivity to all external Interfaces to Third-Party Service Providers as described in these Requirements.		
8.4. Implementation Checklist Review and Check-off			
	The Contractor shall complete all implementation activities and Approved Contract Deliverables Requirements prior to the Go-Live date established by the Authority.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
333	The Contractor shall develop a checklist that tracks the progress and completion of all implementation activities for the BOS, CSC Operations and Disaster Recovery.		
334	The checklist shall detail those items required to complete the implementation process for all Hardware, Software, Equipment, Interfaces and communications provided as part of the BOS, including terminations and connections.		
335	The checklist shall be used to identify all discrepancies and exceptions, and the Contractor shall be responsible for all corrections.		
336	The checklist shall be used to document all changes identified, and all such changes shall be Approved by the Authority.		
337	A representative(s) from the Authority shall have the right to observe and Approve the implementation.		
338	The Authority shall have the right to perform independent inspections, and the Contractor shall be responsible for the correction of all discrepancies and deficiencies identified during the inspection.		
339	A copy of the checklist, signed and Approved by the Contractor, attesting to the completeness of the implementation, shall be provided to the Authority upon the completion of the implementation activities.		
9. General Maintenance and Software Support Services Requirements			
9.1. Operations and Maintenance Meetings			
9.1.1. Monthly Performance Review Meetings and Reporting			
	The Contractor shall conduct Monthly BOS Performance Review Meetings with the Authority. These meetings shall provide the Authority with a detailed understanding and review of the Contractor's and the BOS's performance for purposes of receiving guidance from the Authority, Authority oversight, work planning and invoicing.		
340	The Contractor shall manage, facilitate and conduct Monthly BOS Performance Review Meetings with the Authority throughout the Operations and Maintenance Phase. At a minimum, the Project Manager (Implementation Phase), Project Manager (Operations and Maintenance Phase), Software Development Manager and a Contractor's CSC Operations Manager (in-person) shall attend these meetings.		
341	The Contractor shall schedule and conduct the Monthly BOS Performance Review Meeting with the Authority to occur no more than one (1) week after the submission of a Monthly BOS Report package by the Contractor.		
342	Performance reviews, including the provision of all required performance reporting, shall be provided by the Contractor to the Authority beginning one (1) month after Go-Live for the previous month. Any trip volume fee adjustments associated with non-performance shall not be assessed until the fourth month following Go-Live, for the previous (third) month's performance; however, this does not relieve the Contractor of required performance prior to the third month and shall not constitute a waiver of any Authority rights or remedies under the Agreement in this regard.		
343	The Contractor shall ensure all issues are addressed and resolved or are placed on the action item list and scheduled for resolution.		

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
344	In addition to other invoicing and payment Requirements, the Contractor shall provide the required monthly performance reports to the Authority, including all required information demonstrating actual performance relative to the Requirements, before an invoice shall be considered for payment. The monthly performance reports structure shall be identified in the Maintenance Plan.		
9.1.2. Monthly BOS and Operations Coordination Meetings			
	During the Operations and Maintenance Phase, the Contractor shall conduct bi-weekly meetings to coordinate the ongoing operation of the CSC. The Contractor shall be responsible for scheduling these meetings and topics for the meeting shall come from the Contractor; the Authority may provide additional topics. The Authority may attend these meetings at its discretion.		
345	The Contractor shall manage, facilitate and conduct the Monthly BOS and Operations Coordination Meetings with the Authority during the Operations and Maintenance Phase in order to understand and prepare for supporting the resolution of BOS-related and Toll Facility related issues and other activities which will affect the CSC Operations.		
346	During the Monthly BOS and Operations Coordination Meetings, the Contractor shall address BOS and operational topics for which input is needed from the Authority, including but not limited to reviewing the Contractor's defect tracking report and prioritizing fixes; coordinating Upgrades and Enhancements Approved by the Change Control Board (CCB); reviewing Security Standards and compliance; coordination of scheduled BOS downtime; resolving issues related to personnel and reviewing the Contractor's CSC and WIC support.		
347	The Contractor shall identify all known BOS and operational issues and required discussion topics and provide them to the Authority in advance of the meeting and update the agenda again just prior to the meeting.		
9.1.3. Weekly Coordination and Status Meeting with the ETTM System Contractor			
	During the Operations and Maintenance Phase, there will be a series of working meetings between the Contractor and the ETTM System Contractor to provide details on new and open issues and work through possible solutions. The Contractor shall be responsible for coordinating and scheduling these meetings and topics for the meeting shall come from the Contractor, the ETTM System Contractor and the Authority.		
348	The Contractor shall manage, facilitate and conduct the Weekly Coordination and Status Meeting with the ETTM System Contractor. These meetings shall be for the purpose of coordination on all new and ongoing issues. The Authority shall be invited to attend these meetings.		
349	During the Weekly Coordination and Status Meetings, the ETTM System Contractor shall review the accuracy and sufficiency of reports, review any discrepancies, and to coordinate any changes to the BOS or ETTM System (such as, bug fixes, Upgrades and Enhancement).		
350	The Contractor shall identify all known BOS, ETTM System and operational issues and required discussion topics and provide them to all attendees and the Authority in advance of the meeting and update the agenda again just prior to the meeting.		
9.1.4. Change Control Board Meetings			

Volume I Project Management and Controls

No.	Requirements	Required Inputs	
		Compliance	Comments
		Y - Yes N - No	If "Compliance = N" then Proposer must provide an explanation in this column
	During the Operations and Maintenance Phase, the Contractor shall conduct the CCB Meetings. The Contractor shall be responsible for conducting and scheduling these meetings in accordance with the Authority developed change control process.		
351	The Contractor shall manage, facilitate and conduct CCB Meetings with the Authority (meeting may be combined with the ETTM System Contractor CCB meeting at the Authority's discretion) on an as-needed basis. These meetings shall be for the purpose of providing status, reviewing, Approving and prioritizing BOS changes (such as, Software enhancements, Software Upgrades, Hardware Upgrades, major bug fixes) and operations changes (such as, policies, Business Rules, operational procedures, phone scripts, and staffing).		
352	The Contractor shall solicit and identify all known statuses and input from the Authority regarding the CCB and provide them to all attendees and the Authority in advance of the meeting and in accordance with the Authority's change control process.		
9.2. Safety			
353	The Contractor shall adhere to all applicable safety standards and guidelines for working on or around energized equipment, including but not limited to the following:		
	· The Authority's safety procedures and guidelines;		
	· local code;		
	· State of California, code, standards, safety procedures and guidelines;		
	· Occupational Safety and Health Administration (OSHA);		
	· National Electrical Manufacturers Association (NEMA) and · National Electrical Code (NEC).		
10. Contract Deliverables Requirements List			
	The following table identifies the Deliverables/Submittals which shall be required for this Project. This table is provided for convenience only; it is the Contractor's responsibility to meet all Requirements.		

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offerror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
1. Statement of Work and Requirements							
	The following subsections describe the Statement of Work and the Requirements for the Back Office System (BOS). These Requirements are numbered to track obligations per the Agreement and any changes which may occur during the Project. Many of the Requirements contain underlying lists of specific items and required database fields. The intent of these “including but not limited to” lists is to indicate to the proposer the intent and scope of the Requirement. During design, the naming and number of items and fields will vary; however, all items and fields shall be addresses by the BOS unless the Contractor is formally relieved of the Requirement by the Authority.						
1.1. Global System Requirements							
	The global System Requirements define the overarching Requirements for the Hardware, Software and system comprising the production and non-production environments of the BOS.						
	The Contractor is encouraged to provide innovative solutions that simplify Maintenance, security and the implementation of Upgrades and Enhancements. The Contractor is permitted to use cloud-based and/or premise-based solutions. During the Operations and Maintenance Phase, the entire technical solution and all Third-Party Service Providers must reside and perform the services within the continental United States.						
	The Contractor will be responsible for acquiring and maintaining the applicable Payment Card Industry (PCI) Standards Security Council Level based on the quantity and value of Credit Card transactions processed. The global System Requirements include Requirements for securing PII in accordance with California statutes, the Authority’s privacy policy and National Institute of Standards and Technology (NIST) best practices for general information security.						
	Connecting the BOS to the Electronic Toll and Traffic Management (ETTM) System, Interoperable Agencies inside and outside California and to Third-Party Service Providers requires a wide variety of external Interfaces. Providing for these Interfaces will require the Contractor to use existing Interface Control Documents (ICD) when applicable and develop new/more modern Interfaces at the Authority’s direction.						
	Although the initial implementation of the BOS will directly support OCTA’s I-405 Toll Facility, the BOS design, data schema, financial accounting and reporting approach shall support the future, potential direct support of additional OCTA and non-OCTA Toll Facilities. All functionality provided shall be easily Configured to support these potential additional Toll Facilities.						
	A BOS-provided Performance Management and Monitoring System (PMMS) shall monitor the performance of the BOS and provide incident and work order management capabilities and data points for measuring the Contractor’s Operations and Maintenance Phase performance as further detailed in the Maintenance and Software Support Services section of these Requirements.						
1.1.1. Environments							
	The BOS shall include multiple environments as required to complete the design, development, integration, testing, delivery and Acceptance of the BOS and properly operate during the Operations and Maintenance Phase. It is the Contractor’s responsibility to provide additional Authority-Approved environments should the ones listed herein be insufficient for the Contractor to deliver the appropriate solution.						
	The operating environment of the BOS shall include, but not be limited to:						
	· the primary BOS;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Officer S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
1	· a secondary instance of the BOS to be used for Disaster Recovery (DR) and to support Business Continuity;						
	· telephony system;						
	· the Interactive Voice Response (IVR);						
	· Automatic Call Distribution (ACD);						
	· systems for all servicing all channels of customer communication;						
	· Desktop Environments installed at the I-405 CSC and WIC Facility;						
	· all necessary and required office Equipment (for example, printers, copiers and postage machines);						
	· Desktop Environments and telephony systems for two (2) permanent Authority offices throughout the Term of the Agreement. The telephony systems and Desktop Environments shall include full BOS access and supervisory/manager capabilities related to all customer service communication channels and CSR monitoring applications, and one (1) shared private printer for Authority use;						
	· Desktop Environments and telephony systems for three (3) additional temporary Authority offices/cubicles during mobilization of the Facility and throughout Operational and Acceptance Testing. The telephony systems and Desktop Environments shall include full BOS access and one (1) Desktop Environment and phone system shall include supervisory/manager capabilities related to all customer service communication channels and CSR monitoring applications (in addition to the two (2) permanent Authority offices Desktop Environments and telephony systems);						
	· initial setup, security, and Interface of the I-405 BOS application on desktop computers and peripherals at the OCTA Store WIC (desktop computers and peripherals at the OCTA Store WIC are provided by the Authority);						
2	· all network and communications elements;						
	· all required Interfaces and						
	· a data warehouse (Phase II and optional).						
3	The primary BOS server environment shall be located at one or a combination of the following locations:						
	· hosted at a Tier 3 data center facility and						
	· hosted on a well-established cloud service provider.						
4	The primary BOS server environment shall have a dedicated infrastructure such that while hosted at a Tier 3 data center facility or by a well-established cloud service provider, the Authority's dedicated BOS application shall run on dedicated virtual machines and/or containers such that only upgrades to the data center/cloud infrastructure and the Authority's BOS application would potentially affect the uptime of the BOS and there is no possibility of functional or infrastructure upgrades required to service other toll customer's applications would cause any downtime or affect the BOS in any way.						
	The Contractor shall ensure the BOS is fully operational in accordance with the Performance Measures described in these Requirements, for the Implementation and Operations and Maintenance Phases.						
	The Contractor shall provide all computing environments required to achieve Commencement of Ramp-up/Customer Services, including but not limited to:						
5	· a production environment located within the continental United States and						
	· a DR environment at a secondary location within the continental United States in a different time zone, or cloud-based equivalent;						
	The Contractor shall provide all computing environments required to sustain the day-to-day operations of the BOS by the Go-Live date, including but not limited to:						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
6	· a production environment located within the continental United States;						
	· a DR environment at a secondary location within the continental United States in a different time zone, or cloud-based equivalent;						
	· a training environment located at the CSC location;						
	· a test environment and						
	· a development environment.						
7	During both the Implementation Phase and the Operations and Maintenance Phase, the Contractor shall not allow any Authority data or customer PII outside of the U.S. Individuals and entities outside of the U.S. shall only have access to the development environment and shall not have access to customer PII.						
8	The Authority shall have logon access to all BOS environments.						
9	The Contractor shall keep all BOS environments current with all major releases of operating systems, databases, Software and firmware. Releases shall not be more than one (1) release behind the manufacturer's latest major release unless Approved by the Authority. The Contractor shall also make the necessary Software changes required to ensure compatibility with the evolving IT environment.						
10	With the exception of the development and test environments, which may change as part of testing and development cycles, the Contractor shall keep operating systems, databases, Software and firmware consistent across all environments, including, but not limited to configuration and patch level. At least one development and one test environment shall mirror the current production environment at all times during the Operations and Maintenance Phase.						
11	The test environment shall be sufficiently sized to successfully test Software changes and their effect on the production environment, including load and stress testing.						
1.1.1.1. Operating and Computing Environments – Production							
	The Contractor is expected to provide a BOS solution that is a dedicated, hosted and/or cloud-based system and as such should provide for the following operating and computing environment Requirements for production.						
12	The BOS production environment shall use new Hardware and Equipment for any Equipment installed on-premise at Authority's facilities or at a hosting facility.						
13	The BOS production environment shall be a high availability fault-tolerant design configuration of servers, storage, databases and backup systems and connected using high-speed inter-system storage and networking fabric, including any ancillary Equipment necessary to provide a complete production system which meets the Requirements.						
14	In the event of a complete failure of one or more of the components or sub-systems in the BOS production environment, affected components or sub-systems shall failover to the secondary BOS at the DR site. Performance and availability Requirements for the individual components and sub-systems of the BOS shall not be affected.						
15	The design and implementation of the BOS production environment shall ensure no single-point-of-failure exists within the configuration and the BOS shall continue to operate without data loss in the event any single component of the configuration fails.						
16	The operating system used for all servers shall be a multi-user and multi-tasking operating system from a manufacturer that is widely recognized and used in the United States for complex, high-volume database operations.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
17	The operating system shall be compatible with all Hardware, Software and other BOS components for the duration of the Operations and Maintenance Phase, including but not limited to:						
	· the Relational Database Management System (RDBMS);						
	· the Contractor's application Software;						
	· the Contractor's proposed network and communications topology and						
	· all Desktop Environments and peripherals defined in these Requirements.						
18	The operating system shall fully utilize the high availability BOS server architecture.						
19	The operating system shall be the latest stable version at the time of implementation (unless otherwise Approved by the Authority), field-proven and have a clearly documented Upgrade path and be supported by the manufacturer.						
20	The Contractor shall provide a highly reliable and secure RDBMS for the storage of images, user accounts, transaction/trip data, Violation data and all other data.						
21	The RDBMS shall be the latest version at the time of implementation (unless otherwise Approved by the Authority and field-proven to operate in a complex, high-volume transaction environment.						
22	The RDBMS shall be certified with the operating system, appropriate application Software and shall fully utilize the high availability BOS server architecture.						
23	The RDBMS shall support Upgrades to the operating system, applications, memory, processors and other components.						
24	The RDBMS shall have a clearly documented Upgrade path and be supported by the manufacturer.						
1.1.1.2. Operating and Computing Environments – Disaster Recovery (DR)							
25	For DR purposes the Contractor shall provide a DR computing environment of equivalent size and capabilities to the primary BOS, at a secondary location within the continental United States and in a different time zone from the primary BOS.						
26	The DR environment configuration shall continuously mimic the BOS production environment in terms of configuration and data and shall be capable of performing all functions of the production environment, at the same performance and availability levels described in these Requirements for the primary BOS.						
27	When put into production, the bandwidth provided to the DR site shall provide for the same performance and reduction of latency as the production BOS for both customers and CSC Operations staff.						
28	The DR environment at the DR site shall be capable of being brought on-line and made fully operational in accordance with the Performance Measures.						
29	In the event of a catastrophic failure of the primary BOS, the secondary BOS at the DR site shall be capable of sustaining BOS operations indefinitely, or until such time as the primary BOS can be brought back on-line or a new primary site is identified and made fully operational.						
30	The Contractor shall provide validation that the DR procedures and environment is capable of providing Business Continuity in the event of a catastrophic failure of the primary BOS. This testing shall be coordinated with the Authority and all the results shall be immediately provided to the Authority.						
31	The DR server environment shall be located at one or a combination of the following locations:						
	· a Tier 2 data center facility and						
	· a well-established cloud service provider.						
1.1.1.3. Operating and Computing Environments – Data Warehouse (Phase II and Optional)							

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	The data warehouse provides for the running of data analytics (Business Intelligence) reporting. It also allows the Authority to either directly or upon request to the Contractor, query data and run reports without having to compete for production reporting resources. The data warehouse environment stores all required data (to be defined during the Implementation Phase) from the BOS.						
32	The Contractor shall provide, as part of the production environment, a separate data warehouse environment for business intelligence and analytics reporting.						
33	The data warehouse shall be dedicated, and the required general reporting shall not depend on the data warehouse in any way.						
34	The Contractor shall be responsible for the design and testing of the extract, transform and load (ETL) process from the BOS during the Implementation Phase and the transfer of data after Go-Live throughout the Operations and Maintenance Phase.						
35	The Contractor shall provide validation that all data transferred to the data warehouse is complete and accurate.						
36	The data warehouse environment shall be updated from production in near-real time.						
37	The data warehouse environment shall be capable of being updated via an ETL process from the production System via a one-way replication.						
38	Because the data warehouse is Phase II functionality, if the option is executed, at start-up of the data warehouse the Contractor shall extract all applicable historical data from the BOS. The design of the data warehouse database schema, ETL process and the data analytics application shall be part of a post Go-Live, Phase II task.						
1.1.1.4. Operating and Computing Environments – Training							
39	The Contractor shall provide a non-production training environment, independent from the production and DR environments, to support the initial and ongoing training of the CSC Operations and Authority's personnel.						
40	The training workstation environments shall be located at the CSC site unless the Contractor can submit and gain Authority's Approval of an alternative location.						
41	The training desktop environment shall replicate the production Desktop Environments, including all peripherals as dictated by the position being trained.						
42	The number of training stations shall be determined by the Contractor to meet the training needs in accordance with the CSC Operations and Facility Mobilization Plan and on-going remedial and new training of personnel.						
43	The Contractor shall provide the capability to restore training environment databases and to periodically refresh the training environment data from the production BOS, using data cleansing procedures Approved by the Authority.						
1.1.1.5. Operating and Computing Environments – Test							
44	The Contractor shall maintain a BOS test environment that matches the BOS production environment configuration for the purpose of testing and verifying software Enhancements and Upgrades prior to being put into production.						
45	At the Authority's request, the Contractor shall provide access to the test environment for independent testing and verification to software Enhancements and Upgrades prior to being put into production.						
46	To the extent possible, the test environment shall interface directly to Third-Party Service Providers and Interoperable Agency test and/or production systems. For example, the DMV and ROV Interfaces.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
1.1.1.6. Email, Chat, Fax and Text Messaging							
47	The Contractor shall provide the capability for manual, scheduled and system triggered outbound/inbound email (including email attachments) and texting that meets the outbound/inbound correspondence Requirements.						
48	The Contractor shall provide the capability for outbound/inbound fax that meets the outbound/inbound correspondence Requirements.						
49	The Contractor shall provide the capability for chat sessions that meets the Requirements.						
50	The Contractor shall provide the capability for multiple outbound domain name emails to avoid spam blocks or may provide an alternative solution.						
51	The Contractor shall provide the capability for Authorized Users to view system-generated status information for electronic messages (such as, email, texting or fax) that are sent from within the BOS application. For example, an Authorized User (e.g., customer service representative) verifies that email messages have been successfully sent from the BOS.						
1.1.1.7. Hardware, Software and Other Equipment							
52	The Contractor shall provide completely new Desktop Environments for all CSC Operations personnel.						
53	The Contractor shall integrate with the BOS all Authority provided or procured 6c transponder readers/programmers for use in the CSC.						
54	The Contractor, with the Approval and assistance of the Authority, shall procure any 6c readers/programmers required for the CSC on a cost pass-through basis.						
55	All Hardware and Software shall be new, commercially available products currently in production, of the latest design/version at the time of purchase (unless otherwise Approved by the Authority) and field-proven in high-volume revenue operations, including but not limited to:						
	· Hardware;						
	· Software;						
	· firmware and						
	· other supplies, Equipment or components.						
56	All Hardware and Software shall be obtainable from multiple sources readily available to the Authority, unless otherwise Approved by the Authority. An exception to this may be the Contractor's custom-developed Software.						
57	The Contractor shall provide a dated invoice for all materials procured under this Agreement. Shipping bills shall be retained and copies furnished to the Authority along with the invoice on which they appear.						
58	All commercial Software provided as part of the BOS shall be enterprise class. Enterprise class applications are designed to be robust and scalable across a large organization and are customizable to meet the specific needs of the BOS. Note: Do not construe this to require enterprise level software licenses. It is the Contractor's responsibility to provide the proper level of software licensing.						
59	The solution furnished and installed shall be appropriately sized for capacity, as required to support growth in traffic volumes. It also shall be scalable, allowing for additional transactions/trips, images and Toll Facilities to be added for all BOS functions while continuing to meet the Performance Measures.						
60	The Contractor shall use field-proven Hardware, Software and Equipment configurations that support future Upgrades to processors, memory, storage, operating system, database and other system components.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offeror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
61	Licenses and Software media (or online access for downloading media) shall be provided to the Authority for all Hardware, third-party Software and firmware procured, furnished and installed as part of the BOS.						
62	The Contractor shall retain authorized copies (backups) for all Software media as required for use in periodic BOS Maintenance, Upgrades or system restores for a minimum of one year.						
63	All Hardware and Equipment provided to support BOS and CSC Operations shall be networked and fully integrated with the functional BOS (including PMMS) and the Desktop Environments.						
64	The standard Point of Sale devices shall support Europay, MasterCard and Visa (EMV) chip integrated circuit card and contactless Near Field Communication (NFC) devices. The Contractor shall ensure compliance with EMV chip guidelines for chip card transactions and International Standards Organization (ISO)/International Electrotechnical Commission (IEC) 18092 specifications for contactless NFC transactions.						
65	Check scanners (for remote deposit capture) shall include, but not be limited to:						
	· high accuracy Magnetic Ink Character Recognition (MICR) rate;						
	· compliance with "The Check Clearing Act for the 21st Century" (Check 21);						
	· check defacement features and						
	· alphanumeric Optical Character Recognition (OCR) A & B font recognition.						
1.1.1.8. Network, Communications, Telephony, Security and Surveillance							
66	The Contractor shall provide all required network Equipment and communications lines (including all installation and recurring costs throughout the Term of the Agreement) to connect the CSC and BOS to all required users and systems with sufficient bandwidth to meet all Requirements at no additional cost to the Authority, including:						
	· secure dedicated and redundant Interface connections for all BOS to CSC personnel communications;						
	· remote Contractor personnel;						
	· work-at-home Contractor personnel (under certain Business Continuity procedures);						
	· secure dedicated and redundant Interface connections for all Contractor designated Third-Party Service Providers;						
	· all Contractor provided BOS environments;						
	· secure dedicated and redundant Interface connections for customers accessing the BOS or CSC via telephony, IVR, Self-Service Website, Self-Service Mobile Application (Phase II and optional) and all other channels;						
	· secure dedicated and redundant Interface connection to ETTM System at 4301 W. MacArthur Blvd, Santa Ana, CA 92794;						
	· secure dedicated and redundant Interface connections for the OCTA Store WIC location at 600 S Main St, Orange, CA 92868 via secure public VPN (or other Authority Approved Interface). OCTA will provide all necessary Equipment at the OCTA Store WIC location;						
	· secure dedicated and redundant Interface connections for Authority's staff locations from various locations via secure public VPN (or other Authority Approved Interface). OCTA will provide all necessary Equipment at the Authority staff locations and						
	· secure dedicated and redundant Interface connections for all Authority designated Third-Party Service Providers via secure public VPN (or other Authority Approved Interface). OCTA or others will provide all necessary Equipment at the Third-Party Service Providers locations.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
67	The Contractor shall provide the telephony systems for all CSC Operations personnel at the CSC and the collocated WIC. Note: The telephony system at the OCTA Store WIC at 600 S Main St, Orange, CA 92868 will continue to be provided by OCTA.						
68	As part of the Implementation Phase, the Contractor shall provide and install all network Equipment and communications as required to meet the Requirements.						
69	The Contractor will assume Maintenance, administration and Upgrade of all network Equipment and communications to service the BOS and CSC throughout the Operations and Maintenance Phase.						
70	The network connection to the ETTM System shall be of sufficient bandwidth to support the transfer of images, transactions/trips, Transponder Status Lists and other required files.						
71	The Contractor shall increase throughput and bandwidth as needed to eliminate system latency and meet the Requirements.						
72	The Contractor shall provide network monitoring Software to monitor all Contractor provided and Authority provided infrastructure, network Equipment and communications related to the BOS and CSC. All network notifications and alarms shall be reported to the PMMS.						
73	The Contractor shall provide the capability for time synchronization to one or more certified time server(s). The Contractor shall provide for redundant certified time sources should the primary source be unavailable.						
74	The Contractor shall ensure exact synchronization with the ETTM System.						
75	The Contractor shall provide secure remote access to the full capabilities of the BOS for Authority Authorized Users working remotely.						
76	The Contractor shall be responsible for ensuring that all BOS networks and communications are compliant with the Security Standards.						
1.1.2. BOS Functionality							
	The BOS functionality Requirements begin with the design of a GUI to the BOS. Through the GUI, Authorized Users (from within the CSC) and customers (accessing via the Self-Service Website, and Self-Service Mobile Application (Phase II and optional)) will access a user account and other information within the BOS. This section of the global Requirements also includes Requirements for establishing and controlling user access to the BOS, logging and security controls and maintaining efficient databases through regular purging and archiving of stale records in accordance with the Security Standards.						
1.1.2.1. Graphical User Interface (GUI)							
	The GUI design must include accepted computer industry design standards for ease of readability, understanding and appropriate use of menu-driven operations, user customization and intuitive operation. The GUI should allow for efficient action by CSR or customer minimizing screens and clicks to modify.						
77	The Contractor shall provide a secure, browser-based GUI for the BOS application, Self-Service Website, and all external Interfaces.						
78	The Contractor shall provide for secure communications with the BOS application, all customer portals and all external Interfaces, such as Hypertext Transfer Protocol Secure (HTTPS) or similar.						
79	The GUI shall adhere to accepted development standards and specifications, including but not limited to World Wide Web Consortium (W3C) and HyperText Markup Language (HTML) Version 5 or current standard.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Officer S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
80	The Contractor shall follow Payment Card Industry Data Security Standard (PCI DSS) and standard security practices in the design of the GUI for the BOS application, all customer portals and all external Interfaces.						
81	The GUI design and development shall incorporate human factors and usability engineering and be optimized for speed, as well as provide the following controls, including but not limited to:						
	· menus (such as pull down, popup, cascading, leveling, etc.);						
	· allowing for multiple windows within the application, such as to navigate back without having to re-enter a user account;						
	· informational messages;						
	· positive feedback;						
	· exception handling and error dialogs, including logging the error (in the PMMS);						
	· control icons, links and action buttons;						
	· data entry fields, combo boxes, check boxes;						
82	· display (read-only) fields and						
	· general and context-specific help menus.						
82	Data entry screens shall have Configurable mandatory fields that require data entry prior to continuing through the process.						
83	The Contractor shall provide field-level validation and format verification upon existing data fields applicable to pre-defined formats or standards, including but not limited to:						
	· alpha-numeric;						
	· date;						
	· time;						
	· special characters;						
	· length;						
	· license plate number (based on individual issuing Jurisdiction rules) fields;						
	· transponder numbers;						
	· telephone number;						
	· email address;						
	· ZIP or postal codes and						
84	· check-digit, checksum, Modulus-10 or other verification algorithms for fields such as Credit Card number.						
	The Contractor shall provide field-level "tooltips" or other interactive help, Configurable by the system administrator, that provide specific guidance on any field presented, including but not limited to:						
	· alpha-numeric fields;						
	· date fields;						
	· time fields;						
	· special characters;						
	· username and password;						
	· length restrictions;						
	· license plate number (based on individual issuing Jurisdiction rules) fields;						
	· transponder fields;						
	· telephone number fields;						
	· email address fields;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· ZIP or postal code fields and						
	· Credit Card number fields.						
85	The Contractor shall provide the capability for Authorized Users to maintain drop-down lists, including but not limited to:						
	· add items;						
	· deactivate items;						
	· set effective activate and deactivate times;						
	· modify items;						
	· toggle item visibility on/off;						
	· set the display order;						
	· change the display order;						
	· set the default value and						
	· change the default value.						
1.1.2.2. BOS Application Requirements							
86	The Contractor shall provide navigation optimized for speed and with identical screen presentation and user experience, regardless of the browser used. The BOS application shall detect and advise if the browser being used is out-of-date or not supported, as well as instruct where updates can be obtained.						
87	Help menu/dialogue box shall be provided for each screen, each editable field and each selectable option within each screen.						
88	The Contractor shall provide workflow and application help menus that integrate seamlessly into the user interface.						
89	The Contractor shall provide help menus that provide clear descriptions and walk-through procedures for all standard tasks.						
1.1.2.3. User Accounts, User-Roles, User-Role Management and Controls							
	User account management and role management is an important component to the overall security of the solution. Authorized Users are Approved users that have role-based credentials to access the BOS as an employee of the Contractor, employee of the Authority, Third Party Service Provider, or contractor of the Authority.						
90	Authorized Users shall access the BOS using an authenticated, role-based login and be uniquely identified and authenticated using a strong password policy.						
91	The Contractor shall provide the capability for only privileged accounts to use tools with administrative capabilities conforming to the concept of least privilege.						
92	Allow for full integration with Microsoft Active Directory (AD) or similar access system Approved by the Authority so users are not required to enter separate passwords for system access (the BOS shall prompt users for their credentials and not allow pass-through authentication), and that all rules for password security (for example, characters or rotations) are enforced and passed between the network and the application.						
93	The Contractor shall provide the capability to create (Configurable) BOS user accounts.						
94	The Contractor shall provide the capability to create a new user account having the same role/rights as an existing user account.						
95	The Contractor shall provide the capability to allow first name, middle name and/or last name to be changed without having to create a new user account, such as to correct an error or make a change because of marriage or divorce.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
96	The Contractor shall provide the capability to search for Authorized Users using Configurable criteria.						
97	The Contractor shall provide the capability to track user accounts created dates and disabled dates information, since user accounts may be enabled and disabled repeatedly over a period of time (because of leaves of absence, etc.).						
98	The Contractor shall provide the capability to search and view all information about a user account on a particular date and time.						
99	The Contractor shall provide the capability to control all access rights within the BOS through the assignment of user-roles.						
100	The BOS shall prevent the direct assignment of rights to an Authorized User, and all rights must flow from a user-role.						
101	The Contractor shall provide the following user-role capabilities, including but not be limited to:						
	· allow Authorized Users to belong to multiple user-roles;						
	· allow the deactivation of a user-role, provided no active Authorized Users are assigned to that role;						
	· ensure modifications to roles are immediately propagated through the BOS and to all Authorized Users currently assigned to the role;						
	· prevent BOS access to users who are not assigned to a user-role and						
102	· provide a built-in "read-only" capability that can be added to any user-role, allowing user accounts assigned to that role to view information on the screen and print reports (but not make changes).						
	The Contractor shall provide the capability for an Authorized User to view the summary of permissions of a user created with multiple user-roles.						
103	The Contractor shall provide the capability for Authorized Users to manage user-roles, including but not limited to:						
	· create new user-roles;						
	· change access rights;						
	· assign and un-assign user-roles to user accounts;						
	· assign and un-assign user accounts to user-roles;						
	· adjust user-roles and						
104	· deactivate user-roles.						
	The Contractor shall provide the capability for Authorized Users to manage multiple levels of access control based on user-roles, including but not limited to:						
	· broad functional level, for example, user-role X is denied access to the user account management functionality;						
	· detailed functional level, for example, user-role Y is allowed access to the user account management functionality but denied access to close user accounts function and						
	· field level, for example, user-role Z is allowed access to the user account management functionality but denied access to the tax-exempt checkbox.						
	The Contractor shall provide the capability for Authorized Users to deny/allow access or allow read-only access, based on user-roles, including but not be limited to:						
	· specific menus;						
	· specific items on a drop-down list;						
	· specific individual screens;						
	· specific functions on a screen;						
	· specific fields within a specific screen;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
105	<ul style="list-style-type: none"> specific types of transactions/trips; specific processes; specific reports; specific activities based on account status; specific search capabilities; specific transaction/trip approval privileges; specific workstation location access; specific workstation time restrictions and specific time restrictions. 						
106	The Contractor shall provide the capability to configure Flags as part of a user role definition, so they can be viewed based on user-roles.						
107	The Contractor shall provide the capability to send Alerts to the PMMS for logging and notification based on the assignment/removal of a specific user-role (Configurable as new user-roles are created).						
108	The Contractor shall provide the capability to search for all Authorized Users with a specific role and all user accounts with a specific access right.						
109	The Contractor shall provide the capability to search and report on user-roles for a particular date, distinguishing between an active user account (able to access information according to its roles) an inactive user account (temporarily unable to access information because of a locked password or expired from lack of use) and a disabled user account (a user account no longer able to access information because of the intervention of an Authorized User).						
110	The BOS shall keep a full history of all user-role details with effective dates so the exact rights for a particular user-role can be viewed by Authorized Users at any point in time.						
1.1.2.4. Logging Mechanisms							
	These mechanisms provide chronological recording of system events and user account activities. They also document the sequence of activities that have been affected at any time during a specific operation, procedure or event.						
111	The Contractor shall provide comprehensive, system-wide logging capabilities ensuring every change to a BOS record of any type is logged with a date/time stamp, including the Authorized User (and IP address) that made the change.						
112	The Contractor shall ensure that system clocks are synchronized. For example, Desktop Environments, Equipment, servers, physical security systems and CSC Surveillance CCTV systems.						
113	The Contractor shall provide the capability to log all changes to user accounts.						
114	The Contractor shall provide the capability to log all changes to the Processing Exception List.						
115	The Contractor shall provide BOS reports, including but not limited to: <ul style="list-style-type: none"> reports of logged activity by activity type and reports of logged activity by user accounts. 						
116	The Contractor shall create a log when a user-role is assigned, changed or removed from a user account.						
117	The Contractor shall provide screens so Authorized Users can view all log files.						
118	The Contractor shall provide the capability to log and track all user activities and user accounts viewed by specific user account with date, time stamp, and workstation location.						
119	The Contractor shall provide Configurable Alerts to the PMMS for all functions of the BOS which are logged.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offeror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
120	The Contractor shall provide logging that includes actions taken within a user account with date and time stamp.						
121	The Contractor shall provide logging of all changes (view, add, delete, modify) to Credit Card information.						
122	The Contractor shall provide logging of all user login attempts, including but not limited to:						
	· username;						
	· originating Internet Protocol (IP) address;						
	· date;						
	· time and						
	· success/failure.						
123	The Contractor shall provide logging of all customer login attempts, including but not limited to:						
	· Uniform Resource Locator (URL);						
	· user account;						
	· browser/platform including version number;						
	· originating IP address;						
	· date;						
	· time and						
	· success/failure.						
124	The Contractor shall provide audit logging capabilities that provides the ability for view access by CSR and/or by account to have the review of users that have accessed the account or Case even if no changes have been logged.						
125	The Contractor shall create a log of all changes to system configurations or settings and record the user name, date, time and IP address from which the change was made.						
126	The Contractor shall be in compliance with all PCI DSS logging requirements while preventing any logging of Credit Card numbers or card verification value data, including debugging and error logs.						
127	The Contractor shall be in compliance with all PII logging requirements while preventing any logging of PII data, including in debugging and error logs.						
128	The Contractor shall provide the capability to generate an Alert to the PMMS when debugging logs are turned on within the production environment.						
129	The Contractor shall prevent tampering with log file data.						
130	The Contractor shall provide the capability to log and track changes to applications, databases and operating systems.						
1.1.2.5. BOS Security Standards, PCI-DSS, PII and Best Practices							
	The Contractor shall provide security and access controls in accordance with the Security Standards. These Security Standards will evolve as standards, best practices and California statutes evolve over the Term of the Agreement.						
	The Contractor's approach to BOS and user security shall continually provide adherence to the latest specifications, publications, policies and standards, including but not be limited to:						
	· compliance with PCI DSS;						
	· protecting the confidentiality of PII in accordance with the Authority's privacy policy;						
	· protecting the confidentiality of PII in accordance with Section 31490 of the Streets and Highways Code and other applicable California statutes;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
131	· protecting the confidentiality of PII in accordance with the recommendations in publication 800-122 from the National Institute of Standards and Technology (NIST) or subsequent versions;						
	· protecting the confidentiality of PII in accordance with California Consumer Privacy Act (CCPA);						
	· protecting the confidentiality of PII in accordance with California Online Privacy Protection Act (CalOPPA);						
	· encryption of data in accordance with NIST SP 800-111 Guide to Storage Encryption Technologies for End User Devices;						
	· protecting the confidentiality of PII in accordance with the California Civil Code Section 1747.08.;						
	· account for information security management risk as described by NIST Cybersecurity Framework special publication 800-39;						
	· conformance to applicable best practices for information security management as described by the ISO/IEC 27000 standards;						
	· the security Requirements and						
	· all California and out-of-state DMV security requirements and standards.						
132	The Contractor shall Design the System to anticipate that during the Implementation and/or Maintenance Phases the System will become subject to more restrictive digital privacy laws and regulations (for example, similar to European Union General Data Protection Regulation (GDPR)). During Design within the Implementation Phase, the Contractor shall provide documentation (within applicable deliverables) and demonstrate (during testing) the System's preparedness to anticipate more restrictive privacy Requirements.						
133	The Contractor shall establish and maintain a formal, documented, mandated, BOS and CSC Operations information security policy that shall be communicated to all Contractor and Subcontractors personnel in a relevant, accessible, and understandable form and will be regularly reviewed and evaluated to ensure its operational effectiveness, compliance with all Security Standards, applicable laws and regulations, and to address new threats and risks.						
134	The information security policy shall address all removable media except in the context of Contractor's routine back-ups or as otherwise specifically Approved by the Authority, Contractor shall institute strict physical and logical security controls to prevent transfer of BOS data via removable media.						
135	The Contractor shall provide strong end-to-end encryption for all sensitive information, including PCI and PII) stored within databases (at rest) or being transmitted (in-motion).						
136	The Contractor shall use strong encryption methods such as AES FIPS-179 (128 bits and higher) or RSA (2048 bits and higher), or an equivalent if Approved by the Authority.						
137	The Contractor shall provide encryption keys that are considered sensitive information and stored on appropriately secured servers.						
138	The Contractor shall prevent any unauthorized user, system or database administrator from viewing encrypted information in unencrypted form, while providing the capability for Authorized Users to view encrypted information in unencrypted form to perform tasks based on a defined role.						
139	The Contractor shall ensure that no cardholder data, such as Credit Card numbers or card verification value data, is in any BOS environments.						
140	The Contractor shall ensure that no PII data is in the BOS environments other than production, DR and test.						
	The Contractor shall provide comprehensive user credential controls that are compliant with PCI standards, including but not limited to:						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
141	<ul style="list-style-type: none"> prevent the creation of 'generic' user accounts – all user accounts shall be associated to a specific person. For example, use the unique employee ID as a required field for each user account. Duplicate IDs would be rejected and prevent a user (role-based) from logging in at two different machines at the same time, while allowing a single user on a single machine to have multiple sessions open at the same time. 						
142	<p>The Contractor shall provide the capability to configure different user credential controls for different types of users, including but not limited to:</p> <ul style="list-style-type: none"> Authorized Users who will access the BOS; Third-Party Service Providers that access the BOS via external Interfaces and customers who will access the BOS via the Self-Service Website, Self-Service Mobile Application (Phase II and optional) and the IVR. 						
143	All Hardware shall be integrated with the PMMS and configured to provide PMMS alerts in relations to out-of-date security software and patch versions.						
144	All Hardware shall be integrated with the PMMS and configured to provide PMMS alerts in relations to all attempted intrusions, virus attacks, ransomware attacks, spamming, denial of service and attempted/successful unauthorized access.						
145	For any Hardware removed from the BOS, the Contractor shall provide a notarized statement, detailing the removal or destruction method used, the data sets involved, the date of destruction, and the company or individual who performed the destruction. The statement shall be sent to the Authority within fifteen (15) Calendar Days of removal of the Hardware. The destruction or erasure of data or information pursuant to this section shall be in compliance with industry Best Practices (e.g., NIST SP 800-88, Guidelines for Media Sanitization)						
146	The Contractor shall provide a report of all security incidents. The Authority or its third-party designee may, but is not obligated to, perform audits, security tests and intrusion tests of BOS environments that may also include, but are not limited to, interviews of relevant personnel, review of documentation, and/or technical inspection of systems.						
147	The Contractor shall provide for Authority's review any original security reports related to security assessments that the Contractor has undertaken to assess BOS and shall notify the Authority of all security assessments.						
1.1.2.6. Archival and Purge Control Mechanisms							
	The Authority is public and, therefore, are subject to the law governing the retention and disposition of information considered as public record. The Requirements for archiving and purging include Requirements for automating these activities in a way that maintains compliance with the Contractor retention schedule that is provided as part of the Contractor's Maintenance documentation, while providing the Authority a method to Approve the disposition of records before they are deleted.						
148	The Contractors archival and purge processes shall be in compliance with the data retention Requirements set forth in the Security Standards and Volume I, Section 4.2.17 Records.						
149	The Contractor shall provide the capability for fully automated and Configurable storage of historical data (archival) and the permanent deletion of inactive or obsolete data (purging).						
150	The Contractor shall provide the capability to store 100 percent of the BOS electronic information in accordance with the data retention Requirements set forth in the Security Standards and Volume I, Section 4.2.17 Records.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
151	The Contractor shall provide the capability to store 100 percent of the BOS electronic historical information indefinitely if they have enduring significance to the Authority's activity (i.e., permanent, evidentiary, and/or historical value) in accordance with the retention schedule. All information, other than that prohibited within the Requirements, will be retained for the duration of the Agreement and archived or moved to long-term storage as deemed appropriate during the Implementation Phase to meet all customer and Authority needs for reporting and data access.						
152	Archival and purge routines shall be Configurable for each impacted data element, including but not limited to:						
	· transactional data;						
	· all formats of customer PII data;						
	· Images (Violations-related and I-Toll-related);						
	· documents;						
	· Notifications;						
	· BOS logs and · third-party provided files.						
153	The Contractor shall provide the capability to archive data on a monthly interval.						
154	The Contractor shall provide the capability to purge archived data on a periodic basis.						
155	Authorized Users shall have the capability to request retrieval of archived data through the Contractor's ticketing system included in the PMMS.						
156	All archived data shall be stored on permanent, long-term storage media and shall be maintained at a secure Authority Approved third-party commercial data storage facility.						
157	Servers shall retain transaction/trip and summarized data, all images and BOS logs online for a specified period of time and then archive that data.						
158	Data shall be purged in accordance with the data retention schedule.						
159	The Contractor shall provide the capability to notify the BOS Maintenance personnel via the PMMS a Configurable number of days in advance and require Authorized User approval for when archival and purging jobs are to be executed, including but not limited to data elements impacted, date range applied and data size impact.						
160	After successful archival of data and confirmation via the PMMS, the deletion of online data shall be automatic, without user intervention and shall generate a message to be transmitted according to the PMMS rules. Absolutely no transactions/trips shall be deleted unless confirmed to be successfully archived.						
161	The BOS servers shall be sized to accommodate for the restoration of selected archived data (one -year minimum).						
162	Authorized Users shall be able to generate queries from the restored data.						
1.1.3. Interfaces							
	The Contractor is responsible for working with the Authority, Interoperable Agencies/California Toll Operators Committee (CTOC) and Third-party Service Providers in designing, developing, documenting, testing and implementing all required Interfaces and portals.						
1.1.3.1. General Requirements for External Interfaces							

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Officer S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	Electronic Interfaces are required to provide BOS connectivity. The technical specifications for these Interfaces are documented in ICDs that have either already been developed by the Authority or shall be developed by the Contractor. The ICDs include Requirements for data format and transmission, criteria for acknowledgement and validation of transmitted data and procedures for recording and reconciliation as appropriate for each Interface.						
163	The Contractor shall develop new or comply with existing electronic Interfaces at the direction of the Authority.						
164	The Contractor shall provide for guaranteed transmission of data for all Interfaces and portals.						
165	The Contractor shall provide for 100 percent reconciliation of the transmitted and received data and files.						
166	The Contractor shall provide the capability for Authorized Users to access and view the contents of files, including compressed or encrypted files, which are received by the BOS and transmitted by the BOS in a readable format. Authorized Users shall have the capability to save the contents of such files.						
167	The Contractor shall provide the capability for sending real-time Alerts to the PMMS for Interface and data transmission failures, including but not limited to:						
	· real-time dashboard for managing and monitoring Interfaces;						
	· workflow user Interface for managing and monitoring steps within each Interface;						
	· status and history of executions;						
	· comprehensive scheduling of file transmissions;						
	· tools for viewing data and/or contents of files received via Interfaces and portals (compressed or encrypted);						
	· comprehensive reporting for transmitted and received data and files;						
	· tight integration with the PMMS and notification of failed transmissions and						
168	· capability to manually execute a failed transmission.						
	When using File Transmission Protocol (FTP), the Contractor shall utilize Secure File Transmission Protocols (SFTP) for the transfer of data and/or files via Interfaces and portals.						
169	The Contractor shall provide the capability to transmit and receive multiple files during each scheduled batch.						
170	The Contractor shall provide the capability to transmit and receive multiple full and incremental files in a day.						
171	The Contractor shall utilize file naming conventions that prevent the over-write of data and/or files. For example, include the date and time of transmission.						
172	The Contractor shall provide file handling and processing methods that provide for a complete log of the data and/or file transfer process.						
173	The Contractor shall validate records and identify errors in the received data and/or files, including but not limited to:						
	· mandatory fields;						
	· data formats;						
	· data validity (for example, user account number not found in the BOS);						
	· duplicate records;						
	· unexpected response;						
	· checksum/record count verification and						
	· incorrect status.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Officer S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
174	The Contractor shall provide the capability to correct and re-transmit data and/or files (the process shall be automated to the extent possible).						
175	The Contractor shall provide the capability to process re-transmitted data and/or files.						
176	The Contractor shall provide the capability to transmit the error details to the transmitting entity, as well as record it in the PMMS.						
177	The Contractor shall provide the ability to identify missing records/transactions/images and request the transmission of such missing records/transactions/images.						
178	The Contractor shall reconcile the transmitted records to the records received and accepted by the receiving entity.						
179	The Contractor shall provide the means to identify Interface issues by validating the file transmission process, including but not limited to:						
	· creation and transmission of data and/or a file at the scheduled time, even if there are no records to transmit;						
	· determination if the data and/or a file was transmitted or received at the scheduled time;						
	· creation of Alerts to the PMMS if data and/or a file was not created or received at the scheduled time;						
	· creation of Alerts to the PMMS if received data and/or a file was not acknowledged;						
	· creation of Alerts to the PMMS if records in the received data and/or file had errors when processed;						
	· provide details in real-time to the PMMS of each failed record and						
180	· creation of Alerts to the PMMS when a response has not been received for individual records within the expected duration.						
	The Contractor shall provide data and/or file transmission and reconciliation reports as described in these Requirements.						
181	All responses received from third-party Interfaces and all actions required of the third-party to a file transmitted by the BOS shall be associated with the original transaction, including but not limited to:						
	· Violation data and images;						
	· images of check copies for a payment;						
	· Notifications to customers transmitted by the Collection Agency;						
	· comments and dispositions transmitted in the response file and						
182	· emails received from the customer related to a specific transaction/trip or Violation.						
	The Contractor shall provide the capability for Authorized Users to obtain the history of updates to a transaction/trip.						
183	The Contractor shall provide a dashboard that tracks the progress of data and/or file transmissions through each stage and their acknowledgements by the receiving entity, including but not limited to:						
	· transactions/trips eligible for transmission;						
	· file and/or data created with file name;						
	· file and/or data transmitted;						
	· file and/or data received;						
	· file and/or data accepted;						
	· file and/or data rejected;						
	· file and/or data re-transmitted;						
	· number of records in the file and/or data set;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· number of unique user accounts and						
	· number of failed records.						
184	The Contractor shall provide the capability for Authorized Users to configure the relevant parameters related to file and/or data transmission for each Interface. For example, scheduling the time-of-day that a specific file is transmitted.						
185	The Contractor shall monitor the disk capacity where files and/or data are deposited and send an Alert to the PMMS and third-party entities (if applicable) if folders are near capacity (Configurable) or full.						
186	The Contractor shall provide the capability to automatically archive successfully processed data and/or files after a number of days (Configurable).						
187	The Contractor shall provide the data to reconcile file transmissions.						
188	The Contractor shall conform to any existing ICDs, including any updates required at the time of design and develop all new ICDs that are required to be developed. It is the Contractor's responsibility to ensure all ICDs (including existing) are accurate, updated and meet the Requirements of the BOS before developing the Interfaces. Standards-based Interfaces shall be used when available and all Interfaces shall be Approved by the Authority.						
189	Where the Third-party Service Provider currently supports or is willing to develop a more modern and current interface, the Contractor shall be responsible for developing the ICD or using the ICD to develop the new Interface as directed by the Authority.						
190	The Contractor shall implement required updates to Interfaces at the direction of the Agencies at no additional cost to the Agencies.						
1.1.3.2. Interface to the ETTM System							
	This Interface connects the BOS with the ETTM System for transmitting transactions/trips, images, toll rate information, transponder files, license plate files and other data to the BOS for processing and for transmitting various data back to the ETTM System.						
191	It is anticipated that the BOS shall receive, process and store an average of four (4) transactions per trip, including both Toll Collection Enforcement Site (TCES) and Toll Transponder Read Site (TTRS) transactions.						
192	If the BOS implementation requires an update to the ETTM System ICDs, the Contractor shall develop the new ICD and coordinate all design, development and testing with the ETTM System Contractor.						
	The ETTM System ICDs may include many data fields, including but not limited to:						
	· trip transaction ID;						
	· trip ID;						
	· timestamp for when the trip started;						
	· amount of time that was being allotted for travel from the pricing sign to the Toll Zone;						
	· Occupancy Setting applied for the overall trip;						
	· Clean Air Vehicle identifier for overall trip;						
	· motorcycle identifier for overall trip;						
	· image-based or a tag-based trip identifier;						
	· total toll rate assigned for the trip;						
	· total toll rate that was in effect at the time of the trip;						
	· primary transponder ID for the overall trip;						
	· license plate number for the overall trip;						
	· Jurisdiction of the license plate for the overall trip;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offeror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
193	· license Plate Type for the overall trip;						
	· segment identifier;						
	· lane identifier;						
	· lane mode identifier;						
	· Straddle – This is a yes/no type identifier for whether the vehicle was straddling the lane line when it went through the Toll Zone;						
	· timestamp for when the transaction occurred;						
	· transponder items below shall be enumerated for each transponder read at the Toll Zone, with all of the subsections being listed for each transponder;						
	· transponder ID;						
	· timestamp when the transponder was read;						
	· transponder status;						
	· transponder type;						
	· transponder Occupancy Setting;						
	· primary transponder identifier;						
	· buffered transponder read identifier;						
	· spurious transponder read identifier;						
	· license plate number selected for the transaction based on confidence values;						
	· Jurisdiction of the license plate selected for the transaction based on confidence values;						
	· license Plate Type selected for the transaction based on confidence values;						
	· OCR confidence;						
	· Occupancy Detection System occupancy assigned (if applicable);						
	· occupancy assigned;						
	· Clean Air Vehicle identifier;						
	· motorcycle identifier;						
	· vehicle classification;						
	· Image items below shall be enumerated for each image captured at the Toll Zone, with all of the subsections being listed for each image;						
	· file name for the image;						
	· camera that took the image;						
	· timestamp for when the image was captured;						
	· license plate number reported by the OCR/image review system for the individual image;						
	· Jurisdiction of the license plate reported by the OCR/image review system for the individual image;						
	· license Plate Type reported by the OCR/image review system for the individual image;						
	· OCR confidence value for the license plate assigned by the OCR/image review system for the individual image and						
	· payment type identifies whether the individual transaction registered as an Image-Based or a Transponder-Based Transaction.						
194	The Contractor shall Interface to the ETTM System to obtain and acknowledge 100 percent of all transactions/trips, associated transaction and Violation images in accordance with the ICDs to be developed during Project design.						
	The ETTM System Interface shall be capable of the following Configurable functionality, including but not limited to:						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Officer S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
195	· sending the comprehensive and incremental Authority Tag Status Files and License Plate Status Files (for both the CTOC Agencies' and Interoperable Agencies') in real-time and at scheduled intervals (e.g., every 10 minutes). The BOS shall support sending the Tag Status File and Plate Status File as single file or as separate files;						
	· sending Interoperable Agency transponder statuses periodically (incremental and comprehensive) multiple times per day (e.g., every 10 minutes);						
	· sending rental car files (incremental and comprehensive) multiple times per day (e.g., every 10 minutes);						
	· sending Plate Correction List from customer disputes and audit checks no less than every hour;						
	· sending Processing Exception List maintained at the BOS no less than every hour;						
	· receiving Transponder-Based Transactions/Trips;						
	· receiving Image-Based Transactions/Trips (including license plate number, Jurisdiction, and type, if required) and						
	· receiving other files (such as toll rate schedules and variable pricing information).						
196	The Contractor shall provide the capability to positively acknowledge (ACK) message receipt, negatively acknowledge or reject a message (NACK) and reconcile data transmissions from the ETTM System.						
197	The Contractor shall receive and store color and black and white images for each transaction that comprises the trip, from the ETTM System including:						
	· ROI image(s) – average of approximately 8KB per image;						
	· full rear image(s) – average of approximately 450KB per image;						
	· full rear straddle image(s) – average of approximately 450KB per image and						
	· overview image(s) – average of approximately 450KB per image.						
1.1.3.3. Interface to the Interoperable Agencies							
	This Interface connects the BOS with the Interoperable Agencies for data exchange.						
198	The Contractor shall provide the Interface to WRTO/CTOC Interoperable Agencies and Regional and National Hubs, for the functionality described within these Requirements and in accordance with latest and future WRTO/CTOC ICDs. The Contractor shall support Interoperable agencies that will be on different versions of the WRTO/CTOC ICD throughout the Term of the Agreement.						
199	The Contractor shall provide the capability to obtain and acknowledge 100 percent of all transactions/trips and images from Interoperable Agencies.						
200	The Contractor shall provide the capability to transmit 100 percent of all Interoperable Agency customer transactions/trips and images to their respective Interoperable Agencies.						
201	The Contractor shall provide the capability (Configurable) to transmit the Authority's plaza update (including addition of new plaza facilities) information to Interoperable Agencies.						
202	The Contractor shall provide the capability (Configurable) to receive Interoperable Agencies' plaza update (including addition of new plaza facilities) information.						
203	The Contractor shall provide the capability (Configurable) to transmit the Authority's Transponder Status Lists (TSLs) to Interoperable Agencies.						
204	The Contractor shall provide the capability (Configurable) to receive Interoperable Agency TSLs from Interoperable Agencies.						
205	The Contractor shall provide the capability (Configurable) to transmit BOS customer license plate numbers to Interoperable Agencies.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
206	The Contractor shall provide the capability (Configurable) to receive license plate numbers from Interoperable Agencies.						
1.1.3.4. Interface to California and Arizona DMV							
	This Interface connects to the California, Arizona, Oregon and Nevada DMVs to obtain information (such as name, address, vehicle make/model, CAV designation, VIN) about vehicles which fail to properly pay the toll amount.						
207	The Contractor shall provide and administer a direct DMV Interfaces for the purpose of obtaining for vehicles travelling in the Express Lanes Facility and the placement and release of vehicle Registration Holds, including.						
	· California DMV;						
	· California Temporary License Plate DMV database;						
	· Arizona DMV (including Temporary License Plate DMV database if applicable);						
	· Oregon DMV (including Temporary License Plate DMV database if applicable) and						
	· Nevada DMV (including Temporary License Plate DMV database if applicable).						
208	Whenever available, the Contractor shall use the on-line DMV Interface allowing for real time look ups and updates. If multiple DMV Interfaces are available to provide the same information, during the Implementation Phase the Authority shall direct the Contractor as to which Interface to implement.						
209	The Contractor shall obtain approval from all DMVs to be a processor for the Authority.						
210	The Contractor shall maintain all security requirements required by all DMVs.						
1.1.3.5. Interface to Rental Car Service Providers							
	This Interface connects to Rental Car Service Providers to exchange transactions/trips, vehicle, renter information, rental agreements and payment information with the BOS, for rental cars that incur tolls on the Authority's Toll Facilities.						
211	The Contractor shall provide the capability to transmit and receive vehicle information from all rental car companies using a Rental Car Service Providers.						
212	The Contractor shall provide the Interfaces to Rental Car Service Providers for the functionality described within these Requirements and in accordance with ICDs to be developed during Project design.						
213	The Contractor shall provide the capability to schedule and automatically send periodic (Configurable) detailed rental car account toll transaction/trip files to Rental Car Service Providers.						
1.1.3.6. Interface to Transportation Corridor Agencies (TCA) for the Disposition of Rental Car Trips							
	The Transportation Corridor Agencies (TCA) intends to host rental car plates and transponders and collect tolls on behalf of other CTOC agencies.						
214	The Contractor shall provide the capability to transmit and receive vehicle information from TCA in a separate TSL and License Plate Status File IOP file.						
215	The Contractor shall provide the capability to provide TCA with toll amounts due for the plates and transponders in the rental file and process payments from TCA.						
1.1.3.7. Interface to the Authority's BOS Bank							
	This Interface is to the Authority -provided bank to retrieve all required banking information.						
216	The Contractor shall provide an Interface to the Authority Bank to retrieve, process and store all information required to support the all-electronic BOS bank reconciliation process.						
217	The Interface shall support the use of Positive Pay to deter check fraud.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
1.1.3.8. Interface to California Franchise Tax Board (FTB) Tax Intercept Program							
	This Interface is to the California FTB Tax Intercept Program to provide and receive all required Tax Intercept information.						
218	The Contractor shall provide an Interface to the California FTB to retrieve, process and store all information required to support the Tax Intercept process.						
1.1.3.9. Interfaces to Authority's Financial Accounting Systems							
219	The Contractor shall provide an Interface to the Authority's financial accounting system for the purpose of issuing accounts payable checks.						
220	The Contractor shall provide an Interface to the Authority's financial accounting system for the purpose of recording financial activity to the general ledger.						
1.1.3.10. Interface/Connectivity to Contractor-Provided Services							
	The Contractor shall provide connectivity to service providers for which the Contractor is responsible. The Requirements are not prescriptive as to the Interface type or method.						
221	The Contractor shall provide connectivity to Contractor selected Third-party Service Providers as required to meet the Requirements, including but not limited to:						
	· Collection Agency 1 (Direct Access to BOS is Phase II Functionality);						
	· Collection Agency 2 (Direct Access to BOS is Phase II Functionality);						
	· Customer Satisfaction Survey Provider Subcontractor;						
	· Lockbox Service Provider (optional);						
	· Merchant Service Provider 1;						
	· Merchant Service Provider 2;						
	· 3rd Party ROV Lookup for all 50 states (excluding direct connect DMVs), District of Columbia, U.S. Government and						
	· Print/Mail House Service Provider (optional).						
1.1.4. Performance Management and Monitoring System							
	The Performance Management and Monitoring System (PMMS) supports BOS Maintenance Requirements for all Hardware, Software and other BOS components by monitoring BOS processes, Equipment, jobs and Interfaces in real-time to identify degradations in performance or availability before they impact end users. The PMMS generates Alerts and creates actionable trouble tickets that can be tracked to resolution.						
222	The Contractor shall provide a PMMS that supports BOS Maintenance Requirements for all Hardware, Software and other BOS components, in accordance with these Requirements.						
223	The Contractor shall provide a PMMS that monitors, Alerts and generates trouble tickets in real-time for all BOS processes, Equipment, jobs and Interfaces, including but not limited to:						
	· communications issues;						
	· electrical power issues;						
	· temperature issues;						
	· Hardware issues;						
	· Software issues or failures;						
	· database issues;						
	· anomalies to the system design;						
	· issues with customer portals (Self-Service Website and Self-Service Mobile Application (Phase II and optional));						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· file systems and file system issues;						
	· issues with jobs, processes or data flows;						
	· BOS health – overall and by component;						
	· BOS and application performance;						
	· BOS utilization – disk space, disk IOs, CPU, memory, throughput (Configurable thresholds);						
	· security events;						
	· Logs;						
	· access controls;						
	· CSC CCTV Surveillance System and						
	· CSC physical security systems.						
224	The PMMS shall provide comprehensive recording capabilities, including but not limited to:						
	· log aggregation (from disparate systems or Modules);						
	· event correlation (cause and effect association);						
	· log shipping and						
	· log management functions.						
225	The PMMS shall have the ability to receive success or failure information regarding data management activities, including but not limited to:						
	· backup;						
	· DR data transfer and synchronization status;						
	· data archival and						
	· data restores.						
226	The Contractor shall provide a PMMS that monitors, alerts and tracks, in real-time, unusual or potentially fraudulent activity triggered by users and systems, including but not limited to:						
	· multiple one-time replenishments coupled with closing of customer accounts;						
	· repeated opening and closing of customer accounts;						
	· refunds over a dollar amount (Configurable) and						
	· multiple deposits and refunds on the same customer account.						
227	The PMMS shall monitor that all BOS components have current and up-to-date virus, firewall and spam protection and other security Software that prevent single point of vulnerability from external threats, virus attacks, ransomware, spam protection and unauthorized access.						
228	The Contractor shall provide a PMMS that monitors, alerts and tracks, in real-time, unusual or potentially fraudulent activity, including but not limited to:						
	· attempted network or system intrusions;						
	· attempted malicious attacks and						
	· Unexpected changes to security settings on firewalls and other security systems.						
	The PMMS shall include, but not be limited to the following capabilities:						
	· receiving and monitoring status messages for all BOS Hardware and Software;						
	· grouping, sorting and filtering by message type, time, Equipment, subsystem, etc.;						
	· local trouble ticket manual entry or email entry by users;						
	· automatic work order generation;						
	· storing data in a relational database to allow for data recovery and flexibility in reporting the raw data (including dashboards and ad-hoc reporting);						
	· generating (automatically) monthly performance reports;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
229	· tracking service requests;						
	· assigning priorities and actions to events;						
	· notifying (automatically) Maintenance personnel via reports, text and email;						
	· assigning trouble tickets to Maintenance personnel;						
	· reassigning (manually) trouble tickets to other Maintenance personnel;						
	· escalating (automatically) trouble tickets to other Maintenance personnel;						
	· recording time of acknowledgement by Maintenance personnel;						
	· recording time of acknowledgement by all subsequently assigned Maintenance personnel;						
	· recording time of repair;						
	· recording time of Equipment recovery;						
	· recording completion of service calls;						
	· attachment of common document type, such as Microsoft Word, Portable Document Format (PDF), email and screen capture images;						
	· providing automatic Alerts for trouble tickets not closed in a specified time;						
	· maintaining and tracking repair Maintenance activity;						
	· calculating response times, repair times and down time from the data entered by the Maintenance staff and automatically generated by the BOS;						
	· accepting and updating trouble tickets from mobile hand-held devices and smart phone entries;						
	· role-based security;						
	· automatic system exception reporting for all processes that are not running;						
230	The PMMS shall record all configuration data in a configuration management database, which shall be updated after each system component change, including application of BOS patches.						
231	The PMMS shall provide system Maintenance personnel with screens, dashboards and reports within the PMMS that allows for the verification and monitoring of all processes, programs and scheduled tasks. Failures shall be visible in a PMMS screen accessible to Maintenance personnel. Event and error logs shall be provided to assist Maintenance personnel with investigating problems.						
232	All PMMS screens, dashboards and reports shall be available to Authorized Users from the Authority.						
233	The PMMS shall provide Authorized Users with operational, management and performance reports from the PMMS that include but are not limited to:						
	· summarized and detailed alarm history;						
	· Maintenance paging and response history;						
	· work order status and tracking;						
	· Equipment inventory and life cycle tracking;						
	· Equipment availability;						
	· preventive and predictive Maintenance;						
	· corrective Maintenance;						
	· response and repair times for each of the priorities;						
	· Equipment use history;						
	· Equipment repair history;						
	· total System availability;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Officer S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· sub-System availability for components of the BOS, IVR System, Self-Service Website and Self-Service Mobile Application (Phase II and optional);						
	· Equipment versions, Software versions, firmware versions and serial numbers for all Equipment installed under these Requirements;						
	· incident logs and lost revenue estimates;						
	· performance reports detailing compliance to the Performance Measures;						
	· a detailed list of parts replaced as a result of Maintenance actions;						
	· status of removed parts and Equipment with an aging status for parts under repair or replacement (serial numbers, being repaired in Maintenance shop, purchase replacement part);						
	· performance reports;						
	· an exceptions report summarizing all unusual or significant occurrences during the period and						
	· trend analysis for repetitive failure.						
234	The PMMS shall support the management of preventive/predictive Maintenance schedules.						
235	The PMMS shall provide the capability to automatically generate work orders for preventive/predictive Maintenance tasks.						
236	The Contractor shall provide a PMMS that supports asset management, including but not limited to:						
	· tracking all System Hardware and Software items;						
	· tracking all System Hardware and Software locations;						
	· tracking all System Hardware and Software versions;						
	· tracking all Maintenance and service agreements;						
	· maintaining a list of vendors from which products were procured;						
	· associating the original purchase order number to the individual item;						
	· associating the original vendor to the individual item;						
	· associating all warranty information to the individual item and						
	· providing an Alert prior to warranty, license, and certification expiration.						
1.2. BOS Maintenance and Support Requirements							
	The Requirements described in this section detail the Contractor's responsibility for providing Maintenance and Software Support Services for the BOS, and associated communications and support to operations, including but not limited to:						
	· Hardware Maintenance (servers, storage, network switches, firewalls, routers, etc.) if required;						
	· network administration;						
	· system administration;						
	· administration of CSC Facility physical security systems;						
	· administration of CSC Surveillance CCTV systems at CSC Facility;						
	· database administration;						
	· Maintenance and Software Support Services;						
	· monitoring services;						
	· on-site desktop and application support services within the I-405 CSC and WIC;						
	· on-site desktop and I-405 BOS application support services at the OCTA Store WIC (OCTA provided Equipment);						
	· support of work at home CSRs and operations during Business Continuity;						
	· application support for the Authority's staff and						
	· BOS security.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	In delivering the Maintenance and Software Support Services, the Contractor is expected to provide the following services, including but not limited to:						
	· well documented Maintenance schedules and processes;						
	· change and configuration management;						
	· on-site support of the BOS;						
	· complete around-the-clock Maintenance of the BOS;						
	· significant participation with the Authority's staff, meetings and processes and						
	· ample spare parts inventory and support agreements.						
237	The Contractor shall be responsible for performing all Maintenance activities and fully supporting and maintaining the BOS from Go-Live throughout the Operations and Maintenance Phase.						
238	The Contractor shall provide Maintenance, including but not limited to all Equipment, Hardware, Software, cloud-based systems, and systems provided under this Agreement, including Maintenance associated with the compliance with the terms of the Software warranty.						
239	The Contractor shall provide Maintenance and Software Support Services, including but not limited to: monitoring; preventive; predictive; corrective, and emergency Maintenance and Software Support Services, as well as any required and planned Upgrades and Enhancements to be performed on any and all BOS elements.						
240	To ensure BOS performance is optimized, all system administrative functions, if not otherwise automated, shall be performed at regular, scheduled intervals as part of the preventive Maintenance and Software Support Services in accordance with the Maintenance Plan.						
241	The Contractor shall administer, maintain (as required in conjunction with Authority paid Maintenance agreement) and be the point of contact for all Authority provided and paid for Equipment, systems and Maintenance agreements, including uninterruptable power Equipment, power generators, CCTV Surveillance and physical security systems at the I-405 CSC and WIC Facility.						
242	The Contractor shall provide on-site Desktop Environment and BOS application technical support to all Contractor personnel and Authority Authorized Users at all locations from 7 a.m. to 7 p.m. Monday – Friday, Pacific Time and be on-call and available to come on-site 24x7x365.						
243	The Contractor shall provide support for work-at-home CSRs and operations and in accordance with the Approved Disaster Recovery and Business Continuity Plans. For example, during an event similar to the COVID-19 outbreak.						
244	Continuous monitoring of BOS operations shall be performed to verify its functional, processes are being executed as scheduled and that the BOS is operating per Performance Measures. Continuous monitoring shall include but not be limited to:						
	· verifying system alarms and Alerts;						
	· verifying processes/programs/job have successfully completed as scheduled;						
	· evaluating sample transactions data and aggregate data trends for exceptions;						
	· confirming trip/transaction and image transmission to and from the ETM System;						
	· performing routine diagnostics;						
	· reviewing comparative reports to identify potential system degradation;						
	· confirming successful data transfer, such as the TSL;						
	· confirming data transmission to and from external Interfaces;						
	· correcting identified performance issues;						
	· confirming primary and DR systems are synchronized;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· monitoring backups;						
	· database administration and monitoring;						
	· general System health;						
	· evaluating storage Requirements and						
	· reviewing error logs and Alerts.						
245	The Contractor shall validate that all BOS components obtain virus protection and security updates as soon as they are available.						
246	The Contractor shall provide advance Notice and obtain Approval when purging jobs that permanently delete data from the system are to be executed, including but not limited to: data elements impacted, date range applied and data size impact.						
247	The Contractor shall re-establish or re-install system files, programs and parameters, as required, following a failure or damage to the system and return the BOS to a fully- operational condition.						
248	The Contractor shall maintain and test up-to-date Software backups (all system Software and data) in accordance with the Maintenance Plan that is secure and protects the integrity of the data.						
249	The Contractor shall provide backups performed on physically separate Hardware and Software from the data being backed up.						
250	The Contractor shall maintain accurate Equipment inventory status and update status.						
1.2.1. BOS Hardware Maintenance							
251	During the Operations and Maintenance Phase, the Contractor shall plan to regularly Upgrade all BOS environments to maintain a high-level of performance, reliability and provide for the implementation of the manufacturer's current system and security firmware/Software. These Upgrades shall be accounted for in the Contractor's Price Proposal and will not be separately paid for by the Authority over the Term of the Agreement.						
252	During the Operations and Maintenance Phase, the Contractor shall Upgrade the Desktop Environments and office Equipment no less than every three (3) years to maintain a high-level of performance and reliability. These Upgrades shall be accounted for in the Contractor's Price Proposal and will not be separately paid for by the Authority over the Term of the Agreement.						
253	BOS Hardware Maintenance shall include but are not limited to:						
	· BOS servers, storage devices, backup devices and network Equipment at the primary BOS site, including all production and non-production BOS environments as required;						
	· BOS servers, storage devices, backup devices and network Equipment at the BOS DR site;						
	· all Contractor-provided desktop Hardware and peripherals;						
	· all Hardware and peripherals that interact with the BOS to the extent that the Contractor-installed Software or applications are negatively affecting the operation of the peripheral;						
	· all CSC office Equipment. For example, copiers and printers and						
	· IVR, ACD and telephony systems.						
1.2.2. BOS Network System Maintenance							
254	Any Maintenance and/or replacement costs shall be included in the Contractor's Price Proposal and will not be separately paid for by the Authority over the Term of the Agreement unless explicitly noted.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
255	During the Operations and Maintenance Phase, the Contractor shall plan to regularly Upgrade the network Hardware to maintain a high-level of BOS reliability and provide for the implementation of the manufacturer's current system and security firmware/Software. These Upgrades shall be included in the Contractor's Price Proposal and will not be separately paid for by the Authority over the Term of the Agreement.						
256	The Contractor shall maintain and monitor the BOS network, including connection of the primary and DR BOS locations.						
257	The Contractor shall proactively monitor the WAN network, its connections and its components to respond to any fault or problem.						
258	The Contractor shall monitor all communications with interfacing systems and Third-Party Service Providers.						
259	The Contractor shall monitor all network Alerts and alarms, as well as detect intrusion attempts and prevent intrusions.						
260	The Contractor shall perform the necessary support services required of the Interoperable Agencies in order to keep day to day operations and transfers current, such as operating system Upgrades.						
261	The Contractor shall Upgrade and Update the network security and provide the required Software and monitoring tools to ensure the BOS is always in compliance with the Security Standards.						
1.2.3. BOS Administration and Software Support Services							
262	The Contractor shall include in their Price Proposal all administration, system Maintenance and Software Maintenance costs. The Authority shall only pay for items that are explicitly identified as being paid for by the Authority. Software modifications required to maintain and support the BOS as a part of the normal course of business shall not be considered Upgrades or Enhancements paid for by the Authority. These modifications include but are not limited to:						
	· Updates the System to keep up with and support new mobile devices, mobile browsers, desktop browsers and operating systems, mobile and desktop customer experience trends, mobile payments, trends in mobile device and desktop navigation techniques, as well as updated look and feel for the Self-Service Website and Self-Service Mobile Application (Phase II and optional);						
	· version changes;						
	· configuration or parameter changes;						
	· all changes to Interoperable or CTOC ICDs and related reports;						
	· all changes to ICDs and Interfaces to Contractor-selected Third-Party Service Providers;						
	· minor changes to reports, Software or code;						
	· Software modifications required to ensure BOS is compliant to existing Security Standards and changes for the Contractor's benefit that improve the Contractor's ability to maintain and support the BOS and to meet the Performance Measures.						
263	The Contractor shall provide Maintenance and Software Support Services for all elements of the BOS, including but not limited to:						
	· operating systems;						
	· databases;						
	· BOS application Software;						
	· third-party Software;						
	· Software change management;						
	· Software configuration management and						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· Software version control.						
264	The Contractor shall maintain all secure website certificates for all websites, including the website serving the Authority managed content, if required.						
265	The Contractor shall provide Maintenance and Software Support Services that include monitoring, preventive, predictive and corrective action to ensure BOS performance is in accordance with Requirements. This shall include but is not limited to:						
	· any daily, weekly or periodic Maintenance required to maintain the BOS at required performance levels (such as, indexing and tuning databases and archiving and purging);						
	· third-party Software or firmware patches, updates and Upgrades, as required and to be compliant with Security Standards, including but not limited to: performing security Software Upgrades, database Upgrades and operating system Upgrades;						
	· Approved adjustments and updates to the BOS data based on a criteria and conditions Approved by the Authority to correct failures and issues;						
	· monitoring of error logs and system logs;						
	· Maintenance of back-ups and backup Software;						
	· Maintenance of all BOS environments;						
	· installation of new Software and confirmation of successful installation;						
	· verify data replication to DR site is occurring as configured and replication is not drifting beyond an acceptable threshold;						
	· verify time synchronization is occurring as configured, and system clocks are not drifting or otherwise incorrect;						
	· modifications to IVR call flow needed to correct routing and call flow problems identified during normal operations;						
	· creation of ad-hoc reports requested by the Authority;						
	· generation of queries as requested by the Authority;						
	· analysis of data as requested by the Authority and						
	· modifications to the Self-Service Website and Self-Service Mobile Application (Phase II and optional) to keep up-to-date with the Authority's policies and general information.						
266	Software support services shall include monitoring and corrective action to ensure BOS performance is in accordance with Requirements, to include database management and operation. This shall include but is not limited to:						
	· investigation and analysis of errors and exceptions and taking corrective action, including correcting the problem and reprocessing the data;						
	· monitoring notifications and initiating corrective actions on application programs to meet Requirements;						
	· updates to the BOS to support Upgrades to Hardware or third-party Software and						
	· updates to the BOS to support all changes to Business Rules and BOS Configurable parameters and deploy changes in production.						
267	The Contractor shall monitor, Upgrade and Update the BOS is always in compliance with the Security Standards.						
268	The Contractor shall ensure Maintenance does not conflict with or cause interruption in service or cause substandard service to the Authority or its customers.						
1.2.4.	Payment Card Industry (PCI) Security Standards and Compliance						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	The PCI Security Standards Council is responsible for the development, management, education and awareness of the PCI Security Standards, including the PCI DSS, Payment Application Data Security Standard (PA-DSS). The PCI Security Standards provide guidance for merchants, vendors and security consulting companies to mitigate data breaches and prevent payment cardholder data fraud.						
	The Contractor is responsible for ensuring that PCI compliance is fully achieved prior to the Go-Live date. The Contractor is further required to ensure that the BOS continues to be PCI compliant as outlined in the Maintenance and Operations Phase Requirements.						
269	The Contractor and the BOS shall be in compliance with the appropriate PCI DSS merchant level as defined by the PCI Security Standards Council in place at the time of BOS Go-Live.						
270	The Contractor shall ensure that the BOS is in compliance with any individual additions to the PCI Security Standards since the last major version or the current version published by the PCI Security Standards Council and all future versions.						
271	The Contractor shall utilize the PCI Security Standards Council's Prioritized Approach method to indicate how each PCI Requirement is being addressed prior to Go-Live. The Prioritized Approach shall be submitted to the Authority along with substantiating evidence for review and Approval.						
272	The Contractor shall ensure the BOS is in compliance with PCI-DSS for any Commercial Off-the-Shelf (COTS) Software that will be used in payment applications.						
273	The Contractor shall provide, prior to the BOS Go-Live:						
	· PCI Attestation of compliance by either a qualified ISA or an independent QSA, or as required by PCI DSS;						
	· vulnerability scan by an Approved scanning vendor and						
	· internal and external penetration testing results.						
274	No more than three (3) months after Go-Live the Contractor shall provide a complete Report of Compliance (ROC), including details about the BOS environment and the assessment methodology, as well as documentation regarding the BOS's compliance status for each PCI DSS Requirement. The ROC shall be provided which outlines a clear plan and schedule (in writing) to achieve full PCI compliance no more than six (6) months after Go-Live.						
275	The Contractor shall be responsible for providing a ROC prior to BOS Acceptance.						
1.2.5. Interoperability Requirements							
	The Authority currently has Interoperability agreements with CTOC Agencies and, in the future, it is anticipated that regional and national Interoperable agreements will be established. These Requirements apply to all existing and future Interoperability.						
	Interoperability includes exchanging and processing transactions/trips, customer, transponder, payment, corrections, vehicle data, invoices and reconciliations between the BOS and the Interoperable Agencies. The BOS shall process transactions/trips from Interoperable Agencies for the Authority's customers who have used Interoperable Agency roads, as well as transactions/trips for Interoperable Agencies' customers on the Authority's facility. The Interface supports the transmission and receipt of all files identified in the respective ICDs.						
	At the Authority's direction, the Contractor shall support direct connection and/or connection through a CTOC Agency intermediary to nationally (non-CTOC) Interoperable Agencies.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offeror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	The BOS and Interoperable Agencies perform validation checks to confirm the transactions/trips are in compliance with the Interoperable Agency ICD and reject any transactions/trips that are not. Validated transactions/trips shall be Posted to a user account in accordance with the Interoperable Agency agreements.						
	The BOS must be prepared to work with other ICDs to send and receive transactions/trips and transaction data and other data files.						
276	The Contractor shall support all Interoperable Agency activities as required by the Authority, including but not limited to:						
	· attend technical meetings;						
	· review and provide comments on documents;						
	· support Interoperable Agency testing as requested;						
	· support modifications to Interoperable specifications and						
277	be compliant with the latest published Interoperable specifications.						
	The Contractor shall support the addition of Regional and National Interoperability either directly or through a CTOC designated intermediary.						
1.2.6. Preventive and Corrective Maintenance Requirements							
1.2.6.1. Preventive Maintenance							
278	The Contractor shall provide preventive Maintenance on the BOS Hardware, servers, communications network and Software as required.						
279	No less than quarterly the Contractor shall conduct a full network vulnerability scan and web application penetration testing performed by an independent Qualified Security Assessor (QSA).						
280	Separate from the quarterly vulnerability scan, the Contractor shall conduct a full network vulnerability scan and web application penetration testing performed by an independent Qualified Security Assessor (QSA) in conjunction with any network or security changes.						
281	The Contractor shall in accordance with the Approved preventive Maintenance schedule, periodically inspect all Equipment, both major components and support components (such as fans, cabinets, environmental control units, filters, storage units) that constitute the BOS and shall make repairs, cleaning, adjustments and replacements of components as necessary to maintain the Equipment in normal operating condition.						
282	Servers and storage devices shall be periodically checked to verify that storage space is not reaching maximum thresholds; disks are not fragmented or damaged; Software is of the latest version per the configuration management database, and data is being processed and transferred in an appropriate manner. These checks should be performed automatically whenever possible, but must be checked manually if the task cannot be automated.						
283	The BOS shall be monitored to ensure performance is optimal and meets the Performance Measures, including but not limited to:						
	· report generation times;						
	· BOS access times;						
	· IVR statistics;						
	· Self-Service Website access times and						
	· Self-Service Mobile Application (Phase II and optional) access times.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
284	All Equipment and systems shall be included as part of preventive Maintenance, in accordance with the original Equipment manufacturer's guidelines. Any variations or exceptions shall be noted by the Contractor and Approved in advance by the Authority.						
285	Scheduled Maintenance shall be communicated to the Authority a minimum of seven (7) Calendar Days in advance for approval by the Authority and shall be scheduled for times when the CSC is not operating.						
286	Preventive Maintenance shall be scheduled to be performed by BOS administration staff between 12 AM and 3 AM PST weekdays or in coordination with other roadway closures and Approved by the Authority. Any preventive Maintenance tasks that need to be performed during normal BOS operating hours that is not part of the Approved Preventive Maintenance Schedule shall be Approved in advance by the Authority.						
287	The diagnostic aids, tools and Equipment required to perform preventive Maintenance Equipment analysis shall be provided by the Contractor to the Authority, as necessary to meet the Authority's Maintenance responsibilities.						
288	When preventive Maintenance requires a BOS Service to be made unavailable to the customer, a Notice shall be Posted 24 hours in advance of the outage on the Self-Service Website, Self-Service Mobile Application (Phase II and optional) and through the IVR so customers are aware of the impending outage.						
1.2.6.2. Corrective Maintenance							
289	All Work performed by the Contractor to correct incidents, problems and failures to meet the Requirements shall be considered corrective Maintenance. Such problems include but are not limited to:						
	· failure of BOS functions;						
	· failure of processes and programs;						
	· report failures and issues;						
	· application failures;						
	· data and revenue reconciliation failures;						
	· failures in transmitting and receiving files from the various third-party Interfaces;						
	· errors and exceptions when processing data received from the ETTM System, Interoperable Agencies and third-party entities;						
	· network failures and issues;						
	· BOS or component performance issues;						
290	· data loss or inaccessibility and						
	· non-conforming availability levels.						
290	When a BOS Service becomes unavailable to the customer due to an unplanned outage or emergency a Notice shall be Posted on the Self-Service Website, Self-Service Mobile Application (Phase II and optional) and IVR as soon as possible so customers are aware of the outage.						
1.2.6.3. 24X7 Maintenance Coverage							
291	The Contractor shall provide continuous (24x7) coverage for all monitoring, system administration services and Maintenance-related activities sufficient to meet the Performance Measures.						
1.2.6.4. Recording of Maintenance Activities							

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
292	The Contractor shall be responsible for logging all reported Maintenance activities. The Contractor also shall be responsible for documenting in detail all information and issues related to a failure condition, providing a corrective action report within one (1) week including all actions taken to complete the correction and a root cause analysis.						
1.2.6.5. Maintenance Priorities, Response and Repair Times							
293	Response and repair time is defined as the time from failure to repair/correction with the BOS being returned to normal operations. The Contractor shall respond to calls and repair times noted in the Performance Measures according to the following priority levels:						
	· Priority 1: Any malfunction or fault that impacts the BOS and CSC Operations ability to serve customers (for example, Self-Service Website functionality unavailable or not operating properly; BOS functionality unavailable or not operating properly for CSRs servicing customers; phone system not taking calls or not taking all calls; IVR unavailable or not operating properly; notifications or customer communication not being sent immediately when eligible through all channels), results in the loss of revenue, compromises security, causes a hazard to personnel, causes the loss or potential loss of any BOS data, causes loss of redundancy within the BOS components.						
	· Priority 2: Any malfunction or fault that degrades performance but not the BOS or CSC Operation's ability to serve customers. It includes examples such as inaccurate reporting, inability to reconcile revenue, loss of BOS functionality that does not impact customer access to data or service, and/or loss of functionality that impacts the Authority's operational efficiency.						
	· Priority 3: Any malfunction or fault that has the potential to result in a degrading of the BOS or CSC Operations' performance but has not yet and is not anticipated to immediately impact performance.						
294	Any downtime that is a part of scheduled and approved preventive Maintenance, including scheduled new Software releases not associated with a Maintenance event shall not affect the Performance Measures calculation. However, in this event the Contractor does not make the BOS available and/or fully restore CSC Operations within the approved schedule window, the resulting downtime shall be included in the Performance Measure calculations.						
295	Response and repair times for every BOS Maintenance event shall be recorded and reported by the Contractor, and such reports shall be provided to the Authority.						
296	No incident shall be closed by a technician before the Equipment or Software service has logged a recovery. For example, if a service is degraded because of a loss of a redundant component, the incident cannot be closed until the redundant component has been replaced and service has returned to normal.						
1.2.7. Certification of PCI DSS Compliance							
The Contractor is responsible for providing certification of PCI DSS Compliance.							
297	The Contractor shall complete a PCI DSS assessment by either a qualified Internal Security Assessor (ISA) or an independent Qualified Security Assessor (QSA), or as required by PCI DSS, at the interval required for PCI DSS compliance, including a complete ROC. The Contractor shall be responsible for providing the ISA or QSA at no additional cost to the Authority. The Contractor shall fully cooperate with the Authority at no cost to the Authority in responding to the assessor's requests and implement remedies if any issues are identified.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
298	The Contractor shall complete a full penetration vulnerability and exploitation testing, the results of which shall be provided to the Authority, at the interval required for PCI DSS compliance throughout the Implementation and Operations and Maintenance Phases.						
299	The Contractor shall be responsible for providing a ROC on an annual basis, no later than the original date thereafter.						
300	The Contractor shall provide all documentation required under PCI, including but not limited to network diagrams and detailed policies and procedures, available to the Authority.						
301	To evaluate the security risk to the BOS and identify potential vulnerabilities, the Contractor shall perform penetration and vulnerability tests in accordance with PCI requirements.						
302	The Contractor shall document and immediately report to the Authority any PCI DSS issues/vulnerabilities found during monthly penetration and vulnerability tests or upon new Software release.						
303	The Contractor is responsible for correcting all deficiencies at the Contractor's cost and ensuring the BOS is PCI DSS compliant and ensuring security risks are handled appropriately.						
304	The Contractor shall furnish copies of all PCI assessment, testing, scanning and compliance documentation including the ROC to the Authority, upon completion of quarterly and annual assessment activities throughout the Implementation and Operations and Maintenance Phases.						
305	The Contractor shall complete a SOC 2 Type 2 assessment by either a qualified Internal Security Assessor (ISA) or an independent Qualified Security Assessor (QSA), or as required by PCI DSS, at the interval required for PCI DSS compliance, including a complete ROC. The Contractor shall be responsible for providing the ISA or QSA at no additional cost to the Authority. The Contractor shall fully cooperate with the Authority at no cost to the Authority in responding to the assessor's requests and implement remedies if any issues are identified.						
1.2.8. Emergency Response Management							
	The Contractor shall be responsible for emergency response management throughout the Operations and Maintenance Phase.						
306	The Contractor shall immediately respond to any emergency situation that has already impacted the BOS or could potentially damage the BOS. The Contractor shall be prepared to put forth all necessary resources to divert or correct an emergency condition.						
307	Such emergency conditions shall be handled in accordance with policies and procedures developed by the Contractor and Approved by the Authority in the Disaster Recovery and Business Continuity Plans. The following are a few examples of emergency conditions:						
	· weather related;						
	· public safety related;						
	· health related. For example, in response to a COVID-19 or similar outbreak;						
	· conditions that invoke the Disaster Recovery and/or Business Continuity Plans;						
	· BOS outages;						
	· third-party power outage or communication failure and						
	· security breaches.						
1.2.9. Disaster Recovery and Business Continuity							
	The Contractor shall be responsible for Disaster Recovery Procedures and testing throughout the Implementation and Operations and Maintenance Phases.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
308	The Contractor shall perform Disaster Recovery procedures in accordance with the Disaster Recovery Plan (DRP) in the event of a disaster and return the BOS to a fully operational condition.						
309	The Contractor shall test the Disaster Recovery and Business Continuity procedures on an annual basis to validate that they are functioning per the design. The Authority shall witness the test and the Contractor shall provide a report outlining the test, test results and any anomalies encountered for the Authority's review and approval.						
310	The BOS shall meet the Recovery Point Objective (RPO), Recovery Time Objective (RTO) and level of service (LOS) levels provided in the Performance Measures.						
311	The Contractor shall address any issues encountered from the annual Disaster Recovery and Business Continuity testing.						
312	The Contractor shall support the ETMM System Contractor's Disaster Recovery and Business Continuity annual testing.						
1.2.10. Incident and Revenue Loss Reporting							
313	The Contractor shall work with the Authority to develop a communications protocol for incident and revenue loss reporting (e.g., communications procedures based on incident and priority level).						
314	The Contractor shall immediately notify the Authority of any incident or event where the loss of revenue or data or security breach has occurred or potentially has occurred or could occur. The Contractor shall take immediate action to rectify the condition and return the BOS to normal operations.						
315	In the event of a loss or potential loss of revenue or data or security breach, an incident report shall be provided to the Authority within five (5) Business Days of the incident. The report shall identify the issue and provide a detailed account of the incident; its cause; duration; resolution or planned resolution, and a quantification of actual or potential lost revenue or data or security breach. Regular updates shall be provided until the issue has been fully resolved and closed. The incident and its impacts shall also be further detailed in the subsequent monthly report. The Contractor shall be held responsible for all lost revenue and data and customer impacts, including remediation, in accordance with the terms of the Agreement.						
1.3. Future Functionality							
	The BOS shall be designed to anticipate certain future functionality and Interfaces. The introduction of future functionality, of the type noted in this section, shall be anticipated and not require changes to the Software or System architecture or significant changes to the database structure. However, the accommodations made by the Contractor in anticipation of this potential future functionality shall not negatively impact the development of the BOS or increase the Offeror's Price Proposal.						
316	The introduction of future functionality shall not require changes to the Software or BOS architecture, or significant changes to the database structure including the capability to easily add fields and report on them without affecting the database schema.						
317	The accommodations made by the Contractor in anticipation of potential future functionality shall not negatively impact the development of the BOS or increase the Offeror's Price Proposal.						
318	The Contractor shall provide the capability to Interface with entities providing for national Interoperability in accordance with ICDs to be designated by the Authority and/or developed during Project design. The Contractor shall accommodate new Interfaces (via either a national hub, regional hubs or larger peer-to-peer exchanges) without significant changes to the Software or database structure.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
319	The BOS design, data schema, financial accounting and reporting approach shall support the future, potential direct support of additional OCTA and non-OCTA Toll Facilities. All functionality provided shall be easily Configured to support these potential additional Toll Facilities. For example, Configurable settings shall be capable of different settings for different Toll Facilities. The design shall not add repetitive and/or additional clicks in order to navigate screens, search data or configure reports while the BOS is supporting only the I-405 Toll Facility. For example, the user shall not have to select "OCTA" or "I-405" until such time as an agency or Toll Facility differentiation is required.						
320	The Contractor shall provide the capability to Interface to new CTOC agencies and national Interoperability without significant changes to the Software or database structure.						
321	The Contractor shall include (but not enhance, configure or develop) all existing base BOS functionality to support the future integration with a Money Service Provider. Throughout the Operations and Maintenance Phase, the Authority may direct the Contractor to integrate with a Money Services Provider for the purpose of providing enhanced access and services for cash paying customers including, obtaining transponders and making payment towards Violation Notices and account balances.						
322	The Contractor shall include (but not enhance, configure or develop) all existing base BOS functionality to support the future integration with an Occupancy Detection System (ODS) that would be integrated into the ETTM System. Throughout the Operations and Maintenance Phase, the Authority may direct the Contractor to integrate with and accept images from an ODS for the purpose of reducing occupancy-based Violations.						
323	The Contractor shall include (but not enhance, configure or develop) all existing base BOS functionality to support the potential introduction of customer invoicing prior to the Violation process described herein. During the Operations and Maintenance Phase, the Authority may direct the Contractor to implement customer invoicing.						
1.4. Account Management							
	There are two account types Registered and Unregistered. Registered account is established when customer opens a pre-paid account with the Express Lanes. An Unregistered account is established by the BOS using the DMV, a ROV Lookup Provider or Affidavit of Non-liability for Violation transactions/trips. Establishment and management of accounts shall be performed per Business Rules.						
	Customers can establish new Registered accounts or convert an Unregistered account to a Registered account. To establish a Registered account, customers must provide customer contact information including name, address, telephone number and email address and vehicle information including license plate number, type and Jurisdiction and vehicle make, model and color. Most accounts will be prepaid and as such customers also must establish a replenishment method to be used to replenish prepaid tolls when the account reaches the Insufficient Balance Threshold. Credit Card replenishment is strongly encouraged, but customers can also select cash or check replenishment. The Authority may elect to allow certain accounts to be postpaid and receive a monthly invoice for tolls due.						
	The types of accounts are provided in the following tables:						
	Unregistered accounts are established by the BOS for Violation transactions/trips using the DMV or ROV Lookup Provider. Unregistered accounts may be converted to Registered accounts based on fulfilling all of the required Business Rules for establishing these accounts.						
1.4.1. General Account Management							

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	The Authority's customers have many options for account establishment and Maintenance and to obtain transponders, in the manner they prefer.						
324	The Contractor shall provide an efficient series of input fields to collect the information necessary to open a FasTrak account. The fields should require little "clicking" or advancement through multiple pages to reduce the time needed to input the account establishment data.						
325	Support comprehensive account management that allows for the setup and Maintenance of all account types in accordance with Business Rules.						
326	The Contractor shall provide the capability to establish accounts via methods, including but not limited to:						
	· Self-Service Website;						
	· Self-Service Mobile Application (Phase II and optional);						
	· mail;						
	· telephone;						
	· fax;						
	· walk-in;						
	· automatically using information provided by rental car companies and						
	· automatically using information provided by the ROV Lookup.						
327	The Contractor shall provide the capability to maintain accounts via methods, including but not limited to:						
	· Self-Service Website;						
	· Self-Service Mobile Application (Phase II and optional);						
	· IVR;						
	· mail;						
	· telephone;						
	· email;						
	· chat;						
	· text;						
	· fax and						
	· walk-in.						
328	The Contractor shall provide the capability for transponders to be requested via methods including but not limited to:						
	· Self-Service Website;						
	· Self-Service Mobile Application (Phase II and optional);						
	· mail;						
	· telephone;						
	· IVR;						
	· fax, and						
	· walk-in.						
	The Contractor shall provide the capability for the Maintenance of account types designated as, including but not limited to:						
	· Private (prepaid) – an account established in an individual name;						
	· Business (prepaid) – an account established in a business name;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
329	· Non-revenue (no payment) - an account established at the Authority's direction for vehicles entitled to toll-free travel;						
	· Invoice (postpaid) – an account established to allow the customer to receive an invoice periodically (Configurable) for toll usage. The customer may elect to provide Credit Card or ACH information to be charged automatically to pay the invoice;						
	· Rental car (prepaid) – for Rental Car Service Providers;						
	· Private Registered Video (prepaid) – an account for individuals who do not want or cannot use transponders;						
	· Business Registered Video (prepaid) – an account for companies and business that do not want or cannot use transponders and						
	· Unregistered/Violator (postpaid) – an account created using the information provided by the DMV or ROV Lookup Provider. May include more than one vehicle if the ROV Lookup information is an exact match. These may also be referred to as violator accounts.						
330	The Contractor shall provide the capability to apply Business Rules and account Requirements for each valid account type, including but not limited to:						
	· whether prepayment is required;						
	· payment options;						
	· whether a transponder is required;						
	· transponder sale price (by transponder type);						
	· replenishment amounts;						
	· contact method (mail, email, text, etc.);						
	· Insufficient Balance Thresholds (by Credit Card or cash/check payments) and						
	· account balance.						
331	The Contractor shall provide a Registered account creation process that logically leads an Authorized User through the necessary steps to create an account.						
332	The Contractor shall provide the capability to convert an Unregistered account to a Registered account while maintaining the same account number and all account history.						
333	The Contractor shall provide the capability to change from one account type and Account Plan to another while maintaining the same account number and all account history.						
334	The Contractor shall provide on-screen guidance during the account creation process regarding missing or improperly formatted information. The Authorized User shall not be able to move to the next step until the required information is provided in the appropriate format.						
335	The Contractor shall provide the capability, when opening a new account, to automatically identify other account(s) associated with that account name, address or vehicle.						
336	The Contractor shall provide the capability to require the account agreement and privacy policy be acknowledged and a record of that acknowledgment saved in the BOS prior to establishing a Registered account or when converting to a Registered account.						
337	The Contractor shall provide the capability for the auto-creation of an Unregistered account (should one not already exist for that license plate number) based on an Image-Based Transaction/Trip being eligible for Violation processing and information provided by ROV Lookup.						
338	The Contractor shall provide the capability to merge and unmerge accounts. This process shall logically lead the Authorized User through all necessary steps to merge one account into another.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
339	The Contractor shall provide the capability for customers to have multiple mail addresses, email addresses, phone numbers and authorized contact information on the account.						
340	The Contractor shall provide the capability to identify the source of the information for both Unregistered and Registered accounts.						
341	The Contractor shall provide address adjustment logic to all addresses including those received from DMVs and ROV Look-up Service Providers, Skip Trace Service Providers and customers that includes but is not limited to:						
	· the capability, when adding contact information, to assist the Authorized User by requiring zip code be entered first, then providing a pre-populated city and state;						
	· verification, to ensure the address exists;						
	· standardization, to normalize US addresses, such as "Drive" becomes "Dr." and						
	· selection from all potential address results.						
342	The Contractor shall provide the capability to accept or reject the recommended changes provided during address validation or normalization.						
343	The Contractor shall provide for a real-time address standardization options when entering addresses, including but not limited to:						
	· addresses entered via a customer portal (Self-Service Website and Self-Service Mobile Application (Phase II and optional)) and						
	· addresses entered by an Authorized User.						
344	The Contractor shall provide the capability for multiple active addresses and apply them to their designated use, including all prior addresses for all account types, including but not limited to:						
	· shipping and						
	· billing.						
345	The Contractor shall provide the capability to store address history and make all addresses accessible in the account.						
346	The Contractor shall provide the capability to acquire and store multiple addresses, including all prior addresses for all account types, including but not limited to:						
	· Customer provided via the Affidavit of Non-Liability						
	· ROV Lookup provided;						
	· Skip Tracing;						
	· National Change of Address (NCOA) and						
	· Collection Agency provided.						
347	The Contractor shall provide the capability to add international addresses.						
348	The Contractor shall provide the capability to automatically populate (or provide multiple options for selection) the city and state upon entry of the ZIP code (including Canada and Mexico).						
349	The Contractor shall provide periodic updates, at least quarterly, to the ZIP code/city/state list, at a minimum, as additional information becomes available.						
350	The Contractor shall provide the capability to prevent the account holder's name from being changed unless Approved by an Authorized User.						
351	The Contractor shall provide the capability for email address confirmation by the customer by comparing a re-keyed email address. The addition of unmatched entries shall not be allowed.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
352	The Contractor shall provide the capability when email addresses are added to an account (both Registered and Unregistered), to perform the email address confirmation process prior to finalizing the entry on the account. For example, an email is sent to the email address provided with a link by which the customer can confirm they have control of the email account. A message shall be displayed indicating the email address will not be added until the confirmation process is complete.						
353	The Contractor shall provide the capability to enter and categorize comments on accounts.						
354	The Contractor shall provide the capability to insert BOS-generated comments on actions initiated by the BOS.						
355	The Contractor shall provide the capability to force Authorized Users to enter comments or have the BOS automatically enter comments on actions processed on an account, including but not limited to:						
	· disputes;						
	· dismissals;						
	· transfer transactions/trips to another account;						
	· payment of Violation Notices through the account;						
	· reversals of payments and dismissals;						
	· waivers;						
	· corrections and adjustments.						
356	The Contractor shall provide the capability to set the default PIN as the last 4 digits of the primary phone number, which can be updated in the BOS and IVR.						
357	The Contractor shall provide the capability to validate a PIN used for identifying an authorized contact. The PIN shall be masked (not visible to CSRs) such that the CSR will ask the customer for the PIN and the customer will provide the PIN and the CSR will enter that number into the system and the system will validate the PIN. This way the CSR cannot give the customer any hints.						
358	The Contractor shall provide the capability to securely email the PIN to the valid primary email address or text message on the account and require that the PIN be subsequently changed.						
359	The Contractor shall provide the capability to establish and configure security questions and validate customer response prior to the release of the PIN to the customer. The security questions related to the PIN shall be the same as those used by the customer via the Self-Service Website or CSR assisted password reset.						
360	The Contractor shall provide the capability for all account types to have multiple communication channels, including but not limited to:						
	· Phone (day/night);						
	· cell phone;						
	· additional phone numbers;						
	· email;						
	· additional email addresses;						
	· fax;						
	· text messaging and mail.						
361	The Contractor shall provide the capability to select a preferred communication channel for specific customer communications.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
362	The Contractor shall provide the capability to capture opt-in/opt-out preferences and record and store the customer's election for certain items, including but not limited to:						
	· e-blast;						
	· text messages;						
	· statements and						
	· marketing / newsletters.						
363	The Contractor shall provide an account summary (an account overview including name, address, vehicles, license plates, email, phone, payment method, etc.) in a printer-friendly format to be used for, including but not limited to:						
	· handing to walk-in customers;						
	· inserting with mail transponder Fulfillment;						
	· mailing to customers and						
	· sending to customers via secure email.						
364	The Contractor shall provide the capability to log all account changes and provide the capability to view details, including but not limited to:						
	· prior value;						
	· the new value;						
	· user ID;						
	· date/time and						
	· user information, such as BOS, Authorized User or customer-originated.						
1.4.2. Vehicles, License Plates and Transponders							
	The BOS shall support comprehensive license plate, vehicle information and transponder management functionality.						
365	The Contractor shall provide the capability to manage a drop-down list of vehicle attributes, including but not limited to:						
	· vehicle manufacturer;						
	· vehicle make;						
	· vehicle model;						
	· vehicle year;						
	· vehicle color;						
	· Clean Air decal number (not a drop-down) and						
	· transponder exception specifying that the make and model requires an externally mounted transponder or special mounting locations for windshield transponders.						
366	The Contractor shall provide the capability to add multiple license plates and associated vehicle information to an account.						
367	The Contractor shall Update and maintain the BOS's list of vehicle manufacturers and models as necessary to keep the list current.						
368	The Contractor shall provide the capability to track the time period that a license plate is active on an account. This includes the start date and time and the end date and time. This is called the "Active Period". In most circumstances the customer would add the vehicle to their account with no end date but if it was a rental car it would have an end date/time.						
369	The Contractor shall provide the capability to add a license plate number to an account with a back dated start date and time. The allowable back date period shall be Configurable.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
370	The Contractor shall provide the capability when adding a new license plate number to an account to automatically identify other account(s) associated with that license plate.						
371	The Contractor shall provide the capability to identify that the vehicle(s) will be only on the account temporarily based on information provided by the customer, for example, a rental car, loaner from the car dealer or an out of town guest, and to prompt the user to enter a start date and time and an end date and time.						
372	The Contractor shall provide the capability for vehicles identified as temporary to be added to the account even if the license plate number is already on a rental car account.						
373	The Contractor shall provide the capability to associate information with a license plate, including but not limited to:						
	· license Plate Type;						
	· license plate Jurisdiction;						
	· vehicle is a Clean Air Vehicle (CAV);						
	· vehicles CAV eligibility has expired;						
	· Clean Air Vehicle decal number;						
	· vehicle has a Disabled Persons license plate;						
	· vehicle has a Disable Veterans license plate'						
	· vehicle make;						
	· vehicle model;						
	· vehicle year;						
	· vehicle color;						
	· transponder;						
	· transponder type;						
	· transponder friendly name (chosen by the customer);						
	· ROV;						
	· ROV address;						
	· ROV Lookup date and · indication the license plate is a temporary license plate.						
374	The Contractor shall provide the capability to require or not require a one-to-one relationship between sticker transponders and vehicle in accordance with Business Rules.						
375	The Contractor shall provide the ability to make the one-to-one correlation between the sticker transponder and vehicle after a Configurable number of transactions/trips with the same transponder and vehicle.						
376	The Contractor shall provide the capability, if the one-to-one relationship is required, allow for Authorized Users to override the Requirement as necessary, for example when a transponder is replaced.						
377	The Contractor shall provide the capability for a many-to-one relationship between transponder and vehicle based on transponder type, account type and in accordance with Business Rules.						
378	The Contractor shall provide the capability to record the history of ROV information associated with each license plate.						
379	The Contractor shall provide the capability to search for license plate history and effective date ranges across multiple accounts.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offeror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
380	The Contractor shall provide the capability to transfer vehicle(s) and associated license plate(s) between accounts while maintaining the associated vehicle transaction/trip history on the original account.						
381	The Contractor shall provide the capability to add license plates from all 50 states, DC, U.S. Government, Canada and Mexico.						
382	The Contractor shall provide the capability to record transponder delivery method, such as in person via the WIC or by mail.						
383	The Contractor shall provide the capability to record transponder issue date and time.						
384	The Contractor shall provide the capability to record and associate a payment for every transponder sold.						
385	The Contractor shall provide the capability to track customer transponder requests.						
386	The Contractor shall provide the capability to age Fulfillment requests and automatically send an Alert when a Fulfillment request has exceeded a Configurable amount of time.						
387	The Contractor shall provide the capability for the Authorized User to override the BOS selected transponder mount type, such as windshield or head lamp.						
388	The Contractor shall provide the capability for the Authorized User to override the customer selected transponder mount type, such as windshield or head lamp.						
389	The Contractor shall provide the capability to read a transponder number (using a barcode reader) and automatically associate it to an account instead of requiring the transponder number to be typed in.						
390	The Contractor shall provide the capability for Authorized Users to enter multiple vehicles in a tabular format.						
391	The Contractor shall provide the capability to upload a file with vehicle information for the entry of a large number of vehicles.						
392	The Contractor shall provide the capability for transferring transponders between accounts while maintaining the associated transponder transaction/trip history on the original account.						
393	The Contractor shall provide the capability to monitor for excessive image-based tolls at the account level and at the vehicle or license plate level.						
1.4.3. Account Plans							
	The Authority offers Account Plans which offer benefits to customers who meet the qualifying criteria. These plans may be assigned at the individual transponder, or account level and each may have only one Account Plan assigned to it. These Account Plans are Configured in the BOS and the BOS shall have the flexibility to apply the relevant Account Plan(s) based on the Business Rules.						
	The Authority also allows for non-revenue passage for qualified vehicles. The Account Plan functionality shall be used to support this program by applying a Configurable percent discount to specific transactions/trips on specific facilities in accordance with the Business Rules.						
	The Account Plans currently offered by the Authority are listed below. The Contractor should expect that plans may be added, deleted or modified over the course of the Operations and Maintenance Phase.						
	· Convenience Plan –a one-time lifetime fee (Configurable);						
	· Standard Plan – monthly fee and discount after a Configurable # of transactions/trips and up to a Configurable maximum per month;						
	· Special Access Plan – provides free or discounted toll rates for three or more riders per vehicle, motorcycles, eligible CAVs, vehicles with disabled veteran or disabled person license plate, and						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offeror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· Non-revenue Plan – which provides a Configurable discount (up to 100 percent) one or more of the Authority's facilities.						
394	The Contractor shall provide the capability to assign Account Plans at the account level.						
395	The Contractor shall provide the capability to assign Account Plans at the transponder level.						
396	The Contractor shall provide the capability to assign Account Plans at the license plate level.						
397	Prevent the transfer of Account Plans when the transponder or the license plate is moved to another account in accordance with the Business Rules.						
398	The Contractor shall provide the capability to enroll customers in Account Plans.						
399	The Contractor shall provide the capability for configuring and offering various Account Plans with a combination of features, including but not limited to:						
	· percentage discount;						
	· dollar amount discount or transaction count discount with a maximum amount;						
	· time duration, such as an Account Plan may only be available for a limited time or may require renewal every year;						
	· method of calculating the discount, such as a transaction-level discount where members get a 50 percent discount on every qualifying toll transaction or a rebate credit on following month based on the frequency of trips within a period of time;						
	· monthly maximum discount based on total dollar amount or number of transactions/trips;						
	· use of Posting Date or Transaction Date to qualify transactions/trips for a rebate;						
	· specific criteria for qualification;						
	· a cost to join the Account Plan and						
	· proof of eligibility, such as a vehicle registration as proof of registration criteria with ability for customer to upload electronically.						
400	The Contractor shall provide the capability to track toll transactions/trips in frequency transponder-based discounts.						
401	The Contractor shall provide the capability to apply rebates or toll credits as lump-sum account level credits.						
402	The Contractor shall provide the capability to apply and reverse discounts to a range of toll transactions/trips on an account.						
403	The Contractor shall provide the capability to clearly indicate which discount was applied to any given transaction/trip.						
404	The Contractor shall provide the capability to configure a non-revenue plan (up to 100 percent discount) to a transponder or license plate on all or specific tolling locations for a specific Toll Facility.						
405	The Contractor shall provide the capability to associate discount eligibility documentation (such as, a utility bill as proof of residence) to a transponder or vehicle.						
1.4.3.1. Special Access Plans							
406	The Contractor shall provide multiple Special Access Plans providing free or discounted toll rates (subject to change at the Authority's discretion both during the Implementation Phase and Operations and Maintenance Phase), including but not limited to:						
	· always HOV eligible when in I-405 Express Lanes (designated carpool);						
	· motorcycles;						
	· eligible CAVs;						
	· vehicles with disabled veteran license plate and						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· vehicles with disabled person license plate.						
407	With the exception of the occupancy which is validated by the ETTM System and reflected in the discounted toll rate assigned to the transaction/trip by the ETTM System, the Contractor shall provide the capability to validate all vehicles to ensure they meet the requirements for a Special Access Plan, This validation shall include:						
	· attach documentation provided by the customer as proof of meeting the requirements for a Special Access Plan and queue for manual verification;						
	· manually review the image of the flagged vehicle license plate noting the transponder used in the special access vehicle						
	· assign the respective code to the transponder to indicate the respective discount (clean air vehicle, motorcycle, etc);						
	· upon successfully matching the transponder to the license plate, charge the appropriate discount to all transactions/trips by that transponder including the first trip;						
	· if the transaction/trip including that license plate does not have an associated transponder read, the discounted rate will be charged but the customer will be contacted to rectify the transponder situation and						
	· for plates and transponders that are successfully matched include the appropriate code in the CTOC file.						
1.4.3.2. Promotions							
	The BOS shall be able to manage promotions, promotion codes and credits. Balances related to promotions are tracked individually by promotion and separately from the account balance. Only eligible transactions can be deducted from promotional balances. Promotional balances are not refunded and can only be applied to tolls on the Authority's Toll Facility.						
408	The Contractor shall provide the capability to offer a Configurable number of weeks-worth of free travel on the Authority's Toll Facility for new accounts.						
409	The Contractor shall provide the capability to account and track promotions balances individually (for example, by promotion code) separately from the account balance.						
410	The Contractor shall provide the capability to display the promotion balances and associated expiration date of the promotion balances so that the CSRs and customers can see the various promotion balances separately from the account's cash balance.						
411	The Contractor shall provide the capability (Configurable) to specify what types of transactions/trips are eligible to be deducted from promotional balances.						
412	The Contractor shall provide the capability to track multiple promotions within an account and correctly determine which account or promotion balance should be depleted first (for example, by type of promotion, by the earliest issue or expiration end date or maximum discount yielded).						
413	The Contractor shall provide the capability to prevent promotional balances from being refunded to customers in the event of account closure or specific customer request.						
414	The Contractor shall provide the capability to credit toll payments back to the promotion balance if toll transactions/trips are reversed or adjusted.						
415	The Contractor shall provide the capability to set an expiration date for promotions.						
	The Contractor shall provide the capability to offer promotions by Authority or Toll Facility with a combination of features and parameters, including but not limited to:						
	· assignment of a promotion code to a company or event;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
416	· Configurable period of time (promotion start date and duration or end date);						
	· Authority offering the promotion;						
	· Toll Facility(ies) where the promotion can be used;						
	· discount percentage per transaction/trip;						
	· discount amount per transaction/trip;						
	· eligibility (new accounts, existing accounts or both; existing accounts opened for more than an amount of time (Configurable));						
	· source (Self-Service Website or with a CSR);						
	· source advertising channel ("where did you hear about it?");						
	· entry into a raffle/sweepstakes and						
	· credit to the account.						
417	The Contractor shall provide the capability to setup "refer-a-friend" promotion codes where both the referred (new) customer and the customer who referred the new customer enjoy the benefits of the promotion.						
418	The Contractor shall provide the capability to apply rebates to accounts sponsored by a third party (such as a shopping mall).						
419	The Contractor shall provide the capability to periodically (monthly) invoice the third-party sponsor for all rebates submitted and applied to accounts.						
420	The Contractor shall provide the capability to expense promotional credits as used to the Authority where the credit was applied reducing that Authority's toll revenue.						
1.4.4. Fees, Penalties and Transactions							
	Penalties and fees are types of Financial Transactions that are assessed in addition to the toll amount or toll charge or in relation to the customer's account management. Penalties and fees can be assessed at the account level, Notification level or transaction level. At the account level, a returned payment fee or a Credit Card decline fee might be assessed in the event a check was returned unpaid by the customer's bank or a Credit Card payment was declined. At the Notification level, a monthly statement fee might be assessed when a statement is mailed to the customer. At the transaction level, penalties are assessed when a transaction/trip is not paid and it becomes a Violation. Fees and penalties should be associated with the lowest possible level. Those fees related to specific transactions/trips should be associated with those transactions/trips. Fees and penalties related to Notification should be associated with that Notification, and all other fees and penalties should be associated with the account statements to that transaction would be Posted to the current Revenue Day. The BOS shall have the capability to report on both the unadjusted transaction amount and the adjusted transaction amount based on transaction plaza and lane, hence the reason adjustments to transactions/trips shall be tied to but not change the original transaction. ally, individually or in batches. Fees and penalties, even when associated with a single transaction, should not change the amount of transaction						
421	The Contractor shall provide the capability to apply fees and penalties (automatically and manually) to accounts.						
422	The Contractor shall provide the capability to apply fees and penalties (currently penalty is assessed to the Violation only), including but not limited to:						
	· at the account level;						
	· at the transponder level;						
	· at the license plate level;						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No *	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offeror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	· at the Notification level and						
	· at the transaction level.						
423	The Contractor shall provide the capability to define and charge account-related fees and penalties based on a set of Configurable parameters, including but not limited to:						
	· hub processing fee (the Authority acting as a hub for other entities);						
	· roaming fee (the Authority acting as a hub for other entities);						
	· account fee;						
	· administrative fee;						
	· Interoperable customer transaction fee;						
	· returned payment fee – Insufficient Funds;						
	· Credit Card decline fee;						
	· ACH decline fee;						
	· transponder purchase fee;						
	· Excessive I-Toll (Image-Based Toll) fee;						
	· invoicing fee;						
	· statement fee, depending on method of delivery;						
	· late fee;						
	· delinquent account fee;						
	· account re-activation fee;						
	· Violation penalty;						
	· delinquent Violation penalty;						
	· collection fee;						
	· account deactivation fee;						
	· Account Plan membership fee;						
	· Registration Hold fee and						
	· balance below Insufficient Balance Threshold fee.						
424	The Contractor shall provide the capability to maintain the parameters (Configurable) related to fees and penalties.						
425	The Contractor shall provide the capability to create new fees and penalties.						
426	The Contractor shall provide the capability to manually apply custom fees and penalties to accounts.						
427	The Contractor shall provide the capability for the assessment of fees based on account activities, for all accounts or specific account type(s).						
428	The Contractor shall provide the capability to notify the customer via the channel(s) defined within the Business Rules, Operations Plan and SOPs when a fee or penalty is assessed.						
429	The Contractor shall provide the capability to schedule a start and end date/time when a fee or penalty change will go into effect/conclude. For example, the statement fee is \$2.00 until July 31, 2024, after which it will increase to \$3.00.						
1.4.5. Registered Account Replenishment							

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
	Registered accounts are established with a valid replenishment method for prepaid balances to be restored as toll and fee transactions deplete the prepaid balance. Account replenishment options are Credit Card, cash, check, ACH and money order. Replenishment by Credit Card can be set up to be automatic (auto-replenishment). For auto-replenishment, the BOS determines the replenishment timing and minimum amount based on parameters (Configurable). Replenishment by cash, check, ACH or money order requires the customer to replenish the account manually by mailing a check or visiting a WIC. Customers without an auto-replenishment method also may make a one-time payment by Credit Card or ACH.						
430	The Contractor shall provide the capability for one or more auto-replenishment methods within an account for all electronic payment methods.						
431	The Contractor shall provide separate replenishment parameters (Configurable) for all account types, including but not limited to:						
	· fixed replenishment amount;						
	· replenishment threshold based on a percentage of the replenishment amount;						
	· replenishment thresholds based on the number of transponders on the account;						
	· replenishment amount based on the number of transponders on the account;						
	· replenishment amounts calculated based on average use for a period (Configurable) of time or a fixed amount, whichever is greater. For example, average use over the prior (3) month period as compared to \$30);						
	· number of replenishment failures before next method is attempted and						
	· number of declines before a replenishment method is suspended based on appropriate reject reasons.						
432	The Contractor shall provide the capability for Authorized Users to identify individual accounts that are not subjected to auto-replenishment recalculation.						
433	The Contractor shall provide the capability for account replenishment options based on Insufficient Balance Thresholds.						
434	The Contractor shall provide the capability for automatic account replenishments via Credit Card and ACH.						
435	The Contractor shall provide the capability for a hierarchical usage sequence for auto-replenishment methods for an account, such as primary method ACH and secondary method Visa Credit Card #1.						
436	The Contractor shall provide for a stepped approach to failed auto-replenishments where an attempt is made to collect from the primary replenishment method a number of times (Configurable), followed by the secondary method and continuing until attempts have been made to replenish from all replenishment methods.						
437	The Contractor shall provide the capability for automatically suspending an auto-replenishment method because of a number of declines (Configurable) and decline reason code. For example, if the reason for a decline is a closed account, the number of retries would be zero.						
438	The Contractor shall provide the capability for automatically removing the suspension of an auto-replenishment method when there is an update to the Credit Card number, expiration date or any other related information.						
439	The Contractor shall provide the ability to automatically update Credit Card expiration dates through the Merchant Service Provider.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offendor S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
440	The Contractor shall provide the capability to check if the Credit Card or ACH information is associated with another account when setting up an auto-replenishment method. The Contractor shall provide an Alert to the CSR of such condition and options to cancel or continue.						
441	The Contractor shall provide the capability for an Alert to be sent to the PMMS of a failed auto-replenishment event because of BOS or Interface errors.						
442	The Contractor shall provide the capability for the manual replenishing of accounts, regardless of payment method, on both a one-time and ongoing basis.						
443	The Contractor shall provide the capability to check account balances each time a transaction is Posted to an account, as well as automatically submit an auto-replenishment attempt using the primary valid replenishment method when replenishment criteria is met.						
1.4.6. Adjustments and Reversals							
	Adjustments and reversals are routinely processed in the BOS and are applied to any type of toll or Financial Transaction. Examples of such adjustments include correcting a toll rate, which would result in a change in toll, accepting a customer dispute for an incorrect charge, which would result in the reversal of the toll, or waiving or reducing a Violation penalty. Adjustments and reversals can be processed for single transactions, such as in the examples above, or in bulk. An example of a bulk adjustment is reversing all charges for a specific Toll Facility during a specific time period, as would be the case for an accident in the general-purpose lanes. Every adjustment and reversal requires the entry of a reason code identifying the reason for the adjustment or reversal. Adjustments and reversals must be associated with the original transaction, but must not change the original transaction. The original transaction must be preserved in the BOS once the transaction has been Posted to the account. Any adjustments to that transaction would be Posted to the current Revenue Day. The BOS shall have the capability to report on both the unadjusted transaction amount and the adjusted transaction amount based on transaction plaza and lane, hence the reason adjustments to transactions/trips shall be tied to but not change the original transaction.						
444	The Contractor shall provide the capability to make corrections, adjustments and reversals to transactions/trips while preserving the original transaction, including the original Transaction Date and amount. Any corrections, adjustments or reversals shall be tied to, but not change, the original transaction/trip.						
445	The Contractor shall provide the capability to properly disposition transactions/trips that are adjusted and/or reversed and are already in a Violation Notice stage.						
446	All corrections, adjustments and reversals shall be Posted to the current Revenue Date so as not to affect prior closed Revenue Dates.						
447	The Contractor shall provide the capability for full reversals of any type of transaction with a reason code (Configurable), preserving complete history.						
448	The Contractor shall provide the capability for partial reversals of any type of transaction with a reason code (Configurable), preserving complete history.						
449	The Contractor shall provide the capability to require that a reason code be entered for every adjustment and reversal.						
450	The Contractor shall provide the capability for multiple corrections, adjustments and/or reversals to be made on a single transaction/trip while preventing the sum of such corrections, adjustments and/or reversals to exceed the amount of the original transaction/trip.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Officer S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
451	The Contractor shall provide the capability to establish Courtesy Credit amounts (Configurable) by Courtesy Credit type. Courtesy Credits shall be used for toll charges only on the Authority's Toll Facility and are not refundable and are charged as an expense when issued to customers.						
452	The Contractor shall provide the capability to apply Courtesy Credits to accounts and require the entry of comments and reason assignment from allowable reason. The reason selected will determine how the expense is charged (transaction level or account level (50/50)).						
453	The Contractor shall provide the capability to Authorized Users to configure all relevant parameters related to establishing role-based dollar amount thresholds for transactions that affect Authority's revenue, including but not limited to:						
	· adjustments,						
	· debits;						
	· credits and						
	· reversals.						
454	The Contractor shall provide the capability for Authorized Users to Post adjustments, credits and reversals up to their role-based threshold amount (Configurable).						
455	The Contractor shall provide the capability to establish a Case when Authorized Users are unable to process a transaction as a result of reaching their role-based adjustment, credit or reversal limits (Configurable) or not authorized for the particular action.						
456	The Contractor shall provide the capability to establish a Case for a higher-level of approval when Authorized Users are unable to process a transaction as a result of reaching their role-based adjustment, credit or reversal limits (Configurable). The Authorized User who Approved the transaction shall be recorded and associated with the transaction.						
457	The Contractor shall provide detailed tracking of individual adjustments, credits and/or reversals and categorize each separately.						
458	The Contractor shall provide a trip and/or transaction search and adjustment screen(s) where Authorized Users can enter the selection criteria, retrieve the transactions/trips and make bulk adjustments or reversals. This capability shall allow the selection of groups of transactions/trips to which the correction will apply and adjustment comments entered for the affected transactions/trips. The Authorized User shall be allowed to select/deselect specific transactions/trips within the group. For example, the Authority may require all trips/transactions that include a certain toll point between 2 a.m. and 5 a.m. on a specific date to be fully reversed or all transactions at that toll point to be charged \$1.00.						
459	The Contractor shall provide the capability to process adjustments and reversals that affect Interoperable Agency customers in accordance with the applicable Interoperable specifications and include these transactions/trips in the reconciliation reporting based on adjustment Posting Date (not original Transaction Date).						
460	The Contractor shall provide the capability to transfer transactions/trips (financial or tolls) to another account. For example, a check Posted incorrectly to an account gets reversed and re-Posted to the appropriate account.						
461	The Contractor shall provide the capability to adjust the eligibility for discounts and promotions when transactions are corrected, adjusted or reversed.						
462	The Contractor shall provide the capability to adjust discounts and promotions when transactions are adjusted, corrected or reversed.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offoror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
1.4.7. Account Statuses							
	Account statuses determine how transactions/trips are processed and associated to accounts.						
463	The Contractor shall provide account statuses, including but not limited to:						
	· active (accounts in good standing);						
	· low balance (account below replenishment threshold – Credit Card has declined or cash account below threshold);						
	· delinquent (Registered accounts only – accounts that fall below the Insufficient Balance Threshold);						
	· collection (account information has been sent to the Collection Agencies);						
	· pending close (Registered accounts only – accounts scheduled to close remain in this status for a Configurable number of days to allow for final transactions/trips to clear) and						
	· closed (closed accounts).						
464	The Contractor shall provide the capability to automatically, according to Business Rules, transition between account statuses.						
465	The Contractor shall provide the capability to set a different period of time (Configurable) before accounts automatically transition from pending close to closed based on the reason the account is to be closed.						
466	The Contractor shall provide capability for customer Notification (Configurable) when the account status changes.						
467	The Contractor shall provide the capability to use the account’s status in determining whether or not to Post a transaction/trip to the account. For example, only Post transactions to an account in active or pending close statuses.						
468	The Contractor shall provide the capability to automatically set an account to delinquent status once the account balance reaches below the Insufficient Balance Threshold or a Configurable number of days from the low balance notification.						
469	The Contractor shall provide the capability to automatically set accounts to pending close status upon a request to close the account and take automatic actions, including but not limited to:						
	· deactivate plates and vehicles on the account;						
	· deactivate transponders on the account and						
	· prorating of prepaid discount fees.						
470	The Contractor shall provide the capability to automatically age an account from pending close to closed status after a period of time (Configurable) and to take automatic actions, including but not limited to:						
	· removing payment methods on the account;						
	· assessing the appropriate fees;						
	· expiring promotion credits;						
	· processing the refund amount bringing the balance to zero and						
	· processing the refund automatically based on criteria or approval.						
471	The Contractor shall provide the capability for capturing multiple levels of reason codes for an account closing at “pending close” time.						
472	The Contractor shall provide the capability for the reactivation (back to an active status) of an account in the pending close and closed statuses.						
473	The Contractor shall provide the capability to prevent transactions from Posting to closed accounts.						
474	The Contractor shall provide the capability for Authorized Users to add comments to closed accounts.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offerror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
1.4.8. Account Flags							
	Account Flags are used to identify meaningful conditions and information about the account, its transactions/trips, vehicles, transponders and payment methods which are used to trigger a Notification or other actions and for reporting. During design, the Contractor shall describe the ways in which these types of information shall be identified to the customers and Authorized Users.						
475	The Contractor shall provide the capability to set and maintain Flags (Configurable) that can be displayed on accounts for issues related to the account, a license plate, or transponder on the account.						
476	The Contractor shall provide the capability to automatically set Flags on account based on conditions and events, including but not limited to:						
	· bad address;						
	· bad email address/no email address;						
	· bad phone number (for both calls and texts);						
	· account closed in Collections;						
	· account was not completely opened;						
	· account has debt which was written-off;						
	· account has debt which was written-off in Collections;						
	· account has an Investigative Review in process;						
	· account has an open refund request;						
	· no active vehicles;						
	· no active transponder (applicable only to FasTrak accounts);						
	· transponder in certain status, for example, lost or stolen (not applicable to Unregistered accounts);						
	· excessive toll at license plate level (not applicable to Unregistered accounts);						
	· temporary license plate;						
	· account is in pending to close status (not applicable to Unregistered accounts);						
	· account has an open Case;						
	· customer participates in a non-revenue Account Plan (not applicable to Unregistered accounts);						
	· customer enrolled in Account Plan (s) (not applicable to Unregistered accounts);						
	· Special Access Plan on the account or on a vehicle on the account (not applicable to Unregistered accounts);						
	· unresolved returned check;						
	· unresolved Credit Card decline on the account;						
	· at least one Credit Card marked by the BOS as bad (not applicable to Unregistered accounts);						
	· at least one Credit Card is expired or is expiring within a number (Configurable) of days (not applicable to Unregistered accounts);						
	· account has at least one suspended auto-replenishment method (not applicable to Unregistered accounts);						
	· account has unpaid Violation(s) not applicable to Unregistered accounts);						
	· account has debt in Collections;						
	· one or more vehicles on the account has been placed on Registration Hold;						
	· at least one license plate on the account has an unpaid Violation(s);						
	· an Administrative Review has been scheduled for the account;						
	· at least one Violation associated with the account has a Civil Judgement and						
	· account was subject to Escheatment.						

Volume II BOS Technology and Functionality

No.	Requirements	Required Inputs					
		Compliance	Status	If Applicable	Source	If Applicable	Comments
		Y - Yes N - No*	B-Base Product M-Base Modified D-New Development NP-Not Provided*	Customer Name and Location	O-Offeror S-Sub T-Third Party NA-Not Applicable	Subcontractor Name and/or 3rd Party Product/Vendor	*Comment required if "No" in Column C or "Not Provided" in Column D, optional otherwise.
477	The Contractor shall provide the capability for Authorized Users to manually set account Flags, including but not limited to:						
	· high priority comment;						
	· bad phone number (for both calls and texts);						
	· bad address;						
	· do not accept checks for payment;						
	· inactive account;						
	· account needs to be referred to a supervisor;						
	· account holder is deceased and · CSC has been informed of account holder bankruptcy.						
478	The Contractor shall provide the capability to display all active Flags on an account upon accessing the account information.						
479	The Contractor shall provide the capability to automatically clear Flags based on criteria.						
480	The Contractor shall provide the capability for Authorized Users to manually clear Flags no longer applicable to an account.						
1.4.9. Transponders							
	There are different types of transponders, with each having a distinct purpose. The Authority may issue the types of transponders described below.						
	· Interior sticker transponders (non-switchable) – are permanently affixed on the inside of a vehicle's windshield. These transponders cannot be moved between vehicles.						
	· Breakable interior sticker transponders (non-switchable) – are permanently affixed on the inside of a vehicle's windshield. These transponders cannot be moved between vehicles because they are designed to break if removed after they have been applied to a surface.						
	· Three-position hard-case transponders (switchable) – are mounted on the inside of a vehicle's windshield with mounting strips that allow a customer to switch between three Occupancy Setting modes.						
	· Exterior headlight transponders (non-switchable) – are clear stickers which are permanently affixed to the motorcycle's or vehicle's headlight.						
481	The Contractor shall provide for transponder statuses (Configurable), including but not limited to:						
	· inactive;						
	· valid and						
	· invalid.						
482	The Contractor shall provide the capability to manually change transponder statuses, such as when a customer calls to report a transponder has been stolen.						
483	The Contractor shall provide the capability to automatically change transponder statuses. For example, when a transponder that is in inventory with an inactive status is subsequently added to an account, the status changes to active.						
484	The Contractor shall provide the capability to track a transponder's current status and status history.						
485	The Contractor shall provide the capability to automatically change the transponder status from valid to invalid for all transponders on an account when the account balance is equal to or below a balance (Configurable).						
486	The Contractor shall provide the capability to automatically change the transponder status from invalid to valid for all transponders on an account when the account balance is above a balance (Configurable).						